INTERNATIONAL STANDARD

IEC 60335-2-9

Edition 5.2 2006-03

Edition 5:2002 consolidated with amendments 1:2004 and 2:2006

Household and similar electrical appliances – Safety –

Part 2-9:

Particular requirements for grills, toasters and similar portable cooking appliances

and rds/rc/743e64a-4fba-40df-abdd-61deb90532af/iec-60335-2-9-2002

This **English-language** version is derived from the original **bilingual** publication by leaving out all French-language pages. Missing page numbers correspond to the French-language pages.



Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress and ertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (<u>www.iec.ch</u>)

Catalogue of IEC publications

The on-line catalogue on the IEC web site (www.iec.ch/searchsub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

• IEC Just Published

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the customer Service Centre (see below) for further information.

Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: <u>custserv@iec.ch</u>
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60335-2-9

Edition 5.2 2006-03

Edition 5:2002 consolidated with amendments 1:2004 and 2:2006

Household and similar electrical appliances – Safety –

Part 2-9:

Particular requirements for grills, toasters and similar portable cooking appliances

Review

© IEC 2006 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



PRICE CODE

CONTENTS

1	Scope	15
2	Normative references	17
3	Definitions	17
4	General requirement	25
5	General conditions for the tests	25
6	Classification	25
7	Marking and instructions	27
8	Protection against access to live parts	31
9		31
10	Power input and current.	31
11	Heating	31
12	Void	35
13	Leakage current and electric strength at operating temperature	35
14	Transient overvoltages	37
15	Moisture resistance	
16	Leakage current and efectric strength	39
17	Overload protection of transformers and associated circuits	
18	Endurance	41
19	Abnormal operation.	41
20	Stability and mechanical hazards	c-60333-Z-5
21	Mechanical strength	
22	Construction	
23	Internal wiring	51
24	Components	51
	Supply connection and external flexible cords	
26	Terminals for external conductors	55
27	Provision for earthing	55
28	Screws and connections	55
29	Clearances, creepage distances and solid insulation	55
30	Resistance to heat and fire	57
31	Resistance to rusting	57
32	Radiation, toxicity and similar hazards	
۸	nexes	0.5

Figure 101 – Examples of appliances	59
Figure 102 – Load for testing rotating spits	61
Figure 103 – Vessel for testing hotplates	63
Figure 104 – Vessel for testing induction hotplates	63
Table 101 – Quantity of liquid in the vessel	21



INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-9: Particular requirements for grills, toasters and similar portable cooking appliances

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Rechnical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held esponsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-9 consists of the fifth edition (2002) [documents 61/2100/FDIS and 61/2131/RVD], its amendment 1 (2004) [documents 61/2535/FDIS and 61/2579/RVD] and its amendment 2 (2006) [documents 61/2946/FDIS and 61/2981/RVD].

The technical content is therefore identical to the base edition and its amendments and has been prepared for user convenience.

It bears the edition number 5.2.

A vertical line in the margin shows where the base publication has been modified by amendments 1 and 2.

The French version of this standard has not been voted upon.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for grills, toasters and similar portable cooking appliances.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specification: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indipated below.

- 3.1.9: Different loads and test methods are used (Canada and USA).
- 5.101: If the appliance incorporates a motor, the motor is tested at rated voltage (USA).
- 7.12: Identification of the connector is to be marked on the appliance (Canada and USA). 32af iec-60335-2-9
 - 11.2: 9,5 mm thick plywood is used for the test corner (USA).
 - 11.7: The test duration is based on the quantity of food (USA).
 - 11.8: The modification does not apply (Norway).
 - 11.8: A temperature rise of 100 K is allowed for the wall of the test corner (USA).
 - 11.101: There are no surface temperature limits on toasters having a metallic enclosure unless they are under cabinet or wall mounted, in which case it is allowed that the temperatures may reach 100 °C if a proper marking is provided (USA).
 - 15.2: A different solution is used and the test is not carried out on ovens, hotplates or cookers (USA).
 - 15.101: Appliances are immersed to the marked level only (USA).
 - 19.2: A 300 mm deep simulated cabinet is located 400 mm above the countertop (Canada and USA).
 - 19.2: The test is different. Additional tests are carried out on hotplates and cookers (USA):
 - 19.101: Different test methods and numbers of cycles are used (Canada and USA).
 - 19.102: A combustible cloth is placed above the toaster and the residual bread is left in place (Canada and USA).
 - 19.103: Disks having different sizes are used (USA).

60335-2-9 © IEC:2002+A1:2004+A2:2006 - 11 -

- 20.101: The test is not carried out (USA).
- 21.101: The test is different (USA).
- 22.105: The requirement is not applicable (USA).
- 22.108: The test is not carried out (USA).
- 22.109: The test is not carried out (USA).
- 22.110: The test is not carried out (USA).
- 24.1.3: The test is not carried out (USA).
- 24.101: The test is not carried out (USA).
- 25.7: The free length of the supply cord is specified; in some cases, it is 1,8 m to 2,1 m for appliances intended to be connected to fixed socket-outlets, while in others it is 0,6 m to 2,1 m for appliances normally used on a table or similar surface (Canada and USA).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

iTek Syndards

(https://scandrod.iteh.ai)

Current Preview

ttps://standards.iteh.ai/ o/al e/etanda

3e64a-4fba-40df-abdd-61deb90532af/jec-60335-2-9-2003

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

10035-2-9:200

ttps://standards.iteh.ai/a/a/e/standards.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-9: Particular requirements for grills, toasters and similar portable cooking appliances

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **portable appliances** for household purposes that have a cooking function such as baking, roasting and grilling, their **rated voltage** being not more than 250 V.

NOTE 101 Examples of appliances that are within the scope of this standard are

- barbecues for indoor use;
- breadmakers:
- contact grills (griddles);
- cookers;
- food dehydrators;
- hotplates;
- portable ovens;
- raclette grills;
- radiant grills;
- roasters;
- rotary grills;
- rotisseries:
- toasters;
- waffle irons;

Examples are illustrated in Figure 101.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to

- stationary ovens and stationary grills (IEC 60335-2-6);
- warming plates (IEC 60335-2-12);
- frying pans and deep fat fryers (IEC 60335-2-13);
- microwave ovens (IEC 60335-2-25);
- barbecues for outdoor use (IEC 60335-2-78);
- appliances intended for commercial catering;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of part 1 is applicable except as follows.

Addition:

IEC 60068-2-52, Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)

ISO 3864-1, Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs in workplaces and public areas

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance as specified in the following subclauses

NOTE 101 Appliances not mentioned but which nevertheless perform one of the functions are operated as specified for this function as far as possible.

3.1.9.101 Toasters are loaded with the maximum number of slices of white bread specified in the instructions and operated in cycles, each cycle consisting of an operating period and a rest period. The bread is approximately 24 h old and the dimensions of the slices are approximately 100 mm × 100 mm × 10 mm. The rest periods have a duration of 30 s or the minimum period needed for the resetting of a centrol, whichever is longer. The slices of bread are replaced during each rest period. The operating period is established by adjusting controls to give the bread a golden brown colour. For toasters without a control, each operating period is terminated as soon as the colour of the bread turns golden-brown.

https://standards.iteh.ai./ https://standards.ic/>243e64a-4fba-40df-abdd-61deb90532af/iec-60335-2-9-200

Toasters incorporating a device for heating rolls are loaded with the maximum number of rolls specified in the instructions. The **toaster** is operated in cycles, each cycle consisting of an operating period followed by a rest period of 30 s when the rolls are turned or replaced. The control is adjusted in accordance with the instructions. If instructions are not given, the control is adjusted for the toasting operation.

Sandwich-toasting attachments are loaded with one or more sandwiches that are positioned in accordance with the instructions to produce the most unfavourable result. Each sandwich comprises two slices of white bread filled with a single slice of suitable cheese having an area equal to a slice of bread and a thickness of approximately 5 mm. The toaster is then operated in accordance with the instructions in cycles, each cycle consisting of a toasting operation followed by a rest period of 30 s, or the minimum period needed for the resetting of a control, whichever is longer.

NOTE Processed cheese and other cheeses that readily melt when heated are suitable.

3.1.9.102 Rotary grills are operated with the load on the rotating spit shown in Figure 102.