

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 13628-5:2010

<https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010>

EUROPEAN STANDARD

EN ISO 13628-5

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2009

ICS 75.180.10

English Version

Petroleum and natural gas industries - Design and operation of
subsea production systems - Part 5: Subsea umbilicals (ISO
13628-5:2009)

Industries du pétrole et du gaz naturel - Conception et
exploitation des systèmes de production immergés - Partie
5: Faisceaux de câbles immergés (ISO 13628-5:2009)

Erdöl- und Erdgasindustrie - Konstruktion und Betrieb von
Unterwasser-Produktionssystemen - Teil 5: Unterwasser-
Versorgungskabel (ISO 13628-5:2009)

This European Standard was approved by CEN on 18 November 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

<https://standards.cen.org/catalog/standards/sist/5a62-4bd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....3

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN ISO 13628-5:2010](https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010)
<https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010>

Foreword

This document (EN ISO 13628-5:2009) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2010, and conflicting national standards shall be withdrawn at the latest by June 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 13628-5:2009 has been approved by CEN as a EN ISO 13628-5:2009 without any modification.

[SIST EN ISO 13628-5:2010](https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010)

<https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 13628-5:2010](#)

<https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010>

INTERNATIONAL
STANDARD

ISO
13628-5

Second edition
2009-12-15

**Petroleum and natural gas industries —
Design and operation of subsea
production systems —**

**Part 5:
Subsea umbilicals**

iTeh STANDARD PREVIEW
*Industries du pétrole et du gaz naturel — Conception et exploitation des
systèmes de production immergés —
(standards.iteh.ai)
Partie 5. Faisceaux de câbles immergés*

SIST EN ISO 13628-5:2010

<https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010>



Reference number
ISO 13628-5:2009(E)

© ISO 2009

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 13628-5:2010](https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010)

<https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010>

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	vi
Introduction.....	vii
1 Scope	1
2 Normative references	1
3 Terms, abbreviated terms and definitions	3
3.1 Terms and definitions	3
3.2 Abbreviated terms	10
4 Functional requirements	11
4.1 General requirements	11
4.2 Project-specific requirements	12
5 Safety, design and testing philosophy	12
5.1 Application	12
5.2 Safety objective	12
5.3 Systematic review	12
5.4 Fundamental requirements	12
5.5 Design philosophy	13
5.6 Testing	14
6 Design requirements	16
6.1 General	16
6.2 Loads	16
6.3 Load effect analysis	20
6.4 Installation analysis	26
6.5 Fatigue life	27
7 Component design, manufacture and test	27
7.1 General	27
7.2 Electric cables	28
7.3 Hoses	38
7.4 Optical-fibre cable	49
7.5 Metallic tubes	54
8 Terminations and ancillary equipment design	71
8.1 Design principles	71
8.2 Design process	71
8.3 Armour terminations	71
8.4 Tube and hose terminations	72
8.5 Cable terminations	72
8.6 Pull-in head	73
8.7 Topside hang-off	73
8.8 Subsea termination interface	74
8.9 Subsea umbilical termination	74
8.10 Bend restrictors	74
8.11 Bend stiffeners	75
8.12 Ancillary equipment	75
9 Umbilical design	78
9.1 Temperature range	78
9.2 Maximum tensile load	78
9.3 Ultimate tensile load	78
9.4 Minimum bend radius	78

ISO 13628-5:2009(E)

9.5	Cross-sectional arrangement	78
9.6	Lay-up	79
9.7	Sub-bundles	79
9.8	Inner sheath.....	79
9.9	Armouring.....	79
9.10	Outer sheath.....	80
9.11	Length marking.....	80
10	Umbilical manufacture and test	80
10.1	Umbilical manufacture	80
10.2	Qualification and verification tests	83
11	Factory acceptance tests.....	84
11.1	General.....	84
11.2	Visual and dimensional inspection.....	84
11.3	Electrical continuity at the termination	84
11.4	Trial termination fit-up.....	84
11.5	Electric cable.....	84
11.6	Optical fibre cables.....	85
11.7	Hoses	85
11.8	Tubes	86
11.9	Terminations	86
11.10	Continuity check.....	86
12	Storage.....	86
12.1	General.....	86
12.2	Protection of unterminated umbilical components.....	86
12.3	Spare length	87
12.4	Repair kits.....	87
12.5	Handling for integration tests.....	87
13	Pre-installation activity	87
13.1	Umbilical information	87
13.2	Route information	88
13.3	Terminations and ancillary equipment information.....	88
13.4	Host facility information.....	89
13.5	Subsea structure information.....	89
13.6	Host facility visit	89
14	Load-out.....	90
14.1	General.....	90
14.2	Technical audit of load-out facilities.....	90
14.3	Load-out procedure	91
14.4	Pre-load-out meetings.....	91
14.5	Pre-load-out tests	91
14.6	Load-out operation	92
14.7	Stopping and starting the load-out.....	93
14.8	Handling of the umbilical	93
14.9	Load-out monitoring.....	94
14.10	Load-out on a reel or carousel	94
14.11	Post-load-out tests	95
15	Installation operations	95
15.1	General.....	95
15.2	Requirements for installation vessel and equipment	95
15.3	Pre-installation survey	96
15.4	I-tube or J-tube pull-in operations	97
15.5	Lay-down of subsea termination (first end).....	100
15.6	Lay route.....	100
15.7	Handling requirements for the main lay.....	100
15.8	Vessel positioning to achieve required touch-down	101
15.9	Control and monitoring of length laid	101
15.10	Integrity monitoring during lay.....	102

15.11	Burial operations	103
15.12	Approach to subsea termination position (second end).....	104
15.13	Lay-down of subsea termination	104
15.14	Pull-in of subsea termination	105
15.15	Pipeline crossings	105
15.16	Buoyancy attachments	106
15.17	Arming of the weak link	106
15.18	Post-lay survey	106
15.19	Post-burial survey	106
15.20	Post-pull-in test	107
15.21	Post-hook-up test	107
15.22	Retrieval of installation aids.....	108
15.23	Contingencies.....	108
15.24	Repairs.....	108
15.25	Post-installation survey	108
Annex A	(informative) Information that should be provided in a purchaser's functional specification.....	109
Annex B	(informative) Umbilical testing	116
Annex C	(informative) Hose and tube preferred sizes	120
Annex D	(normative) Characterization tests for hoses and umbilicals	121
Annex E	(informative) Fatigue testing	125
Annex F	(informative) Load-effect analysis.....	127
Annex G	(informative) Umbilical full-scale tests.....	139
Annex H	(informative) Tube material matrix.....	145
Annex I	(informative) Tube-wall thickness example calculation.....	157
Annex J	(informative) Buckling of metallic tubes.....	164
Bibliography	167

ISO 13628-5:2009(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 13628-5 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 4, *Drilling and production equipment*.

iTeh STANDARD PREVIEW

This second edition cancels and replaces the first edition (ISO 13628-5:2002), which has been technically revised.

ISO 13628 consists of the following parts, under the general title *Petroleum and natural gas industries — Design and operation of subsea production systems*:

- *Part 1: General requirements and recommendations*
- *Part 2: Unbonded flexible pipe systems for subsea and marine applications*
- *Part 3: Through flowline (TFL) systems*
- *Part 4: Subsea wellhead and tree equipment*
- *Part 5: Subsea umbilicals*
- *Part 6: Subsea production control systems*
- *Part 7: Completion/workover riser systems*
- *Part 8: Remotely Operated Vehicle (ROV) interfaces on subsea production systems*
- *Part 9: Remotely Operated Tool (ROT) intervention systems*
- *Part 10: Specification for bonded flexible pipe*
- *Part 11: Flexible pipe systems for subsea and marine applications*

A Part 12, dealing with dynamic production risers, a Part 13, dealing with remotely operated tool and interfaces on subsea production systems, a Part 15, dealing with subsea structures and manifolds, a Part 16, dealing with specification for flexible pipe ancillary equipment, and a Part 17, dealing with recommended practice for flexible pipe ancillary equipment, are under development.

Introduction

This part of ISO 13628 is based on the first edition of ISO 13628-5, which was based on API Spec 17E, second edition and API RP 17I, first edition. The first edition of ISO 13628-5 was adopted by API as API Spec 17E, third edition. It is intended that API Spec 17E, fourth edition, will be identical to this International Standard.

It is important that users of this part of ISO 13628 be aware that further or differing requirements can be needed for individual applications. This part of ISO 13628 is not intended to inhibit a vendor from offering, or the purchaser from accepting, alternative equipment engineering solutions for the individual application. This can be particularly applicable if there is innovative or developing technology. If an alternative is offered, it is the responsibility of the vendor to identify any variations from this part of ISO 13628 and provide details.

In this part of ISO 13628, where practical, US Customary (USC) and other units are included in parentheses for information.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 13628-5:2010](https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010)

<https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 13628-5:2010](#)

<https://standards.iteh.ai/catalog/standards/sist/3a624fbd-4ba2-40c7-9331-933dc640e337/sist-en-iso-13628-5-2010>

Petroleum and natural gas industries — Design and operation of subsea production systems —

Part 5: Subsea umbilicals

1 Scope

This part of ISO 13628 specifies requirements and gives recommendations for the design, material selection, manufacture, design verification, testing, installation and operation of umbilicals and associated ancillary equipment for the petroleum and natural gas industries. Ancillary equipment does not include topside hardware. Topside hardware refers to any hardware that is not permanently attached to the umbilical, above the topside hang-off termination.

This part of ISO 13628 applies to umbilicals containing components, such as electrical cables, optical fibres, thermoplastic hoses and metallic tubes, either alone or in combination.

This part of ISO 13628 applies to umbilicals for static or dynamic service, with surface-surface, surface-subsea and subsea-subsea routings.

This part of ISO 13628 does not apply to the associated component connectors, unless they affect the performance of the umbilical or that of its ancillary equipment.

This part of ISO 13628 applies only to tubes with the following dimensions: wall thickness, $t < 6$ mm, internal diameter, $ID < 50,8$ mm (2 in). Tubular products greater than these dimensions can be regarded as pipe/linepipe and it is expected that they be designed and manufactured according to a recognised pipeline/linepipe standard.

This part of ISO 13628 does not apply to a tube or hose rated lower than 7 MPa (1 015 psi).

This part of ISO 13628 does not apply to electric cable voltage ratings above standard rated voltages $U_0 / U(U_m) = 3,6/6(7,2)$ kV rms, where U_0 , U and U_m are as defined in IEC 60502-1 and IEC 60502-2.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 527 (all parts), *Plastics — Determination of tensile properties*

ISO 1402, *Rubber and plastics hoses and hose assemblies — Hydrostatic testing*

ISO 4080, *Rubber and plastics hoses and hose assemblies — Determination of permeability to gas*

ISO 4406, *Hydraulic fluid power — Fluids — Method for coding the level of contamination by solid particles*

ISO 4672:1997, *Rubber and plastics hoses — Sub-ambient temperature flexibility tests*