

<][fchYfa UbY_UfU_hYf]gh_Y'ghUj V!'FU i bUb^Y]b'dfYXghUj]hYj '_`]a Uhg_\]
dcXUh_cj '! ' "XY.'FU i bUb^Y]bXY_gUdUXUj]b'nUbUj d] bY'dcj fý]bY'bUdcX'U]
\]fchg]j YffU]b_c`]]bY'XYy'UfIGC`% - &+!' .&\$\$- Ł

Hygrothermal performance of buildings - Calculation and presentation of climatic data - Part 3: Calculation of a driving rain index for vertical surfaces from hourly wind and rain data (ISO 15927-3:2009)

iTeh STANDARD PREVIEW

Wärme- und feuchteschutztechnisches Verhalten von Gebäuden - Berechnung und Darstellung von Klimadaten - Teil 3: Berechnung des Schlagregenindex für senkrechte Oberflächen aus stündlichen Wind- und Regendaten (ISO 15927-3:2009)

[SIST EN ISO 15927-3:2009](https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-3e0b40601a-en/iso-15927-3:2009)

<https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-3e0b40601a-en/iso-15927-3:2009>

Performance hygrothermique des bâtiments - Calcul et présentation des données climatiques - Partie 3: Calcul d'un indice de pluie battante pour surfaces verticales à partir de données horaires de vent et de pluie (ISO 15927-3:2009)

Ta slovenski standard je istoveten z: EN ISO 15927-3:2009

ICS:

07.060	Geologija. Meteorologija. Hidrologija	Geology. Meteorology. Hydrology
91.120.10	Toplotna izolacija stavb	Thermal insulation

SIST EN ISO 15927-3:2009

en,fr

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 15927-3:2009

<https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 15927-3

March 2009

ICS 91.120.10; 07.060

English Version

Hygrothermal performance of buildings - Calculation and presentation of climatic data - Part 3: Calculation of a driving rain index for vertical surfaces from hourly wind and rain data (ISO 15927-3:2009)

Performance hygrothermique des bâtiments - Calcul et présentation des données climatiques - Partie 3: Calcul d'un indice de pluie battante pour surfaces verticales à partir de données horaires de vent et de pluie (ISO 15927-3:2009)

Wärme- und feuchteschutztechnisches Verhalten von Gebäuden - Berechnung und Darstellung von Klimadaten - Teil 3: Berechnung des Schlagregenindex für senkrechte Oberflächen aus stündlichen Wind- und Regendaten (ISO 15927-3:2009)

This European Standard was approved by CEN on 31 January 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15927-3:2009](https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009)

<https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009>

Foreword

This document (EN ISO 15927-3:2009) has been prepared by Technical Committee ISO/TC 163 "Thermal performance and energy use in the built environment" in collaboration with Technical Committee CEN/TC 89 "Thermal performance of buildings and building components", the secretariat of which is held by SIS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2009, and conflicting national standards shall be withdrawn at the latest by September 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 15927-3:2009](https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009)

<https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15927-3:2009](#)

<https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009>

INTERNATIONAL
STANDARDISO
15927-3First edition
2009-03-15

**Hygrothermal performance of
buildings — Calculation and presentation
of climatic data —****Part 3:
Calculation of a driving rain index for
vertical surfaces from hourly wind and
rain data**

iTeh STANDARD PREVIEW

(standards.iteh.ai)

*Performance hygrothermique des bâtiments — Calcul et présentation
des données climatiques —**Partie 3: Calcul d'un indice de pluie battante pour surfaces verticales à
partir de données horaires de vent et de pluie*Reference number
ISO 15927-3:2009(E)

© ISO 2009

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 15927-3:2009](https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009)

<https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009>

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Terms, definitions, symbols and units	2
3 Calculation of airfield indices from hourly wind and rain data	4
4 Estimation of the effect of driving rain from average wind and present weather code for rain	4
5 Calculation of wall indices	5
Annex A (informative) Limits to the validity of the calculated indices	11
Annex B (informative) The nature of a “spell” of driving rain	12
Annex C (informative) The procedure for generating the driving-rain maps	13
Annex D (informative) Comparison of methods specified in Clauses 3 and 4	15
Bibliography	17

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15927-3:2009](https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009)

<https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009>

ISO 15927-3:2009(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15927-3 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 89, *Thermal performance of buildings and building components*, in collaboration with Technical Committee ISO/TC 163, *Thermal performance and energy use in the built environment*, Subcommittee SC 2, *Calculation methods*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 15927 consists of the following parts, under the general title *Hygrothermal performance of buildings — Calculation and presentation of climatic data*: [SIST EN ISO 15927-3:2009](https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009)

- *Part 1: Monthly means of single meteorological elements*
- *Part 2: Hourly data for design cooling load*
- *Part 3: Calculation of a driving rain index for vertical surfaces from hourly wind and rain data*
- *Part 4: Hourly data for assessing the annual energy use for heating and cooling*
- *Part 5: Data for design heat load for space heating*
- *Part 6: Accumulated temperature differences (degree-days)*

Introduction

This part of ISO 15927 specifies two procedures for analysing data derived from hourly observations of wind and rainfall so as to provide an estimate in terms of both an annual average and short-term spells of the quantity of water likely to impact on a wall of any given orientation.

The first method, which uses hourly observations of wind and rainfall, is based closely on BS 8104 [1], which originated from a long series of measurements of driving rain on buildings in a wide range of locations within the UK. As such, the method applies to climates similar to those in the UK; in other regions, with very different climates, it is recommended that confirmation of its applicability be obtained by measurements of driving rain on representative buildings.

Where hourly observations of wind and rain are not available, the second procedure, based on the present weather code for rain and average wind speeds can be used.

In all cases, especially in mountainous areas, it is important that direct measurements of the rain impacting on building façades be made wherever possible.

Rain penetration around the edges of doors and windows or similar cracks in building façades depends on shorter periods of heavy rain and strong winds.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15927-3:2009](https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009)

<https://standards.iteh.ai/catalog/standards/sist/ea140887-1c85-4931-92fc-9880621dc4c3/sist-en-iso-15927-3-2009>