



**SLOVENSKI STANDARD**  
**SIST EN 4108:2009**  
**01-julij-2009**

---

5 YfcbUj h\_U! 'BUghUj \_]nUcVfc bY\_`1 YžcXdfhžbchUb]`ýh]f]cVb]\_`f7 fck gZcH

Aerospace series - Wrenches, crow foot, attachment socket, socket drive

Luft- und Raumfahrt - Ringschlüsseleinsätze, offen, verzahnt mit Innenvierkant

Série aérospatiale - Embouts cannelés, à tuyauter, à carré conducteur radial

**Ta slovenski standard je istoveten z: EN 4108:2006**

[SIST EN 4108:2009](https://standards.iteh.ai/catalog/standards/sist/b7f98f98-0dd7-4a56-a638-13d08b8bd673/sist-en-4108-2009)

<https://standards.iteh.ai/catalog/standards/sist/b7f98f98-0dd7-4a56-a638-13d08b8bd673/sist-en-4108-2009>

**ICS:**

49.030.99      Drugi vezni elementi      Other fasteners

**SIST EN 4108:2009**      **en,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 4108:2009

<https://standards.iteh.ai/catalog/standards/sist/b7f98f98-0dd7-4a56-a638-13d08b8bd673/sist-en-4108-2009>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 4108**

December 2006

---

ICS 49.030.99

English Version

**Aerospace series - Wrenches, crow foot, attachment socket,  
socket drive**

Série aérospatiale - Embouts cannelés, à tuyauter, à carré  
conducteur radial

Luft- und Raumfahrt - Ringschlüsseinsätze, offen,  
verzahnt mit Innenvierkant

This European Standard was approved by CEN on 28 August 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN 4108:2009](https://standards.iteh.ai/catalog/standards/sist/b7f98f98-0dd7-4a56-a638-13d08b8bd673/sist-en-4108-2009)

<https://standards.iteh.ai/catalog/standards/sist/b7f98f98-0dd7-4a56-a638-13d08b8bd673/sist-en-4108-2009>



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: rue de Stassart, 36 B-1050 Brussels**

**Contents**

Page

Foreword.....	3
1 Scope .....	4
2 Normative references .....	4
3 Required characteristics.....	4
4 Designation .....	7
5 Marking .....	7
6 Technical specification .....	7

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 4108:2009

<https://standards.iteh.ai/catalog/standards/sist/b7f98f98-0dd7-4a56-a638-13d08b8bd673/sist-en-4108-2009>

## Foreword

This document (EN 4108:2006) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2007, and conflicting national standards shall be withdrawn at the latest by June 2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**ITEH STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 4108:2009](https://standards.iteh.ai/catalog/standards/sist/b7f98f98-0dd7-4a56-a638-13d08b8bd673/sist-en-4108-2009)

<https://standards.iteh.ai/catalog/standards/sist/b7f98f98-0dd7-4a56-a638-13d08b8bd673/sist-en-4108-2009>

**EN 4108:2006 (E)****1 Scope**

This standard specifies the characteristics of crow foot wrenches for splined nuts for aerospace applications.

**2 Normative references**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1174 (all parts), *Assembly tools for screws and nuts — Driving squares*.

ISO 4156 (all parts), *Straight cylindrical involute splines — Metric module, side fit*.

EN 2424, *Aerospace series — Marking of aerospace products*.

EN 4111, *Aerospace series — Wrenches, splined, sockets for pipe fittings — Technical specification*.

**3 Required characteristics****3.1 Configuration - Dimensions - Tolerances**

See Figures 1 and 2 and Tables 1 and 2. Dimensions and tolerances are in millimetres.

**3.2 Material**

Material shall be corrosion resistant. The actual material specification shall be the choice of the manufacturer, provided that the spanner meets the requirements of the technical specification, EN 4111.

**3.3 Hardness**


42 < HRC < 54

**3.4 Surface treatment**

Nickel-chromium coating

Nickel thickness: 5 µm

Chromium thickness: 0,25 µm

**Key**

- 1 Rad. (2 positions)
- 2 Shape optional (2 positions)
- 3 Marking
- 4 Centre of origin of spline drive. For spline dimensions, see Table 2.
- 5 In accordance with ISO 1174 (Type C)

Drawing not to scale

Dimensions not quoted are at manufacturer's discretion.

Dimension "A" to be equidistant about slot centre line.

Surface texture to be  $R_a 3,2$  unless otherwise specified.

Shape designated "optional" are at manufacturer's discretion.


**Figure 1**

Table 1

DN <sup>a</sup>	A min.	B max.	C ± 0,2	D max.	E <sub>1</sub> ± 0,2	E <sub>2</sub> max.	F max.	G max.	P <sup>b</sup>	Q <sup>b</sup>
04	6,5	22	2	17	8	8	14	7	4	6,3
06	8,5	27		19,5						
08	10,5	31	3	24	11	8	18	9	5,5	10
10	13	33		25						
12	15	35		26						
13	16	36		26,5						
14	17,5	37		27						
16	19,5	39		28						
18	21,5	44	5	31	16	10	22	11	8	12,5
20	23,5	50		36						
22	25,5	55,5	6	40	16	10	22	11	8	12,5
25	28,5	63	8	47						
32	35,5	70	9	51						

<sup>a</sup> DN : Diameter Nominal (outside diameter of the corresponding pipe)

<sup>b</sup> In accordance with ISO 1174.

**Key**

- 1 Circular space width  $\frac{E}{EV}$

Figure 2