

SLOVENSKI STANDARD **SIST EN ISO 23811:2009**

01-julij-2009

6 Uf j Y]b "U] !! I [cHJj `'Ub'Y' dfcghcfb]bg Y J UXY Y y UbY \ `Ud`' 1 j 1 gbc j] n a Yf Yb Ya jgYVbcgh] bY\`Ud`^[jj]\'gbcj]]b'gdYV]Z] bY'hYÿY'dfYaUnb]\'aÜhYf]Ücj hYf']nfUib hYcfYh bY'fUn']i bcghi'fkGC'&', %%&\$\$-Ł

Paints and varnishes - Determination of percentage volume of non-volatile matter by measuring the non-volatile matter content and the density of the coating material, and calculation of the theoretical spreading rate (ISO 23811:2009)

Beschichtungsstoffe - Bestimmung des Volumens nichtflüchtiger Anteile durch Messen des Gehaltes an nichtflüchtigen Anteilen und der Dichte des Beschichtungsstoffes, und Berechnung der theoretischen Ergiebigkeit (ISO 23811:2009)

SIST EN ISO 23811:2009

https://standards.iteh.ai/catalog/standards/sist/5d1cc377-fe23-49de-adf1-

Peintures et vernis - Détermination du pourcentage en volume de matières non volatiles par mesurage de la teneur en matières non volatiles et de la masse volumique d'un produit de peinture et calcul du rendement d'application théorique (ISO 23811:2009)

Ta slovenski standard je istoveten z: EN ISO 23811:2009

ICS:

87.040 Barve in laki Paints and varnishes

SIST EN ISO 23811:2009 en.fr.de **SIST EN ISO 23811:2009**

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 23811:2009 https://standards.iteh.ai/catalog/standards/sist/5d1cc377-fe23-49de-adfl-812829b74960/sist-en-iso-23811-2009 EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN ISO 23811**

February 2009

ICS 87.040

English Version

Paints and varnishes - Determination of percentage volume of non-volatile matter by measuring the non-volatile matter content and the density of the coating material, and calculation of the theoretical spreading rate (ISO 23811:2009)

Peintures et vernis - Détermination du pourcentage en volume de matières non volatiles par mesurage de la teneur en matières non volatiles et de la masse volumique d'un produit de peinture et calcul du rendement d'application théorique (ISO 23811:2009)

Beschichtungsstoffe - Bestimmung des Volumens nichtflüchtiger Anteile durch Messen des Gehaltes an nichtflüchtigen Anteilen und der Dichte des Beschichtungsstoffes, und Berechnung der theoretischen Ergiebigkeit (ISO 23811:2009)

This European Standard was approved by CEN on 3 January 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

https://standards.itch.ai/catalog/standards/sist/5d1cc377-fe23-49de-adf1-

CEN members are the national standards bodies of Austria, Belgium Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 23811:2009 (E)

Contents	Pag
Foreword	

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 23811:2009 https://standards.iteh.ai/catalog/standards/sist/5d1cc377-fe23-49de-adfl-812829b74960/sist-en-iso-23811-2009

EN ISO 23811:2009 (E)

Foreword

This document (EN ISO 23811:2009) has been prepared by Technical Committee ISO/TC 35 "Paints and varnishes" in collaboration with Technical Committee CEN/TC 139 "Paints and varnishes" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2009, and conflicting national standards shall be withdrawn at the latest by August 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANEndersement notice VIEW

The text of ISO 23811:2009 has been approved by CEN as a EN ISO 23811:2009 without any modification.

SIST EN ISO 23811:2009 https://standards.iteh.ai/catalog/standards/sist/5d1cc377-fe23-49de-adf1-812829b74960/sist-en-iso-23811-2009 **SIST EN ISO 23811:2009**

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 23811:2009 https://standards.iteh.ai/catalog/standards/sist/5d1cc377-fe23-49de-adfl-812829b74960/sist-en-iso-23811-2009 **SIST EN ISO 23811:2009**

INTERNATIONAL STANDARD

ISO 23811

First edition 2009-02-15

Paints and varnishes — Determination of percentage volume of non-volatile matter by measuring the non-volatile matter content and the density of the coating material, and calculation of the theoretical spreading rate

iTeh STANDARD PREVIEW
Peintures et vernis — Détermination du pourcentage en volume de

Peintures et vernis — Détermination du pourcentage en volume de matières non volatiles par mesurage de la teneur en matières non volatiles et de la masse volumique d'un produit de peinture et calcul du rendement d'application théorique

SIST EN ISO 23811:2009

https://standards.iteh.ai/catalog/standards/sist/5d1cc377-fe23-49de-adfl-812829b74960/sist-en-iso-23811-2009



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 23811:2009 https://standards.iteh.ai/catalog/standards/sist/5d1cc377-fe23-49de-adf1-812829b74960/sist-en-iso-23811-2009



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Cont	ents	Page
Forewo	ord	iv
Introdu	ıction	v
1	Scope	
2	Normative references	1
3	Terms and definitions	1
4	Principle	
5	Procedure	2
6	Calculation	3
7	Precision	
8	Test report	5
Annex	A (informative) Derivation of the theoretical dry film thickness	6
Annex	B (informative) Derivation of the theoretical spreading rate	8
Annex	C (informative) Example for the calculation of the theoretical spreading rate	11
Bibliog	raphy (standards.itch.ai)	12

SIST EN ISO 23811:2009

https://standards.iteh.ai/catalog/standards/sist/5d1cc377-fe23-49de-adf1-812829b74960/sist-en-iso-23811-2009

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 23811 was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, Subcommittee SC 9, *General test methods for paints and varnishes*.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 23811:2009 https://standards.iteh.ai/catalog/standards/sist/5d1cc377-fe23-49de-adf1-812829b74960/sist-en-iso-23811-2009

Introduction

This method is used to determine the volume of the dry coating obtainable using a coating material by calculation of the percentage volume of non-volatile matter. The value obtained by this method might not be the same as that measured or calculated by adding together the masses and volumes of the raw materials in a formulation. The volume occupied by a combination of resin and solvent might be the same as, greater than or less than the combined volume of the separate components, since contraction or expansion of resin and the solvent can occur. A second factor affecting the volume of a dry coating is the degree to which the spaces between pigment particles are filled with binder. A third factor is the use of volatile components in reactive systems that, by their reaction, change into non-volatile film-building materials, i.e. amines and reactive solvents in high-build two-component coating materials.

Above and close to the critical pigment volume concentration, the volume of a dry paint film is greater than the theoretical volume, due to an increase in unfilled voids between pigment particles. The porosity of the film means that this method is unsuitable.

Another method for determination of the percentage volume of non-volatile matter is described in ISO 3233. The method described in ISO 23811 is a quick method which needs only the results of the non-volatile matter and the density of the coating material and the density of the solvents for the calculation. The precision of the method depends mainly on the determination of the non-volatile matter content and the unknown densities. But the precision of the combination of measurements and calculation is better than the precision of pure calculation methods with no measurements. The simple practical method is often used in the automotive industry, especially for commercial vehicles dards.iteh.ai

The method described in ISO 23811 differs from the methods described in ASTM D 2697 and Section 5.5 of ASTM D 5201-05a and gives different results. N ISO 23811:2009

https://standards.iteh.ai/catalog/standards/sist/5d1cc377-fe23-49de-adf1-812829b74960/sist-en-iso-23811-2009