INTERNATIONAL STANDARD



First edition 2000-06-15

Industrial automation systems and integration — Product data representation and exchange —

Part 505:

Application interpreted construct: Drawing iTeh structure and administration

Systèmes d'automatisation industrielle et intégration — Représentation et échange de données de produits —

Partie 505: Construction Interprétée d'application: Structure et https://standards.administration des dessins 4218-4089-4715-a65f-25709089314d/iso-10303-505-2000



Reference number ISO 10303-505:2000(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 10303-505:2000</u> https://standards.iteh.ai/catalog/standards/sist/0f594218-4089-4715-a65f-25709089314d/iso-10303-505-2000

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 734 10 79 E-mail copyright@iso.ch Web www.iso.ch Printed in Switzerland

© ISO 2000 - All rights reserved

Contents

Page

1 Scope	1
2 Normative references	
3 Terms, definitions and abbreviations	3
3.1 Terms defined in ISO 10209-1	
3.2 Terms defined in ISO 10303-1	3
3.3 Terms defined in ISO 10303-46	
3.4 Terms defined in ISO 10303-101	3
3.5 Terms defined in ISO 10303-202	4
3.6 Abbreviations	4
4 EXPRESS short listing	5
4 EAT KESS short fisting	
4.3 aic_drawing_structure_and_administration entity definitions	
Annex A (normative) Short names of entities.	17
Annex B (normative) Information object registration	
Annex B (normative) Information object registration	
B.1 Document identification	
 B.1 Document identification	
Annex C (informative) EXPRESS-G diagrams	19
Annex D (informative) Computer interpretable listings	34
Index	35

Figures

20
21
22
23
24
25
26
27
28
29
30
31
32
33

Tables

iTeh STANDARD PREVIEW

<u>ISO 10303-505:2000</u> https://standards.iteh.ai/catalog/standards/sist/0f594218-4089-4715-a65f-25709089314d/iso-10303-505-2000

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 10303 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 10303-505 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC 4, *Industrial data*.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303-1.

A complete list of parts of ISO 10303 is available from the internet:

<u>ISO 10303-505:2000</u>

http://www.nist.gov/sc44/editing/step/titles/tatalog/standards/sist/0f594218-4089-4715-a65f-

25709089314d/iso-10303-505-2000

Annexes A and B form a normative part of this part of ISO 10303. Annexes C and D are for information only.

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation and exchange of product data. The objective is to provide a neutral mechanism capable of describing product data throughout the life cycle of a product, independent from any particular system. The nature of this description makes it suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and archiving.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application interpreted constructs, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303-1. This part of ISO 10303 is a member of the application interpreted constructs series.

An application interpreted construct (AIC) provides a logical grouping of interpreted constructs that supports a specific functionality for the usage of product data across multiple application contexts. An interpreted construct is a common interpretation of the integrated resources that supports shared information requirements among application protocols.

This document specifies the application interpreted construct for the description of the hierarchical organization of drawings, drawing sheets, and drawing views, together with the administrative information necessary to manage drawings and drawing sheets, and the information necessary to relate a product to a drawing.

<u>ISO 10303-505:2000</u> https://standards.iteh.ai/catalog/standards/sist/0f594218-4089-4715-a65f-25709089314d/iso-10303-505-2000

Industrial automation systems and integration — Product data representation and exchange — Part 505: Application interpreted construct: Drawing structure and administration

1 Scope

This part of ISO 10303 specifies the interpretation of the integrated resources to satisfy requirements for the definition of the hierarchical structure of drawings and the administration information to manage drawings and relate a product to the drawing.

The following are within the scope of this part of ISO 10303:

iTeh STANDARD PREVIEW

- the structures for representing a drawing that depicts any phase of design;

— the structures for representing individual drawing revisions;

ISO 10303-505:2000

- the hierarchical structure of drawings; drawing sheets; tand views of the draughting shape model; 25709089314d/iso-10303-505-2000
- the administrative data used for the purpose of drawing management;
- the administrative data identifying the product versions being documented by the drawing.

The following are outside the scope of this part of ISO 10303:

- the structures for representing drawings that are not related to a product;
- the exchange of drawing history;

NOTE - Drawing history refers to prior drawing revisions.

- the exchange of data used exclusively for the creation of paper or hard copy versions of the drawing;

EXAMPLE - Printer or plotter data can be pen designations, plot scale, or plot color specifications.

ISO 10303-505:2000(E)

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revision of, any of these publications do not apply. However, parties to agreements based on this part of ISO 10303 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of the ISO and IEC maintain registers of currently valid International Standards.

ISO/IEC 8824-1:1998, *Information technology — Abstract Syntax Notation One (ASN.1):* Specification of basic notation.

ISO 10209-1:1992, Technical product documentation — Vocabulary — Part 1: Terms relating to technical drawings: general and types of drawings.

ISO 10303-1:1994, Industrial automation systems and integration — Product data representation and exchange — Part 1: Overview and fundamental principles.

ISO 10303-11:1994, Industrial automation systems and integration — Product data representation and exchange — Part 11: Description methods: The EXPRESS language reference manual.

iTeh STANDARD PREVIEW ISO 10303-41:1994, Industrial automation systems and integration — Product data representation and exchange — Part 41: Integrated generic resources: Fundamentals of product description and support.

ISO 10303-42:1994, Industrial automation systems and integration — Product data representation and exchange — Part 42: Integrated generic resources: Geometric and topological representation. 25709089314d/iso-10303-505-2000

ISO 10303-43:1994, Industrial automation systems and integration — Product data representation and exchange — Part 43: Integrated generic resources: Representation structures.

ISO 10303-46:1994, Industrial automation systems and integration — Product data representation and exchange — Part 46: Integrated generic resources: Visual presentation.

ISO 10303-101:1994, Industrial automation systems and integration — Product data representation and exchange — Part 101: Integrated application resources: Draughting.

ISO 10303-202:1996, Industrial automation systems and integration — Product data representation and exchange — Part 202: Application protocol: Associative draughting.

3 Terms, definitions and abbreviations

3.1 Terms defined in ISO 10209-1

For the purposes of this part of ISO 10303, the following terms defined in ISO 10209-1 apply:

- drawing.

3.2 Terms defined in ISO 10303-1

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-1 apply:

— application;

— application context;

- application protocol (AP);

- implementation method;
- integrated resource, eh STANDARD PREVIEW (standards.iteh.ai)
- interpretation;

-- product; ISO 10303-505:2000 https://standards.iteh.ai/catalog/standards/sist/0f594218-4089-4715-a65f-25709089314d/iso-10303-505-2000

- product data.

3.3 Terms defined in ISO 10303-46

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-46 apply:

— annotation;

- presentation.

3.4 Terms defined in ISO 10303-101

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-101 apply:

— draughting.

ISO 10303-505:2000(E)

3.5 Terms defined in ISO 10303-202

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-202 apply:

- draughting shape model.

3.5.1 application interpreted construct AIC

a logical grouping of interpreted constructs that supports a specific function for the usage of product data across multiple application contexts

[ISO 10303-202:1996]

3.6 Abbreviations

For the purposes of this part of ISO 10303, the following abbreviations apply.

- AIC application interpreted construct
- AP application photoSolTANDARD PREVIEW (standards.iteh.ai)

<u>ISO 10303-505:2000</u> https://standards.iteh.ai/catalog/standards/sist/0f594218-4089-4715-a65f-25709089314d/iso-10303-505-2000

©ISO

4 EXPRESS short listing

This clause specifies the EXPRESS schema that uses elements from the integrated resources and contains the types, entity specializations, and functions that are specific to this part of ISO 10303.

NOTE 1 - There may be subtypes and items of select lists that appear in the integrated resources that are not imported into the AIC. Constructs are eliminated from the subtype tree or select list through the use of the implicit interface rules of ISO 10303-11. References to eliminated constructs are outside the scope of the AIC. In some cases, all items of the select list are eliminated. Because AICs are intended to be implemented in the context of an application protocol, the items of the select list will be defined by the scope of the application protocol.

EXPRESS Specification:

*) SCHEMA aic_drawing_structure_and_administration;		
<pre>USE FROM approval_schema (approval, approval_date_time, approval_person_organization);</pre>	 ISO	10303-41
USE FROM date_time_schemesTANDARD PREVIEW (calendar_date);	 ISO	10303-41
USE FROM drawing_definition_schema (draughting_title, drawing_revision, ISO 10303-505:2000 drawing_sheet_revision_usage); drawing_sheet_revision_usage); 314d/iso-10303-505-2000	ISO I	10303-101
<pre>USE FROM geometry_schema (axis2_placement_2d);</pre>	 ISO	10303-42
<pre>USE FROM management_resources_schema (approval_assignment, contract_assignment, document_reference, organization_assignment, person_and_organization_assignment, person_assignment, security_classification_assignment);</pre>	 ISO	10303-41
<pre>USE FROM person_organization_schema (organizational_address, personal_address);</pre>	 ISO	10303-41
<pre>USE FROM presentation_definition_schema (annotation_occurrence);</pre>	 ISO	10303-46
<pre>USE FROM presentation_organization_schema (camera_image, presentation_size, presentation_view, presented_item, presented_item_representation);</pre>	 ISO	10303-46

ISO 10303-505:2000(E)

```
USE FROM product_definition_schema
  (product,
    product_definition,
    product_definition_formation);
  (*
```

NOTE 2 - The schemas referenced above can be found in the following parts of ISO 10303:

approval_schema	ISO 10303-41
date_time_schema	ISO 10303-41
drawing_definition_schema	ISO 10303-101
geometry_schema	ISO 10303-42
management_resources_schema	ISO 10303-41
person_organization_schema	ISO 10303-41
presentation_definition_schema	ISO 10303-46
presentation_organization_schema	ISO 10303-46
product_definition_schema	ISO 10303-41

4.1 Fundamental concepts and assumptions

The following entities are intended to be independently instantiated in the application protocol schema that use this AIC:

calendar_date; iTeh STANDARD PREVIEW
product definition. (standards.iteh.ai)

4.2 aic_drawing_structure_aid_ladministration type definitions https://standards.iteh.avcatalog/standards/sist/0f594218-4089-4715-a65f-25709089314d/iso-10303-505-2000

4.2.1 approved_item

An approved_item type specifies those objects to which an approval may be assigned.

EXPRESS specification:

```
*)
TYPE approved_item = SELECT
  (drawing_revision,
    drawing_sheet_revision);
END_TYPE;
(*
```

-- ISO 10303-41

4.2.2 classified_item

A classified_item type specifies those objects to which a security classification may be assigned.

EXPRESS specification:

```
*)
TYPE classified_item = SELECT
  (drawing_revision,
    drawing_sheet_revision);
END_TYPE;
(*
```

4.2.3 contracted_item

A contracted_item type specifies those objects to which a contract may be assigned.

EXPRESS specification:

```
*)
TYPE contracted_item = SELECT
  (drawing_revision);
END_TYPE;
(*
iTeh STANDARD PREVIEW
```

4.2.4 draughting_organization_item ds.iteh.ai)

A draughting_organization_item type specifies the objects to which a person, an organization, or a person and an organization may be assigned 25/09089314d/iso-10303-505-2000

EXPRESS specification:

```
*)
TYPE draughting_organization_item = SELECT
  (product_definition_formation,
    drawing_revision,
    drawing_sheet_revision);
END_TYPE;
(*
```

4.2.5 draughting_presented_item_select

A draughting_presented_item_select type specifies those objects that may be presented by a drawing.

EXPRESS specification:

```
*)
TYPE draughting_presented_item_select = SELECT
  (product_definition_formation);
END_TYPE;
(*
```

©ISO