

SLOVENSKI STANDARD SIST TBR 019 E1:2004

01-oktober-2004

European digital cellular telecommunications system (Phase 2); Attachment requirements for Global System for Mobile communications (GSM) mobile stations; Access

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST TBR 019 E1:2004

Ta slovenski standard je istoveten z: 138f0/sis BR 019 Edition 1

ICS:

33.070.50 Globalni sistem za mobilno Global System for Mobile

telekomunikacijo (GSM) Communication (GSM)

SIST TBR 019 E1:2004 en

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST TBR 019 E1:2004

https://standards.iteh.ai/catalog/standards/sist/dd1ffcc0-4e30-4dc4-96e6-4be34d8f38f0/sist-tbr-019-e1-2004



TECHNICAL BASIS for REGULATION

TBR 19

February 1996

Source: ETSI TC-SMG Reference: DTBR/SMG-0019TTCN

ICS: 33.060.50

Key words: European digital cellular telecommunications system, Global System for Mobile communications

(GSM)

European digital cellular telecommunications system (Phase 2); Attachment requirements for Global System for Mobile communications (GSM) mobile stations;

https://standards.iteh.ai/catalog/stan/Arccessicc0-4e30-4dc4-96e6-4be34d8f38f0/sist-tbr-019-e1-2004

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - Internet: secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

*

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

Page 2 TBR 19: February 1996

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST TBR 019 E1:2004

https://standards.iteh.ai/catalog/standards/sist/dd1ffcc0-4e30-4dc4-96e6-4be34d8f38f0/sist-tbr-019-e1-2004

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Committee Support Dept." at the address shown on the title page.

Contents

Fore	word			5		
1	Scope .			7		
2	Normat	ive reference	es	8		
3	Abbrev	iations		9		
4	Requirements					
Anne	ex A (nori	mative):	The TBR Requirement Table (TBR-RT)	60		
A.1	Introdu	ction to the T	BR-RT	60		
A.2	Format	of the tables	S	60		
A.3	Refere	nces to ETS	300 607-1 (GSM 11.10-1)	61		
A.4	Notatio A.4.1 A.4.2	Status Not	ne TBR-RTtationsnswer Notations PREVIEW	61		
A.5	The TB A.5.1	R Requirement Static Req A.5.1.1 A.5.1.2 A.5.1.3 Star A.5.1.4 A.5.1.5 A.5.1.6 A.5.1.7	ent Tables quirements, TBR-RT ALS. It Ch. 21) Types of Mobile Stations Mobile Station Features 2004 ndar Teleservices grandards/sist/ddf ffcc0-4e30-4dc4-96e6- Bearer Services Station 19-e1-2004 Supplementary Services Bearer Capability Information Additional Information Requirements, TBR-RT B.			
Histo	orv			104		

Page 4 TBR 19: February 1996

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST TBR 019 E1:2004

https://standards.iteh.ai/catalog/standards/sist/dd1ffcc0-4e30-4dc4-96e6-4be34d8f38f0/sist-tbr-019-e1-2004

Page 5 TBR 19: February 1996

Foreword

This Technical Basis for Regulation (TBR) has been produced by the Special Mobile Group (SMG) Technical Committee of the European Telecommunications Standards Institute (ETSI). This TBR covers the general access requirements for terminal equipment for the Global System for Mobile communications (GSM) mobile services.

This TBR contains the procedures and requirements for the approval testing of GSM terminal equipment for access.

The requirements of other TBRs apply in addition to this TBR.

For each test, supplementary information is provided, giving a justification why this item has been selected for regulatory testing, and a reference to the relevant article of the Terminal Directive [1].

This TBR is based on ETS 300 607-1 (GSM 11.10-1) [2].

ThisTBR 19 corresponds to TC-SMG TBR 19 version 4.0.0.

NOTE: This TBR for Phase 2 may be developed in stages. The first release will include, as a

minimum, all of the basic Phase 2 requirements for full rate, half rate, and primary and

extended bands. Subsequent releases will include additional requirements.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST TBR 019 E1:2004
https://standards.iteh.ai/catalog/standards/sist/dd1ffcc0-4e30-4dc4-96e6-4be34d8f38f0/sist-tbr-019-e1-2004

Page 6 TBR 19: February 1996

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST TBR 019 E1:2004

https://standards.iteh.ai/catalog/standards/sist/dd1ffcc0-4e30-4dc4-96e6-4be34d8f38f0/sist-tbr-019-e1-2004

Page 7 **TBR 19: February 1996**

1 Scope

This Technical Basis for Regulation (TBR) specifies the technical requirements to be met by terminal equipment capable of connecting to a public telecommunications network. These requirements apply to terminals for Phase 2 of the public land mobile radio service, operating in the 900 MHz band with a channel separation of 200 kHz, utilising constant envelope modulation and carrying traffic channels according to the Time Division Multiple Access (TDMA) principle.

This TBR specifies the terminal equipment access requirements for the GSM 900 version of the Global System for Mobile communications (GSM).

For each test purpose and its corresponding conformance requirement, a reference is given to the test method in ETS 300 607-1 (GSM 11.10-1) [2]. The requirements apply at the air interface and the Subscriber Identity Module - Mobile Equipment interface for the access requirements, which may be stimulated to perform the tests by additional equipment if necessary.

The measurement uncertainty is described in ETS 300 607-1 (GSM 11.10-1) [2].

This TBR covers the essential requirements of the Terminal Directive 91/263/EEC [1] Articles 4d, 4e, 4f. Non access related aspects of speech telephony, where Article 4g has been applied, are covered by TBR 20.

The Terminal Directive 91/263/EEC [1] Articles 4a and 4b are covered by other directives, and, therefore, not by this TBR.

In this TBR, there are no Electromagnetic Compatibility technical requirements in terms of the Terminal Directive 91/263/EEC [1], Article 4c.

Technical Requirements for EMC performance and testing of the equipment are NOTE: covered by the relevant standards applicable to the EMC Directive 89/336/EEC, Annex

Terminal equipment may be subject to additional requirements in other Common Technical Regulations (CTR) depending on the equipments functionality.

4be34d8f38f0/sist-tbr-019-e1-2004

ETS 300 607-1 (GSM 11.10-1) [2] constitutes the conformance test suite for GSM. The verification of the conformance requirements in this TBR is based on the tests described in this reference. The set of requirements in ETS 300 607-1 (GSM 11.10-1) [2] and the set of requirements in this TBR need not be identical.

Some requirements only apply to specific types of mobile station (e.g. data tests only apply to mobile stations with a data facility). The TBR also indicates the specific test which should be carried out for each mobile station type.

An active accessory is covered by this TBR if it modifies the terminal performance in an aspect which affects conformance to essential requirements.

NOTE:

Only active devices are subject to this TBR. Accessories may be tested with specific terminals, and either approved for use with those terminals only, or may possibly be approved for use with a wider range of terminals, depending on the nature and effect of the accessory.

2 Normative references

This TBR incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references subsequent amendments to or revision of any of these publications apply to the requirements specified in this TBR, only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

[1]	Terminal Directive 91/263/EEC: "Council directive of 29 April 1991 on the approximation of the laws of the Member States concerning telecommunications terminal equipment, including the mutual recognition of their conformity. ("The Terminal Directive")".
[2]	ETS 300 607-1 (GSM 11.10-1 version 4.13.0): "European digital cellular telecommunications system (phase 2); Mobile station conformity specifications".
[3]	TBR 20: "European digital cellular telecommunications system; Attachment requirements for Global System for Mobile communications (GSM) mobile stations; Telephony".
[4]	ETS 300 500 (GSM 02.01 version 4.6.0): "European digital cellular telecommunication system (Phase 2); Principles of telecommunication services supported by a GSM Public Land Mobile Network (PLMN)".
[5]	ETS 300 501 (GSM 02.02 version 4.2.2): "European digital cellular telecommunication system (Phase 2); Bearer Services (BS) supported by a GSM Public Land Mobile Network (PLMN)".
[6]	ETS 300 502 (GSM 02.03 version 4.3.1): "European digital cellular telecommunication system (Phase 2); Teleservices supported by a GSM Public Land Mobile Network (PLMN)".
[7]	ETS 300 503 (GSMT02.041 version 4.9.1): "European digital cellular telecommunication system (Phase 2); General on supplementary services".
[8]	ETS 300 504 (GSM 02.06 version 4.4.0): "European digital cellular telecommunication system (Phase 2); Types of Mobile Stations (MS)".
[9]	ETS 300 505 (GSM 02.07 version 4.7.0): "European digital cellular telecommunication system (Phase 2); Mobile Station (MS) features".
[10]	ETS 300 507 (GSM 02.11 version 4.8.0): "European digital cellular telecommunication system (Phase 2); Service accessibility".
[11]	ETS 300 508 (GSM 02.16 version 4.5.0): "European digital cellular telecommunication system (Phase 2); International Mobile station Equipment Identities (IMEI)".
[12]	ETS 300 511 (GSM 02.30 version 4.13.0): "European digital cellular telecommunication system (Phase 2); Man-Machine Interface (MMI) of the Mobile Station (MS)".
[13]	ETS 300 536 (GSM 03.40 version 4.12.0): "European digital cellular telecommunication system (Phase 2); Technical realization of the Short Message Service (SMS) Point to Point (PP)".
[14]	ETS 300 537 (GSM 03.41 version 4.11.0): "European digital cellular telecommunication system (Phase 2); Technical realization of Short Message Service Cell Broadcast (SMSCB)".

Page 9 TBR 19: February 1996

[15] ETS 300 538 (GSM 03.45 version 4.5.0): "European digital cellular telecommunication system (Phase 2); Technical realization of facsimile group 3 transparent". ETS 300 539 (GSM 03.46 version 4.1.2): "European digital cellular [16] telecommunication system (Phase 2); Technical realization of facsimile group 3 non-transparent". ETS 300 551 (GSM 04.02 version 4.0.4): "European digital cellular [17] telecommunication system (Phase 2); GSM Public Land Mobile Network (PLMN) access reference configuration". [18] ETS 300 557 (GSM 04.08 version 4.13.0): "European digital cellular telecommunication system (Phase 2); Mobile radio interface layer 3 specification". ETS 300 577 (GSM 05.05 version 4.13.0): "European digital cellular [19] telecommunication system (Phase 2); Radio transmission and reception".

Functions (TAF) for Mobile Stations (MS)".

ETS 300 582 (GSM 07.01 version 4.10.0): "European digital cellular telecommunication system (Phase 2); General on Terminal Adaptation

3 Abbreviations

[20]

ACK ACKnowledgement

ARFCN Absolute Radio Frequency Channel Number
ATR Answer To Reset A R D PREVIEW

ATT ATTach (flag)

BA BCCH Allocation ards.iteh.ai)

BC Bearer Capability

BCCH Broadcast Control CHannel
BER Bit Error Ratio ST TBR 019 E1 2004

BFI https://staBadlFrame/ardication/lards/sist/dd1ffcc0-4e30-4dc4-96e6-

BTS Base Transceiver Station -019-e1-2004

CC Call Control
CCH Control CHannel

CCCH Common Control CHannel

CFB Call Forwarding mobile subscriber Busy
CFNRc Call Forwarding MS Not Reachable
CFU Call Forwarding Unconditional
CKSN Ciphering Key Sequence Number

CLK CLocK

CM Connection management
CTR Common Technical Regulations
DCCH Dedicated Control CHannel

DISC DISConnect frame
DM Disconnect Mode (frame)

DRX Discontinuous Reception (mechanism)

DTE Data Terminal Equipment
DTMF Dual Tone Multi Frequency

DTX Discontinuous Transmission (mechanism)

EA Address field Extension bit

EL Length indicator field Extension bit

etu elementary time unit

F Final bit

FACCH Fast Associated Control CHannel

FER Frame Erasure Ratio
HLR Home Location Register

HPLMN Home PLMN Information (frame)

IMEI International Mobile station Equipment Identity
IMSI International Mobile Subscriber Identity

Page 10

TBR 19: February 1996

L Length indicator LA Location Area LAC Location Area Code LAI Location Area Identification

М More data bit ME Mobile Equipment MM Mobility Management MMI Man Machine Interface Mobile Originated MO Mobile Originated Call MOC **GSM Mobile Station** MS MT Mobile Terminated MTC Mobile Terminated Call Receive sequence Number N(R) Send sequence Number N(S) SenD sequence Number N(SD) NPI Number Plan Identification

OACSU Off Air Call Set Up

Poll bit

PICS Protocol Implementation Conformance Statement Protocol Implementation eXtra Information for Testing **PIXIT**

Public Land Mobile Network **PLMN PRC** structured PRoCedures

RA Random mode request information field

RACH Random Access CHannel

RAND RANDom number (authentication)

RBER Residual Bit Error Ratio

REJ REJect (frame)

Radio Frequency TANDARD PREVIEW RF

RMS Root Mean Square (value)

Receiver Not Ready (frame) rds.iteh.ai) **RNR** Radio Resource (management entity / connection) RR

Receive Ready (frame) (in 12) 019 E1:2004 RR

RST Reserved signal LEVel 858 860/sist-tbr-019-e1-2004

RXLEV

Received signal QUALity **RXQUAL**

Received signal QUALity assessed over the FULL set of TDMA frames within a RXQUAL FULL

RXQUAL_SUB Received signal QUALity assessed over a SUBset of 12 TDMA frames

SABM Set Asynchronous Balanced Mode (frame)

SACCH Slow Associated Control CHannel SAPI Service Access Point Identifier

SDCCH Stand-alone Dedicated Control CHannel

SIM Subscriber Identity Module **Short Message Service** SMS

SRES Signed RESponse (authentication)

SS System Simulator Terminal Adapter TA **TCH** Traffic CHannel

TCH/FS Full rate Traffic CHannel for Speech TCH/HS Half rate Traffic CHannel for Speech Time Division Multiple Access **TDMA**

TE **Terminal Equipment**

ΤI Transaction Identifier

TMSI Temporary Mobile Subscriber Identity

Timeslot Number TN TON Type Of Number

TXPWR Transmit PoWeR: Tx power level in the MS_TXPWR_REQUEST and

MS_TXPWR_CONF parameters

U Unnumbered (frame)

UA Unnumbered Acknowledge (frame) UI Unnumbered Information (frame)

Page 11 TBR 19: February 1996

V(SD) SenD state Variable

4 Requirements

The following table contains all requirements that are needed to meet the essential requirements as defined in the Terminal Directive [1]. A justification according to article 4 of the Terminal Directive is given by stating the relevant categories (c to f) together with a text supporting the justification.

The entries are defined as follows:

- "ETS 300 607-1 Item" defines the item number of the conformance requirement and also the reference to ETS 300 607-1 (GSM 11.10-1) [2]. This reference is a normative reference to a subclause of ETS 300 607-1 (GSM 11.10-1) [2] containing the conformance requirement text, and references to the base standard.
- "Description" contains a short description of the requirement
- "TBR Justification" contains supplementary information to explain the justification of the requirement according to article 4 of the Terminal Directive [1].
- "TD Cat" defines the category according to article 4 of the Terminal Directive [1].
- "Test Cat" defines whether the requirement is covered by a "special test situation" (e.g. a manufacturer's declaration of some form). An "X" indicates a special test situation, whilst, a blank entry indicates conformity is by the test referred to by this TBR.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST TBR 019 E1:2004
https://standards.iteh.ai/catalog/standards/sist/dd1ffcc0-4e30-4dc4-96e6-4be34d8f38f0/sist-tbr-019-e1-2004

Table 1: Requirements and Justifications

ETS 300 607-1 Item	DESCRIPTION	TBR JUSTIFICATION	TD Cat	Test Cat
11.1.1	Verification of support and non-support of services (MT).	To ensure that the MS correctly accepts BC(s) from the network to ensure correct interworking with the network	f	
11.1.2	Verification of support and non-support of services (MO).	To ensure that the MS correctly reports BC(s) to the network to ensure correct interworking with the network	f	
11.2	Verification of support of the single numbering scheme	To ensure correct interworking with a network supporting single numbering scheme	f	
11.3	Verification of non-support of services. (Advice of Charge Charging, AOCC)	If the MS incorrectly supports AoCC incorrect charging may result. If the MS incorrectly indicates support of AoCC the network may not correctly decide whether access is allowed.	d,f	
11.4	Verification of non-support of services. (Call Hold)	If the MS supports AoCC incorrect charging may result If the MS incorrectly indicates non-support of call hold.	f	
11.5	Verification of non-support of services. (MultiParty)	If the MS supports AoCC incorrect charging may result. If the MS incorrectly indicates non-support of multi-party.	f	
11.6	Verification of non-support of feature. (Fixed dialling number)	If a fixed dialling number SIM is inserted into a MS not rejecting other call setups, calls may be made (and charged) to non-authorised numbers.	d,f	X
11.7	IMEI security https://standards.iteh.ai/ca	If an IMEI could be changed without authorisation security mechanisms based on the IMEI would not work.	d	Х
12.1.1	Conducted spurious emissions - MS allocated a channel	Non compliance in this area may cause interference to other spectrum users.	е	
12.1.2	Conducted spurious emissions - MS in idle mode	Non compliance in this area may cause interference to other spectrum users.	е	
12.2.1	Radiated spurious emissions - MS allocated a channel	Non compliance in this area may cause interference to other spectrum users.	е	
12.2.2	Radiated spurious emissions - MS in idle mode	Non compliance in this area may cause interference to other spectrum users.	е	
13.1	Transmitter - Frequency error and phase error	Non Compliance in this area may impair establishment and the maintaining of the call.	е	
13.2	Transmitter - Frequency error under multipath and interference conditions	Non Compliance in this area may impair establishment and the maintaining of the call.	е	
13.3-1	Transmitter output power and burst timing - MS with permanent antenna connector	Non Compliance in this area may impair establishment and the	е	

Table 1: Requirements and Justifications (continued)

ETS 300 607-1 Item	DESCRIPTION	TBR JUSTIFICATION	TD Cat	Test Cat
13.3-2	Transmitter output power and burst timing - MS with integral antenna	Non Compliance in this area may impair establishment and the maintaining of the call or may cause interference to other spectrum users.	е	Х
13.4	Transmitter - Output RF spectrum	Non compliance in this area may cause interference to other spectrum users.	Ф	
14.1.1.1	Receiver / Bad Frame Indication - TCH/FS - Random RF input	Non compliance in this area may degrade speech quality.	Ф	Х
14.1.1.2	Receiver / Bad Frame Indication - TCH/FS - Frequency hopping and downlink DTX	Non compliance in this area may degrade speech quality.	е	
14.1.2.1	Receiver / Bad Frame Indication - TCH/HS - Random RF input	Non compliance in this area may degrade speech quality.	е	Х
14.1.2.2	Receiver / Bad Frame Indication - TCH/HS - Frequency hopping and downlink DTX	Non compliance in this area may degrade speech quality.	е	
14.2.1	Receiver / Reference sensitivity - TCH/FS	Non compliance in this area may degrade speech quality and may impair call mainténance.	f	
14.2.2	Receiver / Reference sensitivity - TCH/HSndard	Non compliance in this area may degrade speech quality and may impair call maintenance.	f	
14.2.3	Receiver / Reference sensitivity - FACCH/F https://standards.iteh.a/catalog/standa	Non Compliance in this area may impair establishment and the maintaining of the call.	f	
14.2.4	Receiver / Reference sensitivity - FACCH/H	Non Compliance in this area may impair establishment and the maintaining of the call.	f	
14.2.5	Receiver / Reference sensitivity - full rate data channels	Non Compliance in this area may impair establishment and the maintaining of the call.	f	Х
14.2.6	Receiver / Reference sensitivity - half rate data channels	Non Compliance in this area may impair establishment and the maintaining of the call.	f	Х
14.3	Receiver / Usable receiver input level range	Non compliance in this area may degrade speech quality and may impair call maintenance.	е	
14.4.1	Co-channel rejection - TCH/FS	Non compliance in this area may degrade speech quality and may impair call maintenance.	е	
14.4.2	Co-channel rejection - TCH/HS (speech frames)	Non compliance in this area may degrade speech quality and may impair call maintenance.	f	
14.4.4	Co-channel rejection - FACCH/F	Non Compliance in this area may impair establishment and the maintaining of the call.	f	
14.4.5	Co-channel rejection - FACCH/H	Non Compliance in this area may impair establishment and the maintaining of the call.	f	