INTERNATIONAL STANDARD



First edition 2001-04-15

Industrial automation systems and integration — Product data representation and exchange —

Part 508: Application interpreted construct: Non-manifold surface

Systèmes d'automation industrielle et intégration — Représentation et échange de données de produits —

Partie 508: Établissement interprété d'application: Surface non manifold

ISO 10303-508:2001

https://standards.iteh.ai/catalog/standards/iso/b454da1c-c462-4081-8c6f-fcaba00aa376/iso-10303-508-2001



Reference number ISO 10303-508:2001(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 10303-508:2001

https://standards.iteh.ai/catalog/standards/iso/b454da1c-c462-4081-8c6f-fcaba00aa376/iso-10303-508-2001

© ISO 2001

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.ch Web www.iso.ch

Contents

1	Scope	
2	Normative references	
3	Terms, definitions, and abbreviations 3 3.1 Terms defined in ISO 10303–1 3 3.2 Terms defined in ISO 10303–42 4 3.3 Terms defined in ISO 10303–202 4 3.4 Terms defined in ISO 10303–511 4 3.5 Other terms and definitions 5 3.6 Abbreviations 5	
4	EXPRESS short listing 5 4.1 Fundamental concepts and assumptions 7 4.2 aic_non_manifold_surface schema entity definition: non_manifold_surface_shape_representation 7 4.3 aic_non_manifold_surface function definitions 14 4.3.1 nmsf_curve_check 14 4.3.2 nmsf_surface_check 19	
	nnex A (normative)Short names of entities23nnex B (normative)Information object registration24B.1Document identification24B.2Schema identification24	
	nnex C (informative)EXPRESS-G diagrams303-508:200125nnex D (informative)Computer interpretable listings49	
Inc	dex	

Figures

Figure C.1	EXPRESS-G diagram 1 of 22	27
Figure C.2	EXPRESS-G diagram 2 of 22	28
Figure C.3	EXPRESS-G diagram 3 of 22	29
Figure C.4	EXPRESS-G diagram 4 of 22	30
Figure C.5	EXPRESS-G diagram 5 of 22	31
Figure C.6	EXPRESS-G diagram 6 of 22	32
Figure C.7	EXPRESS-G diagram 7 of 22	33
Figure C.8	EXPRESS-G diagram 8 of 22	34
Figure C.9	EXPRESS-G diagram 9 of 22	35
Figure C.10	EXPRESS-G diagram 10 of 22	36

Figure C.11	EXPRESS-G diagram 11 of 22	37
U	-	
Figure C.12	EXPRESS-G diagram 12 of 22	38
Figure C.13	EXPRESS-G diagram 13 of 22	39
Figure C.14	EXPRESS-G diagram 14 of 22	40
Figure C.15	EXPRESS-G diagram 15 of 22	41
Figure C.16	EXPRESS-G diagram 16 of 22	42
Figure C.17	EXPRESS-G diagram 17 of 22	43
Figure C.18	EXPRESS-G diagram 18 of 22	44
Figure C.19	EXPRESS-G diagram 19 of 22	45
Figure C.20	EXPRESS-G diagram 20 of 22	46
Figure C.21	EXPRESS-G diagram 21 of 22	47
Figure C.22	EXPRESS-G diagram 22 of 22	48

Tables

Table A.1	Short names of entities	 3

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 10303-508:2001

https://standards.iteh.ai/catalog/standards/iso/b454da1c-c462-4081-8c6f-fcaba00aa376/iso-10303-50

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 10303-508 was prepared by Technical Committee ISO/TC 184 *Industrial automation* systems and integration, Subcommittee SC 4, *Industrial data*.

This International Standard is organized as a series of parts, each published separately. The structure of this International Standard is described in ISO 10303-1.

Each part of this International Standard is a member of one of the following series: description methods, implementation methods, conformance testing methodology and framework, integrated generic resources, integrated application resources, application protocols, abstract test suites, application interpreted constructs, and application modules. This part is a member of the application interpreted construct series.

A complete list of parts of ISO 10303 is available from the Internet:

https://standards.iteh.ai/catalog/standards/iso/b454dalc-c462-4081-8c6f-fcaba00aa376/iso-10303-508-2001 <http://www.nist.gov/sc4/editing/step/titles/>

Annexes A and B form a normative part of this part of ISO 10303. Annexes C and D are for information only.

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation and exchange of product data. The objective is to provide a neutral mechanism capable of describing product data throughout the life cycle of a product independent from any particular system. The nature of this description makes it suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and archiving.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application interpreted constructs, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303–1. This part of ISO 10303 is a member of the application interpreted constructs series.

An application interpreted construct (AIC) provides a logical grouping of interpreted constructs that supports a specific functionality for the usage of product data across multiple application contexts. An interpreted construct is a common interpretation of the integrated resources that supports shared information requirements among application protocols.

This document specifies the application interpreted construct for the description of geometric shapes by means of non-manifold surface models. It includes the geometric and topological resources to define non-manifolds that may consist of elementary and sculptured curves and surfaces.

(https://standards.iteh.ai) Document Preview

ISO 10303-508:2001

https://standards.iteh.ai/catalog/standards/iso/b454da1c-c462-4081-8c6f-fcaba00aa376/iso-10303-508-2001

Industrial automation systems and integration — Product data representation and exchange — Part 508: Application interpreted construct: Non-manifold surface

1 Scope

This part of ISO 10303 specifies the interpretation of the integrated resources to satisfy requirements for the description of geometric shapes by means of non-manifold surface models.

The following are within the scope of this part of ISO 10303:

- 3D points;
- points defined in the parameter space of curves or surfaces;
- 3D curves;
 - curves defined in the parameter space of surfaces;
- eurves defined in the parameter space of surfaces,

NOTE - Such curves are also known as pourves or cons, which are acronyms for parametrised curve and curve on surface.

- the elementary curve types line, circle, ellipse, parabola, and hyperbola;
- nttps://standards.iteh.ai/catalog/standards/iso/b454da1c-c462-4081-8c6f-fcaba00aa376/iso-10303-508-2001 — intersection curves;
- polylines that consist of at least three points;
- the elementary surface types plane, cylinder, cone, torus, and sphere;
- swept surfaces created by rotation or linear extrusion of a curve;
- sculptured curves and surfaces;
- trimming of curves and surfaces using topological entities;
- composition of curves and surfaces using topological entities;
- replication of curves, surfaces, and surface models;
- 3D offsets of curves and surfaces;
- © ISO 2001 All rights reserved

ISO 10303-508:2001(E)

— non-manifolds.

The following are outside the scope of this part of ISO 10303:

- unbounded geometry;
- self-intersecting geometry;
- geometry in a 2D cartesian coordinate space;
- replication of points;
- topology without an association to a corresponding geometric domain.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 10303. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 10303 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO/IEC 8824–1:1998, Information technology – Abstract Syntax Notation Onw (ASN.1): Specification of basic notation.

ISO 10303–1:1994, Industrial automation systems and integration – Product data representation and exchange – Part 1 : Overview and fundamental principles, 2000

ISO 10303–11:1994, Industrial automation systems and integration – Product data representation and exchange – Part 11 : Description methods: The EXPRESS language reference manual.

ISO 10303–41:1994, Industrial automation systems and integration – Product data representation and exchange – Part 41 : Integrated generic resources: Fundamentals of product description and support.

ISO 10303–42:1994, Industrial automation systems and integration – Product data representation and exchange – Part 42 : Integrated generic resources: Geometric and topological representation.

ISO 10303–43:1994, Industrial automation systems and integration – Product data representation and exchange – Part 43 : Integrated generic resources: Representation structures.

ISO 10303–202:1996, Industrial automation systems and integration – Product data representation and exchange: – Part 202: Application protocol: Associative draughting.

NOTE - ISO 10303-202 is referenced normatively solely for the definition of the term AIC.

ISO 10303–511:2001, Industrial automation systems and integration – Product data representation and exchange – Part 511 : Application interpreted construct: Topologically bounded surface.

© ISO 2001 – All rights reserved

2

3 Terms, definitions, and abbreviations

3.1 Terms defined in ISO 10303–1

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-1 apply:

- abstract test suite (ATS);
- application;
- application context;
- application protocol (AP);
- data;
- data exchange;
- generic resource;
- implementation method;
- information;
- integrated resource;
- interpretation;

^{a;} iTeh Standards https://standards.iteh.ai) Document Preview

https://stamodel;.iteh.ai/catalog/standards/iso/b454da1c-c462-4081-8c6f-fcaba00aa376/iso-10303-508-2001

- product;
- product data;
- structure.

3.2 Terms defined in ISO 10303–42

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-42 apply:

- boundary;
- boundary representation solid model;
- connected;
- coordinate space;
- curve;
- dimensionality;
- domain;
- parameter space;
- self-intersect;
- surface.

iTeh Standards https://standards.iteh.ai

3.3 Terms defined in ISO 10303–202

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-202 apply:

O 10303-508:2001

ttps **3.3.1** ndards.iteh.ai/catalog/standards/iso/b454da1c-c462-4081-8c6f-fcaba00aa376/iso-10303-508-2001 application interpreted construct (AIC)

a logical grouping of interpreted constructs that supports a specific function for the usage of product data across multiple application contexts.

3.4 Terms defined in ISO 10303–511

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-511 apply:

- advanced face;
- sculptured surface;
- swept surface.

3.5 Other terms and definitions

For the purposes of this part of ISO 10303, the following terms and definitions apply:

3.5.1

2-manifold

a shape where on any point of its boundary one may create a sufficiently small sphere so that the interior of the sphere is divided into exactly two regions by this boundary. The boundary may typically consist of edges and faces.

NOTE - This definition eliminates self-intersection of surfaces, surface intersections that are not along edges, and edges joining three or more faces.

3.5.2

non-manifold

a surface model that uses topological constructs to define its boundaries and connectivity and that includes either at least two **connected_face_set**s sharing one **face** or more than two **face**s sharing one **edge**.

3.6 Abbreviations

For the purposes of this part of ISO 10303, the following abbreviations apply.

AIC	application interpreted construct
AP	application protocol ument Preview
ATS	abstract test suite

https://standards.iteh.ai/catalog/standards/iso/b454da1c-c462-4081-8c6f-fcaba00aa376/iso-10303-508-2001

4 EXPRESS short listing

This clause specifies the EXPRESS schema that uses elements from the integrated resources and contains the types, entity specializations, and functions that are specific to this part of ISO 10303.

NOTE 1 - There may be subtypes and items of select lists that appear in the integrated resources that are not imported into the AIC. Constructs are eliminated from the subtype tree or select list through the use of the implicit interface rules of ISO 10303-11. References to eliminated constructs are outside the scope of the AIC. In some cases, all items of the select list are eliminated. Because AICs are intended to be implemented in the context of an application protocol, the items of the select list will be defined by the scope of the application protocol.

This application interpreted construct provides a consistent set of geometric and topological entities for the definition of non-manifold surface representations that consist of elementary or sculptured curves and surfaces. The highest level entity of this part of ISO 10303 is **non_manifold_surface_shape_-**representation. A **non_manifold_surface_shape_representation** is bounded. The bounding of the geometry is achieved by topological entities, such as **vertex**, **edge**, and **face**.

© ISO 2001 – All rights reserved

ISO 10303-508:2001(E)

Topological entities shall not exist without an association to a corresponding geometric domain.

NOTE 2 - This part of ISO 10303 uses all the entities and types from ISO 10303-511, **aic_topologically_bounded_surface**.

EXPRESS specification:

```
*)
    SCHEMA aic_non_manifold_surface;
      USE FROM aic_topologically_bounded_surface; -- ISO 10303-511
      USE FROM geometric_model_schema (
                                                        -- ISO 10303-42
          face_based_surface_model);
      USE FROM geometry_schema (
                                                        -- ISO 10303-42
          b_spline_curve,
          b_spline_surface,
          bounded_pcurve,
          bounded_surface_curve,
          cartesian_transformation_operator_3d,
          curve,
          curve_replica,
          degenerate_pcurve,
          evaluated_degenerate_pcurve, and and S. Iten. al)
          intersection_curve,
          offset_curve_3d, Document Preview
          offset surface,
          point_on_curve,
          point_on_surface,
https://standa_curve, https://standards/iso/b454da1c-c462-4081-8c6f-fcaba00aa376/iso-10303-508-2001
          surface,
          surface_replica);
      USE FROM product_property_representation_schema ( -- ISO 10303-41
          shape_representation);
                                                        -- ISO 10303-43
      USE FROM representation_schema (
          mapped_item,
          representation,
          representation_item,
          representation_map);
      USE FROM topology_schema (
                                                        -- ISO 10303-42
          closed_shell,
          connected_face_set,
          face,
          open_shell,
          oriented_face);
```

NOTE 3 - The schemas referenced above can be found in the following parts of ISO 10303:

aic_topologically_bounded_surface	ISO 10303-511
geometric_model_schema	ISO 10303-42
geometry_schema	ISO 10303-42
<pre>product_property_representation_schema</pre>	ISO 10303-41
representation_schema	ISO 10303-43
topology_schema	ISO 10303-42

4.1 Fundamental concepts and assumptions

The following entities are intended to be independently instantiated in the application protocol schemas that use this AIC:

- non_manifold_surface_shape_representation.

4.2 aic_non_manifold_surface schema entity definition: non_manifold_surface_shape_representation

A non_manifold_surface_representation describes the shape or portions of the shape of a product using non-manifolds with boundaries.

NOTE 1 - Non-manifolds are topologically less constrained than manifolds. For example, the restriction that only a maximum of two **faces** may share the same **edge** does not apply. They are, therefore, not necessarily suitable for building solid models. They are, however, often found in applications that support the finite element analysis method.

NOTE 2 - A **non_manifold_surface_representation** may well hold a manifold surface model, but not vice versa.

NOTE 3 - Entity **product** is not included in this part of ISO 10303.

A non_manifold_surface_shape_representation is a shape_representation as defined in ISO 10303-41 that consists of one or many face_based_surface_models. Each face_based_surface_model is built up of connected_face_sets, which in the context of this part of ISO 10303 may be instantiated as connected_face_set or as one of its subtypes open_shell or closed_shell. Connected_face_sets consist of faces which use edges and vertexs; the latter three shall reference geometric entities, such as points, curves, and surfaces. The link between topology and geometry may be established by either using face_surface or advanced_face as defined in ISO 10303-511. The two options differ both in the selection of valid point, curve, and surface subtypes and in constraints on references to underlying geometry.

NOTE 4 - The representation of **face_surfaces** as **advanced_faces** is recommended for non-manifold surface models that are intended to be used together with boundary representation solid models; the integration of such a non-manifold surface model into for example an advanced boundary representation model, which is defined in ISO 10303-514, will be easier.

© ISO 2001 – All rights reserved

(*

ISO 10303-508:2001(E)

All geometric entities shall be of dimensionality three except for two-dimensional geometry that is used for the purpose of defining **pcurves**. The use of one-dimensional **cartesian_points** is excluded.

All unbounded geometry shall be trimmed by using topological constructs.

The items of a non_manifold_surface_shape_representation may also be of type mapped_item, which is defined in ISO 10303-43, or axis2_placement_3d. These are used to assemble one or several non_manifold_surface_shape_representations into one other non_manifold_surface_shape_representation.

The WHERE-rules of this entity restrict the use of the entity data types that are imported from ISO 10303-42 and ISO 10303-43 according to the statements above. Some of these validations of entity type and constraints are specified in the following two functions:

- nmsf_curve_check;
- nmsf_surface_check.

In WR5, WR6, and WR10 below, these functions validate the **curves** and **surface**s of all **edge**s and **face**s that are in the scope of a **non_manifold_surface_shape_representation** except for those that are in the reference tree of an **advanced_face**; the geometry of an **advanced_face** is validated by a different set of rules. The functions automatically assess all underlying geometry; for this they are called recursively.

EXAMPLE A **pcurve** may reference both a **curve** and a **surface**. Function **nmsf_curve_check** validates not only the **pcurve**, but also this underlying geometry. It will, therefore, not only call itself, but also **nmsf_surface_check**.

NOTE 5 - This part of ISO 10303 does not include a function for the validation of **points** and their underlying **curves** and **surfaces**. This is because all **curves** and **surfaces** of a **non_manifold_surface_shape_representation** are referenced from **edges** and **faces** and are, thus, covered by the two existing functions already.

NOTE 6 - An application protocol that uses this part of ISO 10303 should explicitly permit that the **shape_-**representation entity may be instantiated as a **non_manifold_surface_shape_representation**.

EXPRESS specification:

```
*)
ENTITY non_manifold_surface_shape_representation
  SUBTYPE OF (shape_representation);
WHERE
  WR1: SIZEOF (QUERY (it <* SELF.items |
        NOT (SIZEOF (['AIC_NON_MANIFOLD_SURFACE.FACE_BASED_SURFACE_MODEL',
        'AIC_NON_MANIFOLD_SURFACE.MAPPED_ITEM',
        'AIC_NON_MANIFOLD_SURFACE.AXIS2_PLACEMENT_3D'] * TYPEOF (it)) = 1)))
        = 0;
WR2: SIZEOF (QUERY (it <* SELF.items |</pre>
```