INTERNATIONAL STANDARD

ISO 10303-509

First edition
2001-04-15

Industrial automation systems and integration — Product data representation and exchange —

Part 509: Application interpreted construct: Manifold surface

Systèmes d'automation industrielle et intégration — Représentation et échange de données de produits —

Partie 509: Établissement interprété d'application: Surface manifold

Reference number
ISO 10303-509:2001(E)

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Page

Figures

Tables

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 10303-509 was prepared by Technical Committee ISO/TC 184 *Industrial automation systems and integration*, Subcommittee SC 4, *Industrial data*.

This International Standard is organized as a series of parts, each published separately. The structure of this International Standard is described in ISO 10303-1.

Each part of this International Standard is a member of one of the following series: description methods, implementation methods, conformance testing methodology and framework, integrated generic resources, integrated application resources, application protocols, abstract test suites, application interpreted constructs, and application modules. This part is a member of the application interpreted construct series.

A complete list of parts of ISO 10303 is available from the Internet:

<http://www.nist.gov/sc4/editing/step/titles/>

Annexes A and B form a normative part of this part of ISO 10303. Annexes C and D are for information only.

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation and exchange of product data. The objective is to provide a neutral mechanism capable of describing product data throughout the life cycle of a product independent from any particular system. The nature of this description makes it suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and archiving.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application interpreted constructs, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303–1. This part of ISO 10303 is a member of the application interpreted construct series.

An application interpreted construct (AIC) provides a logical grouping of interpreted constructs that supports a specific functionality for the usage of product data across multiple application contexts. An interpreted construct is a common interpretation of the integrated resources that supports shared information requirements among application protocols.

This document specifies the application interpreted construct for the description of geometric shapes by means of manifold surface models. It includes the geometric and topological resources to define 2-manifolds that may consist of elementary and sculptured curves and surfaces.

Industrial automation systems and integration — Product data representation and exchange — Part 509: Application interpreted construct: Manifold surface

1 Scope

This part of ISO 10303 specifies the interpretation of the integrated resources to satisfy requirements for the description of geometric shapes by means of manifold surface models.

The following are within the scope of this part of ISO 10303:

— 3D points;

— points defined in the parameter space of curves or surfaces;

— 3D curves;

— curves defined in the parameter space of surfaces;

NOTE - Such curves are also known as pcurves or cons, which are acronyms for parametrised curve and curve on surface.

— the elementary curves line, circle, ellipse, parabola, and hyperbola;

— intersection curves;

— polylines that consist of at least three points;

— the elementary surfaces plane, cylinder, cone, torus, and sphere;

— swept surfaces created by rotation or linear extrusion of a curve;

— sculptured curves and surfaces;

— trimming of curves and surfaces using topological entities;

— composition of curves and surfaces using topological entities;

— replication of curves, surfaces, and surface models;

— 3D offsets of curves and surfaces;

— 2-manifolds.

The following are outside the scope of this part of ISO 10303:

— unbounded geometry;

— self-intersecting geometry;

— geometry in a 2D cartesian coordinate space;

— replication of points;

— topology without an association to a corresponding geometric domain;

— non-manifolds.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 10303. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 10303 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO/IEC 8824–1:1998, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*

ISO 10303–1:1994, *Industrial automation systems and integration – Product data representation and exchange – Part 1 : Overview and fundamental principles.*

ISO 10303–11:1994, *Industrial automation systems and integration – Product data representation and exchange – Part 11 : Description methods: The EXPRESS language reference manual.*

ISO 10303–41:1994, *Industrial automation systems and integration – Product data representation and exchange – Part 41 : Integrated generic resources: Fundamentals of product description and support.*

ISO 10303–42:1994, *Industrial automation systems and integration – Product data representation and exchange – Part 42 : Integrated generic resources: Geometric and topological representation.*

ISO 10303–43:1994, *Industrial automation systems and integration – Product data representation and exchange – Part 43 : Integrated generic resources: Representation structures.*

ISO 10303–202:1996, *Industrial automation systems and integration – Product data representation and exchange: – Part 202: Application protocol: Associative draughting.*

NOTE - ISO 10303-202 is referenced normatively solely for the definition of the term AIC.

ISO 10303–511:2001, *Industrial automation systems and integration – Product data representation and exchange – Part 511 : Application interpreted construct: Topologically bounded surface.*

3 Terms, definitions, and abbreviations

3.1 Terms defined in ISO 10303–1

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-1 apply:

— abstract test suite (ATS);

— application;

— application context;

— application protocol (AP);

— data;

— data exchange;

— generic resource;

— implementation method;

— information;

— integrated resource;

— interpretation;

— model;

— product;

— product data;

— structure.

3.2 Terms defined in ISO 10303–42

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-42 apply:

— boundary;

— boundary representation solid model;

— connected;

— coordinate space;

— curve;

— dimensionality;

— domain;

— parameter space;

— self-intersect;

— surface.

3.3 Terms defined in ISO 10303–202

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-202 apply:

3.3.1
application interpreted construct (AIC)
a logical grouping of interpreted constructs that supports a specific function for the usage of product data across multiple application contexts.

3.4 Terms defined in ISO 10303–511

For the purposes of this part of ISO 10303, the following terms defined in ISO 10303-511 apply:

— advanced face;

— sculptured surface;

— swept surface.

3.5 Other terms and definitions

For the purposes of this part of ISO 10303, the following terms and definitions apply:

3.5.1
2-manifold
a shape where on any point of its boundary one may create a sufficiently small sphere so that the interior of the sphere is divided into exactly two regions by this boundary. The boundary may typically consist of edges and faces.

NOTE - This definition eliminates self-intersection of surfaces, surface intersections that are not along edges, and edges joining three or more faces.

3.5.2
non-manifold
a surface model that uses topological constructs to define its boundaries and connectivity and that includes either at least two **connected_face_set**s sharing one **face** or more than two **face**s sharing one **edge**.

3.6 Abbreviations

For the purposes of this part of ISO 10303, the following abbreviations apply.

AIC	application interpreted construct
AP	application protocol
ATS	abstract test suite

4 EXPRESS short listing

This clause specifies the EXPRESS schema that uses elements from the integrated resources and contains the types, entity specializations, and functions that are specific to this part of ISO 10303.

NOTE 1 - There may be subtypes and items of select lists that appear in the integrated resources that are not imported into the AIC. Constructs are eliminated from the subtype tree or select list through the use of the implicit interface rules of ISO 10303-11. References to eliminated constructs are outside the scope of the AIC. In some cases, all items of the select list are eliminated. Because AICs are intended to be implemented in the context of an application protocol, the items of the select list will be defined by the scope of the application protocol.

This application interpreted construct provides a consistent set of geometric and topological entities for the definition of manifold surface representations that consist of elementary or sculptured curves and surfaces. The highest level entity of this part of ISO 10303 is **manifold_surface_shape_representation**. A **manifold_surface_shape_representation** is bounded. The bounding of the geometry is achieved by topological entities, such as **vertex**, **edge**, and **face**.

Topological entities shall not exist without an association to a corresponding geometric domain.

NOTE 2 - This part of ISO 10303 uses all the entities and types from ISO 10303-511, **aic_topologically_-bounded_surface**.

EXPRESS specification:

```
*)
SCHEMA aic_manifold_surface;

  USE FROM aic_topologically_bounded_surface;       -- ISO 10303-511

  USE FROM geometric_model_schema (                 -- ISO 10303-42
      shell_based_surface_model);

  USE FROM geometry_schema (                        -- ISO 10303-42
      b_spline_curve,
      b_spline_surface,
      bounded_pcurve,
      bounded_surface_curve,
      cartesian_transformation_operator_3d,
      curve,
      curve_replica,
      degenerate_pcurve,
      evaluated_degenerate_pcurve,
      intersection_curve,
      offset_curve_3d,
      offset_surface,
      point_on_curve,
      point_on_surface,
      seam_curve,
      surface,
      surface_replica);

  USE FROM product_property_representation_schema ( -- ISO 10303-41
      shape_representation);

  USE FROM representation_schema (                  -- ISO 10303-43
      mapped_item,
      representation,
      representation_item,
      representation_map);

  USE FROM topology_schema (                        -- ISO 10303-42
      closed_shell,
      connected_face_set,
      face,
      open_shell,
      oriented_closed_shell);
(*
```


NOTE 3 - The schemas referenced above can be found in the following parts of ISO 10303:

aic_topologically_bounded_surface	ISO 10303-511
geometric_model_schema	ISO 10303-42
geometry_schema	ISO 10303-42
product_property_representation_schema	ISO 10303-41
representation_schema	ISO 10303-43
topology_schema	ISO 10303-42

4.1 Fundamental concepts and assumptions

The following entities are intended to be independently instantiated in the application protocol schemas that use this AIC:

– manifold_surface_shape_representation.

4.2 aic_manifold_surface schema entity definition: manifold_surface_shape_representation

A **manifold_surface_representation** describes the shape or portions of the shape of a **product** using 2-manifolds with boundaries.

NOTE 1 - 2-manifolds are topologically constrained in a way that makes them suitable for inclusion into solid representations. Within a 2-manifold, for example, only a maximum of two **face**s may share the same **edge**.

NOTE 2 - Entity **product** is not included in this part of ISO 10303.

A **manifold_surface_shape_representation** is a **shape_representation** as defined in ISO 10303-41 that consists of one or many **shell_based_surface_model**s. Each **shell_based_surface_model** is built up of **open_shell**s and **closed_shell**s which are sets of **face**s. **Connected_face_set**, which is the supertype of **open_shell** and **closed_shell**, shall not be instantiated. **Face**s use **edge**s and **vertex**s; all of these shall reference geometric entities such as **point**s, **curve**s, and **surface**s. The link between topology and geometry may be established by either using **face_surface** or **advanced_face** as defined in ISO 10303-511. The two options differ both in the selection of valid **point**, **curve**, and **surface** subtypes and in constraints on references to underlying geometry.

NOTE 3 - The representation of **face_surface**s as **advanced_face**s is recommended for manifold surface models that are intended to be used together with boundary representation solid models; the integration of such a manifold surface model into, for example, an advanced boundary representation model, which is defined in ISO 10303-514, will be easier.

All geometric entities shall be of dimensionality three except for two-dimensional geometry that is used for the purpose of defining **pcurve**s. The use of one-dimensional **cartesian_point**s is excluded.

All unbounded geometry shall be trimmed by using topological constructs.

The **items** of a **manifold_surface_shape_representation** may also be of type **mapped_item**, which is defined in ISO 10303-43, or **axis2_placement_3d**. These are used to assemble one or several **manifold_surface_shape_representation**s into one other **manifold_surface_shape_representation**.

The WHERE-rules of this entity restrict the use of the entity data types that are imported from ISO 10303-42 and ISO 10303-43 according to the statements above. Some of these validations of entity type and constraints are specified in the following two functions:

– **msf_curve_check**;

– **msf_surface_check**.

In WR6 and WR10 below, these functions validate the **curve**s and **surface**s of all **edge**s and **face**s that are in the scope of a **manifold_surface_shape_representation** except for those that are in the reference tree of an **advanced_face**; the geometry of an **advanced_face** is validated by a different set of rules. The functions automatically assess all underlying geometry; for this they are called recursively.

EXAMPLE A **pcurve** may reference both a **curve** and a **surface**. Function **msf_curve_check** validates not only the **pcurve**, but also this underlying geometry. It will, therefore, not only call itself, but also **msf_surface_check**.

NOTE 4 - This part of ISO 10303 does not include a function for the validation of **point**s and their underlying **curve**s and **surface**s. This is because all **curve**s and **surface**s of a **manifold_surface_shape_representation** are referenced from **edge**s and **face**s and are, thus, covered by the two existing functions already.

NOTE 5 - An application protocol that uses this part of ISO 10303 should explicitly permit that the **shape_representation** entity may be instantiated as a **manifold_surface_shape_representation**.

EXPRESS specification:

```
*)
ENTITY manifold_surface_shape_representation
   SUBTYPE OF (shape_representation);
WHERE
  WR1: SIZEOF (QUERY (it <* SELF.items |
       NOT (SIZEOF (['AIC_MANIFOLD_SURFACE.SHELL_BASED_SURFACE_MODEL',
       'AIC_MANIFOLD_SURFACE.MAPPED_ITEM',
       'AIC_MANIFOLD_SURFACE.AXIS2_PLACEMENT_3D'] * TYPEOF (it)) = 1))) = 0;
  WR2: SIZEOF (QUERY (it <* SELF.items |
       SIZEOF (['AIC_MANIFOLD_SURFACE.SHELL_BASED_SURFACE_MODEL',
       'AIC_MANIFOLD_SURFACE.MAPPED_ITEM'] * TYPEOF (it)) = 1)) > 0;
  WR3: SIZEOF (QUERY (mi <* QUERY (it <* SELF.items |
       'AIC_MANIFOLD_SURFACE.MAPPED_ITEM' IN TYPEOF (it)) |
       NOT (('AIC_MANIFOLD_SURFACE.MANIFOLD_SURFACE_SHAPE_REPRESENTATION'
       IN TYPEOF (mi\mapped_item.mapping_source.mapped_representation))
       AND
       (SIZEOF(QUERY (mr_it <*
```



```
     mi\mapped_item.mapping_source.mapped_representation.items |
     ('AIC_MANIFOLD_SURFACE.SHELL_BASED_SURFACE_MODEL'
     IN TYPEOF (mr_it)))) > 0 )))) = 0;
WR4: SIZEOF (QUERY (sbsm <* QUERY (it <* SELF.items |
     'AIC_MANIFOLD_SURFACE.SHELL_BASED_SURFACE_MODEL' IN TYPEOF (it)) |
     NOT (SIZEOF (QUERY (sh <*
     sbsm\shell_based_surface_model.sbsm_boundary |
     NOT (SIZEOF (['AIC_MANIFOLD_SURFACE.OPEN_SHELL',
     'AIC_MANIFOLD_SURFACE.ORIENTED_CLOSED_SHELL',
     'AIC_MANIFOLD_SURFACE.CLOSED_SHELL']
     * TYPEOF (sh)) = 1))) = 0))) = 0;
WR5: SIZEOF (QUERY (sbsm <* QUERY (it <* SELF.items |
     'AIC_MANIFOLD_SURFACE.SHELL_BASED_SURFACE_MODEL' IN TYPEOF (it)) |
     NOT (SIZEOF (QUERY (cfs <*
     sbsm\shell_based_surface_model.sbsm_boundary |
     NOT (SIZEOF (QUERY (fa <* cfs\connected_face_set.cfs_faces |
     NOT ('AIC_MANIFOLD_SURFACE.FACE_SURFACE' IN TYPEOF (fa)) )) = 0)))
     = 0))) = 0;
WR6: SIZEOF (QUERY (sbsm <* QUERY (it <* SELF.items |
     'AIC_MANIFOLD_SURFACE.SHELL_BASED_SURFACE_MODEL' IN TYPEOF (it)) |
     NOT (SIZEOF (QUERY (cfs <*
     sbsm\shell_based_surface_model.sbsm_boundary |
     NOT (SIZEOF (QUERY (fa <* cfs\connected_face_set.cfs_faces |
     NOT (('AIC_MANIFOLD_SURFACE.ADVANCED_FACE' IN TYPEOF (fa))
     OR
     (msf_surface_check(fa\face_surface.face_geometry))))) = 0)))
     = 0))) = 0;
WR7: SIZEOF (QUERY (sbsm <* QUERY (it <* SELF.items |
     'AIC_MANIFOLD_SURFACE.SHELL_BASED_SURFACE_MODEL' IN TYPEOF (it)) |
     NOT (SIZEOF (QUERY (cfs <*
     sbsm\shell_based_surface_model.sbsm_boundary |
     NOT (SIZEOF (QUERY (fa <* cfs\connected_face_set.cfs_faces |
     NOT (('AIC_MANIFOLD_SURFACE.ADVANCED_FACE' IN TYPEOF (fa))
     OR
     (SIZEOF (QUERY (bnds <* fa.bounds |
     NOT (SIZEOF (['AIC_MANIFOLD_SURFACE.EDGE_LOOP',
     'AIC_MANIFOLD_SURFACE.VERTEX_LOOP']
     * TYPEOF (bnds.bound)) = 1))) = 0)))) = 0))) = 0))) = 0;
WR8: SIZEOF (QUERY (sbsm <* QUERY (it <* SELF.items|
     'AIC_MANIFOLD_SURFACE.SHELL_BASED_SURFACE_MODEL' IN TYPEOF (it)) |
     NOT (SIZEOF (QUERY (cfs <*
     sbsm\shell_based_surface_model.sbsm_boundary |
     NOT (SIZEOF (QUERY (fa <* cfs\connected_face_set.cfs_faces |
     NOT (('AIC_MANIFOLD_SURFACE.ADVANCED_FACE' IN TYPEOF (fa))
     OR
     (SIZEOF (QUERY (elp_fbnds <* QUERY (bnds <* fa.bounds |
     'AIC_MANIFOLD_SURFACE.EDGE_LOOP' IN TYPEOF (bnds.bound)) |
     NOT (SIZEOF (QUERY (oe <* elp_fbnds\path.edge_list |
     NOT ('AIC_MANIFOLD_SURFACE.EDGE_CURVE' IN TYPEOF
     (oe.edge_element)))) = 0))) = 0)))) = 0))) = 0))) = 0;
WR9: SIZEOF (QUERY (sbsm <* QUERY (it <* SELF.items |
     'AIC_MANIFOLD_SURFACE.SHELL_BASED_SURFACE_MODEL' IN TYPEOF (it)) |
```