

INTERNATIONAL  
STANDARDIZED  
PROFILE

ISO/IEC  
ISP  
15121-2

First edition  
1997-12-15

---

---

**Information technology — International  
Standardized Profile AOD1n — Interactive  
Manipulation of ODA Documents —**

iTeh STANDARD PREVIEW

**Part 2:**

**AOD12 — DTAM/Insert**

[ISO/IEC ISP 15121-2:1997](https://standards.iteh.ai/catalog/standards/sist/d0113897-a402-441c-987d-c03c6109a70a/iso-iec-isp-15121-2-1997)

[Technologies de l'information — Profil normalisé international AOD1n —  
Manipulation interactive de documents ODA —](https://standards.iteh.ai/catalog/standards/sist/d0113897-a402-441c-987d-c03c6109a70a/iso-iec-isp-15121-2-1997)

*Partie 2: AOD12 — DTAM/Insertion*



Reference number  
ISO/IEC ISP 15121-2:1997(E)

**Contents**

Foreword .....v

Introduction ..... vi

1 Scope.....1

    1.1 General .....1

    1.2 Position within the Taxonomy.....1

    1.3 User Requirements and Scenario.....1

2 Normative References.....2

    2.1 Identical Recommendations | International Standards.....2

    2.2 Additional References .....3

3 Definitions .....3

4 Abbreviations.....3

5 Conformance.....3

6 Constraints for the Abstract Interface for the manipulation of ODA documents and for DTAM confirmed document manipulation service.....3

    6.1 Support for services provided by AOD12 (Interactive Manipulation of ODA Documents - DTAM/Insert).....3

        6.1.1 ‘Support for services provided by AOD12’ tables conventions .....3

        6.1.2 Abstract interface for the manipulation of ODA documents .....4

        6.1.3 DTAM confirmed document manipulation .....5

        6.1.4 ‘Equivalence between AI and DTAM-DM services’ table conventions .....5

        6.1.5 Equivalence between AI and DTAM-DM services .....6

    6.2 Support for AI and DTAM-DM operation arguments and results.....6

        6.2.1 ‘Support for AI and DTAM-DM operation arguments and results’ tables conventions..6

        6.2.2 Equivalence between AI and DTAM-DM arguments and results .....6

**ITeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

<https://standards.iteh.ai/catalog/standards/sist/d6f15890-ad02-407f-987d-c05e6109a76a/iso-iec-isp-15121-2-1997>

© ISO/IEC 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

6.2.3	General Restrictions.....	6
6.2.4	AI List / DTAM-DM DM-DOCUMENT-LIST .....	6
6.2.5	AI Open / DTAM-DM DM-DOCUMENT-OPEN .....	6
6.2.5.1	General restrictions.....	6
6.2.5.2	AI Open arguments.....	7
6.2.5.3	DTAM-DM DM-DOCUMENT-OPEN arguments .....	7
6.2.5.4	Equivalence between AI Open and DTAM-DM DM-DOCUMENT-OPEN arguments.....	8
6.2.5.5	AI Open results.....	8
6.2.5.6	DM-DOCUMENT-OPEN results.....	8
6.2.5.7	Equivalence between AI Open and DTAM-DM DM-DOCUMENT-OPEN results .....	8
6.2.6	AI Close / DTAM-DM DM-DOCUMENT-CLOSE .....	8
6.2.7	AI Get / DTAM-DM DM-GET .....	8
6.2.7.1	General restrictions.....	8
6.2.7.2	AI Get arguments.....	8
6.2.7.3	DTAM-DM DM-GET arguments.....	9
6.2.7.4	Equivalence between AI Get and DTAM-DM DM-GET arguments .....	9
6.2.7.5	AI Get results.....	10
6.2.7.6	DTAM-DM DM-GET results .....	10
6.2.7.7	Equivalence between AI Get and DTAM-DM DM-GET results .....	10
6.2.8	AI Search / DTAM-DM DM-SEARCH .....	10
6.2.8.1	General restrictions.....	10
6.2.8.2	AI Search arguments.....	10
6.2.8.3	DTAM-DM DM-SEARCH arguments.....	10
6.2.8.4	Equivalence between AI Search and DTAM-DM DM-SEARCH arguments.....	11
6.2.8.5	AI Search results.....	12
6.2.8.6	DTAM-DM DM-SEARCH results.....	12
6.2.8.7	Equivalence between AI Search and DTAM-DM DM-SEARCH results .....	12
6.2.9	AI Create / DTAM-DM DM-CREATE .....	12
6.2.9.1	General restrictions.....	12
6.2.9.2	AI Create arguments.....	12
6.2.9.3	DTAM-DM DM-CREATE arguments.....	13
6.2.9.4	Equivalence between AI Create and DTAM-DM DM-CREATE arguments.....	15
6.2.9.5	AI Create results .....	15
6.2.9.6	DTAM-DM DM-CREATE results .....	15
6.2.9.7	Equivalence between AI Create and DTAM-DM DM-CREATE results .....	16
6.2.10	AI Copy / DTAM-DM DM-COPY .....	16
6.2.10.1	General restrictions.....	16
6.2.10.2	AI Copy arguments.....	16
6.2.10.3	DTAM-DM DM-COPY arguments.....	17
6.2.10.4	Equivalence between AI Copy and DTAM-DM DM-COPY arguments .....	19
6.2.10.5	AI Copy results.....	19
6.2.10.6	DTAM-DM DM-COPY results .....	20
6.2.10.7	Equivalence between AI Copy and DTAM-DM DM-COPY results.....	21

6.2.11	AI Reserve / DTAM-DM DM-RESERVE .....	21
6.2.11.1	General restrictions.....	21
6.2.11.2	AI Reserve arguments .....	21
6.2.11.3	DTAM-DM DM-RESERVE arguments.....	21
6.2.11.4	Equivalence between AI Reserve and DTAM-DM DM-RESERVE arguments.....	22
6.2.11.5	AI Reserve results.....	23
6.2.11.6	DTAM-DM DM-RESERVE results .....	23
6.2.11.7	Equivalence between AI Reserve and DTAM-DM DM-RESERVE results.....	23
6.2.12	AI Unreserve / DTAM-DM DM-UNRESERVE.....	23
6.2.12.1	General restrictions.....	23
6.2.12.2	AI Unreserve arguments.....	23
6.2.12.3	DTAM-DM DM-UNRESERVE arguments .....	24
6.2.12.4	Equivalence between AI Unreserve and DTAM-DM DM-UNRESERVE arguments.....	25
6.2.12.5	AI Unreserve results .....	26
6.2.12.6	DTAM-DM DM-UNRESERVE results .....	26
6.2.12.7	Equivalence between AI Unreserve and DTAM-DM DM-UNRESERVE results.....	26
6.2.13	DTAM-DM DTAM-DMBind.....	26
6.2.13.1	General Restrictions.....	26
6.2.13.2	DTAM-DM DTAM-DMBind arguments.....	26
6.2.13.3	DTAM-DM DTAM-DMBind results .....	27
6.2.14	DTAM-DM DTAM-DMUnBind.....	27
7	Errors returned.....	27
7.1	‘AI errors’, ‘DTAM-DM errors’ and ‘DTAM-DMBind / DTAM-DMUnBind errors’ tables conventions.....	27
7.2	AI errors.....	28
7.2.1	AI errors table.....	28
7.2.2	AI errors mapping.....	29
7.3	DTAM-DM errors .....	30
7.4	DTAM-DMBind / DTAM-DMUnBind errors.....	31
7.5	‘Mapping between AI and DTAM-DM errors’ table conventions .....	31
7.6	Mapping between AI and DTAM-DM errors.....	31
7.7	‘Mapping between DTAM-DM and AI errors’ table conventions .....	34
7.8	Mapping between DTAM-DM and AI errors.....	34
8	Constraints on location expression .....	35
9	Constraints for the DTAM confirmed document manipulation protocol.....	36

Annex A (normative) Profile requirements list .....	37
Annex B (informative) Object Identifiers List .....	38
Annex C (informative) Use of DM-POINT in ISO/IEC 15121.....	39

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC ISP 15121-2:1997](https://standards.iteh.ai/catalog/standards/sist/d6f15890-ad02-407f-987d-c05e6109a76a/iso-iec-isp-15121-2-1997)

<https://standards.iteh.ai/catalog/standards/sist/d6f15890-ad02-407f-987d-c05e6109a76a/iso-iec-isp-15121-2-1997>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. In addition to developing International Standards, ISO/IEC JTC 1 has created a Special Group on Functional Standardization for the elaboration of International Standardized Profiles.

An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or a set of functions.

Draft International Standardized Profiles are circulated to national bodies for voting. Publication as an International Standardized Profile requires approval by at least 75 % of the national bodies casting a vote.

International Standardized Profile ISO/IEC ISP 15121-2 was prepared with the collaboration of

- Asia-Oceania Workshop (AOW);
- European Workshop for Open Systems (EWOS);
- Open Systems Environment Implementors' Workshop (OIW).

ISO/IEC ISP 15121 consists of the following parts, under the general title *Information technology — International Standardized Profile AODIn — Interactive Manipulation of ODA Documents*:

- *Part 1: AOD11 — DTAM/Read Only*
- *Part 2: AOD12 — DTAM/Insert*
- *Part 3: AOD13 — DTAM/Manipulation*

Annex A forms an integral part of this part of ISO/IEC ISP 15121. Annexes B and C are for information only.

# Information technology — International Standardized Profile AOD1n — Interactive Manipulation of ODA Documents —

## Part 2: AOD12 — DTAM/Insert

### 1 Scope

#### 1.1 General

AODnn International Standard Profiles (ISPs) specify constraints on implementations of the Abstract Interface for the manipulation of ODA (Open Document Architecture) documents, ITU-T Rec. T.413 | ISO/IEC 8613-3, in order to facilitate different implementations of interactive remote document manipulation applications.

ISO/IEC ISP 15121 specifies such constraints when the Abstract Interface for the manipulation of ODA documents (AI) is used in combination with Document Transfer and Manipulation for Confirmed Document Manipulation (DTAM-DM), ITU-T Rec. T.435 and T.436. In this case, constraints on implementations of ITU-T Rec. T.435 and T.436 are also specified.

This part of ISO/IEC ISP 15121 (Interactive Manipulation of ODA Documents - DTAM/Insert) specifies such constraints for the implementation of applications that provide insert operations on remote ODA documents in an Open Systems Interconnection (OSI) environment.

#### 1.2 Position within the Taxonomy

This part of ISO/IEC ISP 15121 is defined in the taxonomy for Interactive Manipulation of ODA Documents, described in EWOS/TA/94/272 (EWOS/EG/SMMI/94/128). It is the intermediate profile of those using DTAM (AOD1n).

This part of ISO/IEC ISP 15121 is intended for implementations where ODA documents can be reviewed and modified with insert operations.


It is a superset of AOD11 and a subset of AOD13 profiles.

#### 1.3 User Requirements and Scenario

The model used in this part of ISO/IEC ISP 15121 is that of remote document applications using services provided by the Abstract Interface for the manipulation of ODA documents (AI), in combination with DTAM confirmed document manipulation (DTAM-DM) service and protocol, in order to get access to a remote ODA document.

In this model, the manipulating application will be called *ODA document manipulation client*, while the system to which ODA clients will remotely access for document interactive manipulation will be called *ODA document manipulation server*. The ODA server application will store the documents and will perform the operations on them.

Figure 1 illustrates the environment within which this part of ISO/IEC ISP 15121 is applicable.



Legend:

ACSE	Association Control Service Element
AE	Application Entity
AI	Abstract Interface for the manipulation of ODA documents
AI/AOD12	Abstract Interface for the manipulation of ODA documents following AOD12 profile
DTAM-DM	Document Transfer And Manipulation - Confirmed Document Manipulation
DTAM-DM/AOD12	Document Transfer And Manipulation - Confirmed Document Manipulation following AOD12 profile
DTAM-DM-SE c	Document Transfer And Manipulation - Confirmed Document Manipulation Service Element - Consumer
DTAM-DM-SE s	Document Transfer And Manipulation - Confirmed Document Manipulation Service Element - Supplier
ROSE	Remote Operations Service Element

Figure 1 - AOD12 Environment

## 2 Normative References

The following documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC ISP 15121. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this part of ISO/IEC ISP 15121 are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by ISPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and ITU-T maintains published editions of its current Recommendations.

### 2.1 Identical Recommendations | International Standards

- ITU-T Recommendation T.413 (1994) | ISO/IEC 8613-3: 1995, *Information technology - Open Document Architecture (ODA) and interchange format: Abstract interface for the manipulation of ODA documents.*
- ITU-T Recommendation T.422 (1995) | ISO/IEC 8613-12: 1996, *Information technology - Open Document Architecture (ODA) and interchange format: Identification of document fragments.*



## 2.2 Additional References

- ITU-T Recommendation T.435 (1995), *Document Transfer And Manipulation (DTAM) - Services and Protocols - Abstract service definition and procedures for confirmed document manipulation.*
- ITU-T Recommendation T.436 (1995), *Document Transfer And Manipulation (DTAM) - Services and Protocols - Protocol specifications for confirmed document manipulation.*
- ISO/IEC ISP 11188-1: 1995, *Information technology - International Standardized Profile - Common upper layer requirements - Part 1: Basic connection oriented requirements.*
- ISO/IEC ISP 11188-2: 1996, *Information technology - International Standardized Profile - Common upper layer requirements - Part 2: Basic connection oriented requirements for ROSE-based profiles.*
- ISO/IEC ISP 11188-3: 1996, *Information technology - International Standardized Profile - Common upper layer requirements - Part 3: Minimal OSI upper layer facilities.*
- ISO/IEC ISP 15121-1: 1997, *Information technology - International Standardized Profile AOD1n - Interactive Manipulation of ODA Documents - Part 1: DTAM/Read Only.*
- ISO/IEC ISP 15121-3: 1997, *Information technology - International Standardized Profile AOD1n - Interactive Manipulation of ODA Documents - Part 3: AOD13 - DTAM/Manipulation.*

## 3 Definitions

For the purposes of this part of ISO/IEC ISP 15121, the definitions given in ISO/IEC ISP 15121-1 apply.

## 4 Abbreviations

For the purposes of this part of ISO/IEC ISP 15121, the abbreviations given in ISO/IEC ISP 15121-1 apply.

## 5 Conformance

This part of ISO/IEC ISP 15121 states requirements upon implementations to achieve interworking. A claim of conformance to this AOD12 is a claim that all requirements in the relevant base standards and recommendations are satisfied, that all the requirements in ISO/IEC ISP 11188-2 and ISO/IEC ISP 11188-3 are satisfied, and that all requirements in clauses 6, 7, 8 and 9, and in annex A of this part of ISO/IEC ISP 15121 are satisfied. Clauses 6, 7, 8 and 9, and annex A state the equivalence between these requirements and those of the base standards and recommendations.

## 6 Constraints for the Abstract Interface for the manipulation of ODA documents and for DTAM confirmed document manipulation service

### 6.1 Support for services provided by AOD12 (Interactive Manipulation of ODA Documents - DTAM/Insert)

The tables in this subclause specify the AI and DTAM-DM operations that are supported by this part of ISO/IEC ISP 15121.

#### 6.1.1 'Support for services provided by AOD12' tables conventions

The specifications provided in ISO/IEC ISP 15121-1, subclause 6.1.1 apply.

6.1.2 Abstract interface for the manipulation of ODA documents

The following table specifies the AI operations that are supported by this part of ISO/IEC ISP 15121. The symbols used in the table are defined in subclause 6.1.1.

AI Service	P
List	o
Open	m
Close	m
Get	m
Search	m
Create	m
Delete	x
Modify	x
Replace	x
Copy	m
Move	x
Reserve	o
Unreserve	o
BeginGroup	x
EndGroup	x

iTeH STANDARD PREVIEW  
 (standards.iteh.ai)  
 ISO/IEC ISP 15121-2:1997  
<https://standards.iteh.ai/catalog/standards/sist/d6f15890-ad02-407f-987d-c05e6109a76a/iso-iec-isp-15121-2-1997>

### 6.1.3 DTAM confirmed document manipulation

The DTAM-DM 'Extended Level' is required to support ISO/IEC ISP 15121-2.

The following table specifies the DTAM-DM operations as defined in the 'Extended Level' in ITU-T Rec. T.435, and those supported by ISO/IEC ISP 15121-2. The symbols used in the table are defined in subclause 6.1.1.

DTAM-DM Service	B	P
DTAM-DMBind	m	m
DTAM-DMUnBind	m	m
DM-DOCUMENT-OPEN	m	m
DM-DOCUMENT-SAVE	m	x
DM-DOCUMENT-DISCARD	m	x
DM-DOCUMENT-CLOSE	m	m
DM-DOCUMENT-LIST	o	o
DM-GET	m	m
DM-SEARCH	m	m
DM-CREATE	m	m
DM-DELETE	m	x
DM-MODIFY	m	x
DM-COPY	m	m
DM-MOVE	m	x
DM-REPLACE	m	x
DM-RESERVE	m	o
DM-UNRESERVE	m	o
DM-POINT	o	x
DM-MACRO-CALL	f.s.	x
DM-GROUP-BEGIN	f.s.	x
DM-GROUP-END	f.s.	x

### 6.1.4 'Equivalence between AI and DTAM-DM services' table conventions

The specifications provided in ISO/IEC ISP 15121-1, subclause 6.1.4 apply.

### 6.1.5 Equivalence between AI and DTAM-DM services

This table specifies the equivalence between all the AI and DTAM-DM operations supported by this part of ISO/IEC ISP 15121. The symbols used in the table are defined in subclause 6.1.4.

When one AI operation is said to be equivalent to one DTAM-DM operation, this means that the AI operation will be mapped into the DTAM-DM operation when sending the operation request, the result or an error, and that the DTAM-DM operation will be mapped into the AI operation when receiving the operation request, the result or an error.

For operations not included in this table, the specifications provided in ISO/IEC ISP 15121-1, table in subclause 6.1.5 apply.

AI Service	DTAM-DM Service
Create	DM-CREATE
Copy	DM-COPY
Reserve	DM-RESERVE
Unreserve	DM-UNRESERVE

### 6.2 Support for AI and DTAM-DM operation arguments and results

The text provided in ISO/IEC ISP 15121-1, subclause 6.2 applies.

#### 6.2.1 'Support for AI and DTAM-DM operation arguments and results' tables conventions

The specifications provided in ISO/IEC ISP 15121-1, subclause 6.2.1 apply.

#### 6.2.2 Equivalence between AI and DTAM-DM arguments and results

The specifications provided in ISO/IEC ISP 15121-1, subclause 6.2.2 apply.

#### 6.2.3 General Restrictions

Permanent document identifiers shall be used in AOD12 in the List / DM-DOCUMENT-LIST operations result, and in Open / DM-DOCUMENT-OPEN operations argument. Once a document is opened using a permanent document identifier, a non-permanent document identifier shall be returned in the Open / DM-DOCUMENT-OPEN result.

The base standards define the document identifier as optional in the Get / DM-GET, Search / DM-SEARCH, Create / DM-CREATE, Copy / DM-COPY, Reserve / DM-RESERVE and Unreserve / DM-UNRESERVE operations argument. When only one document is opened at a time, no document identifier shall be necessary for the argument because all those operations shall be performed on the opened document. When more than one document is opened at a time, then, the non-permanent document identifier returned by the Open / DM-DOCUMENT-OPEN result shall be used as document identifier in those operations.

The non-permanent document identifier returned by the Open / DM-DOCUMENT-OPEN result shall be used in the Close / DM-Close operation argument. Once the document is closed, the new permanent document identifier shall be returned in the Close / DM-Close operation result.

#### 6.2.4 AI List / DTAM-DM DM-DOCUMENT-LIST

The specifications provided in ISO/IEC ISP 15121-1, subclause 6.2.4 apply.

#### 6.2.5 AI Open / DTAM-DM DM-DOCUMENT-OPEN

##### 6.2.5.1 General restrictions

There are no general restrictions for the AI Open / DTAM-DM DM-DOCUMENT-OPEN operation.

**6.2.5.2 AI Open arguments**

The following table defines the AI Open operation arguments as defined in ITU-T Rec. T.413 | ISO/IEC 8613-3, and those supported by this part of ISO/IEC ISP 15121. The symbols used in the table are defined in subclause 6.2.1.

The argument of the AI Open operation is a SEQUENCE of two data structures. The first data structure is of type Document-Id and the second one is an optional data structure of type ModeType. In this operation argument, the Document-Id shall reference to a permanent identifier.

Ref.	Argument	B	P	Constraint / value
1	identifier	m	m	
1.1	permanent	m	m	
1.1.1	unique-reference	o.1	m	
1.1.2	descriptive-reference	o.1	x	
1.2	non-permanent	x	x	
2	mode	o	m	

o.1: One and only one of the two marked items shall be selected.

**6.2.5.3 DTAM-DM DM-DOCUMENT-OPEN arguments**

The following table defines the DTAM-DM DM-DOCUMENT-OPEN operation arguments as defined in ITU-T Rec. T.435, and those supported by this part of ISO/IEC ISP 15121. The symbols used in the table are defined in subclause 6.2.1.

The argument of the DTAM-DM DM-DOCUMENT-OPEN operation is a SEQUENCE of two data structures. The first data structure is of type DocumentId and the second one is an optional data structure of type ModeType. DocumentId is a CHOICE between four options.

Ref.	Argument	B	P	Constraint / value
1	documentId	m	m	
1.1	dfrName	o.1	x	
1.2	documentReference	o.1	m	
1.2.1	unique-reference	o.2	m	
1.2.2	descriptive-reference	o.2	x	
1.3	documentName	o.1	x	
1.4	nonPermanentIdentifier	o.1	x	
2	mode	o	m	

o.1: One and only one of the four marked items shall be selected.

o.2: One and only one of the two marked items shall be selected.