INTERNATIONAL STANDARD

ISO 6170

Second edition 1999-05-01

Spinning machinery — Condenser rubbers for cards

Machines de filature — Manchons-frotteurs (de sortie) de cardes

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 6170:1999 https://standards.iteh.ai/catalog/standards/sist/1e53bcd2-cb71-4076-aa49-55a1ff6babf6/iso-6170-1999



ISO 6170:1999(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 6170 was prepared by Technical Committee ISO/TC 72, *Textile machinery and machinery for dry-cleaning and industrial laundering*, Subcommittee SC 1, *Spinning preparatory, spinning, twisting and winding machinery and accessories*.

This second edition cancels and replaces the first edition (ISO 6170:1983), which has been technically revised.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 6170:1999 https://standards.iteh.ai/catalog/standards/sist/1e53bcd2-cb71-4076-aa49-55a1ff6babf6/iso-6170-1999

© ISO 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet iso@iso.ch
Printed in Switzerland

Spinning machinery — Condenser rubbers for cards

1 Scope

This International Standard specifies the main dimensions of condenser rubbers for cards.

2 Symbols

- d diameter of body of roller by STANDARD PREVIEW
- i average distance between centres of rollers ards.iteh.ai)
- i_{max} maximum distance between centres of rollers


ISO 6170:1999

- i_{min} minimum distance between centres of rollers/standards/sist/1e53bcd2-cb71-4076-aa49-
 - 55a1ff6babf6/iso-6170-1999
- l width of body of roller
- b distance between the buttons inside the condenser rubber
- t overall width of the condenser rubber
- c internal circumference of the condenser rubber (excluding buttons)
- number of grooves per 100 mm on the external surface of the condenser rubber
- p pitch, distance between centre to centre of grooves

See Figure 1.

ISO 6170:1999(E) © ISO

Dimensions in millimetres






Figure 1 — Condenser rubber, with rollers

3 Dimensions

See Tables 1 and 2.

Table 1 — Main dimensions of condenser rubbers

Dimensions in millimetres

b	t	С
<i>l</i> + 10	l + 60	900
		915
		1 000
		1 010
		1 030
		1 050
		1 190

Table 2 — Number of grooves per 100 mm on external surface and corresponding pitch

Number of grooves per 100 mm	Pitch p mm	Permitted relative deviation
0	_	_
33,3	3	
25	4	± 5 %
20	5	
16,7	6	

4 Designation

The designation of a condenser rubber in accordance with this International Standard shall include the following information in the order given.

- a) name;
- b) reference to this International Standard, i.e. ISO 6170:
- c) the internal circumference of the condenser rubber (excluding buttons); (Standards.iten.al)
- d) the overall width of the condenser rubber;

ISO 6170:1999

- e) the distance between the buttons inside the condenser rubber; bcd2-cb71-4076-aa49-
- f) the number of grooves per 100 mm on the external surface of the condenser rubber.

EXAMPLE

Designation of a condenser rubber with $c = 1\,010$ mm, $t = 2\,610$ mm, $b = 2\,560$ mm and $n = 20\,$ (i.e. $p = 5\,$ mm):

Condenser rubber ISO 6170 - 1 010 × 2 610 × 2 560 - 20

ISO 6170:1999(E) © ISO

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 6170:1999 https://standards.iteh.ai/catalog/standards/sist/1e53bcd2-cb71-4076-aa49-55a1ff6babf6/iso-6170-1999