

INTERNATIONAL
STANDARD

ISO
14951-10

First edition
1999-10-01

Corrected and reprinted
2000-06-01

**Space systems — Fluid characteristics —
Part 10:
Water**

*Systèmes spatiaux — Caractéristiques des fluides —
Partie 10: Eau*
(standards.iteh.ai)

ISO 14951-10:1999

<https://standards.iteh.ai/catalog/standards/sist/68810142-ef29-49d1-92d4-fdabc0bdef47/iso-14951-10-1999>



Reference number
ISO 14951-10:1999(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 14951-10 was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 14, *Space systems and operations*.

ISO 14951 consists of the following parts, under the general title *Space systems — Fluid characteristics*:

- Part 1: Oxygen
- Part 2: Hydrogen propellant
- Part 3: Nitrogen
- Part 4: Helium
- Part 5: Nitrogen tetroxide propellant
- Part 6: Monomethylhydrazine propellant
- Part 7: Hydrazine propellant
- Part 8: Kerosene propellant
- Part 9: Argon
- Part 10: Water
- Part 11: Ammonia
- Part 12: Carbon dioxide
- Part 13: Breathing air

ITeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 14951-10:1999](https://standards.iteh.ai/catalog/standards/sist/68810142-ef29-49d1-92d4-fddbc0bdef47/iso-14951-10-1999)

<https://standards.iteh.ai/catalog/standards/sist/68810142-ef29-49d1-92d4-fddbc0bdef47/iso-14951-10-1999>

© ISO 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet iso@iso.ch

Printed in Switzerland

Space systems — Fluid characteristics —

Part 10: Water

1 Scope

This part of ISO 14951 specifies limits for the composition of water and test methods for verification of its composition. This part of ISO 14951 is applicable to water of the following types, intended for cooling and servicing of space systems:

— type HP: high purity;

— type P: potable (drinking).

This part of ISO 14951 is applicable to only potable water and high purity demineralized water used in both flight hardware and ground servicing, systems, and equipment. It is not applicable to other types of water that may be provided to a space system. This part of ISO 14951 is applicable to influents only to the extent specified herein.

2 Composition

The composition of water delivered to the flight vehicle interface shall be in accordance with the limits given in Table 1 when tested in accordance with the applicable test methods.

3 Test methods

3.1 Sampling

The water should be selected in accordance with a sampling plan that will produce results with sensitivities and accuracies equivalent to or better than those required to meet the programme or project requirements.

3.2 Composition tests

The composition of the water shall be tested by such methods, apparatus, or analyzers as may be required to produce results with the sensitivities and accuracies necessary to meet programme or project requirements.

Table 1 — Composition limits

Characteristic		Limits	
		Type HP	Type P
Conductivity at 25 °C	$\Omega^{-1}\text{cm}^{-1}$, max.	$2,0 \times 10^{-5}$	$3,3 \times 10^{-6}$
pH at 25 °C		5,0 to 8,0	5,0 to 8,0
Total solids	mg/l, max.	10	500
Total organic carbon	mg/l, max.	—	1
Chlorides	$\mu\text{g/g}$, max.	1,0	—
Taste		—	None
Odour		—	None
Turbidity		—	None
Colour		—	None
Surface tension at 20 °C	dyn/cm	$72,72 \pm 1,0$	—
	Cadmium	—	0,005
	Chromium (hexavalent)	—	0,1
	Copper	—	1,0
	Iron	—	0,3
Ionic species, mg/l, max.	Lead	—	0,015
	Manganese	—	0,05
	Mercury	—	0,002
	Nickel	—	0,1
	Potassium	—	10
	Selenium	—	0,05
	Silver	—	0,1
	Zinc	—	5,0
	Sterility		—
Dissolved gas		—	No free gas when subjected to 1 atm at 37 °C
Iodine	mg/l max.	—	10

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 14951-10:1999

<https://standards.iteh.ai/catalog/standards/sist/68810142-ef29-49d1-92d4-fddbc0bdef47/iso-14951-10-1999>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 14951-10:1999

<https://standards.iteh.ai/catalog/standards/sist/68810142-ef29-49d1-92d4-fddbc0bdef47/iso-14951-10-1999>