



SLOVENSKI STANDARD
SIST EN 4383:2009

01-maj-2009

5 YfcbUj h_U!'N]h]bUB=7 < &* \$%fB]7 f% : Y% BV) Ac' ŁzcXdcfbUdfch]j fc]b]!
Hcd`cłbc`bYcVXYUbU!'A Uhf]U`nUdfYUj Uj UbY

Aerospace series - Heat resisting alloy NI-CH2601 (NiCr19Fe19Nb5Mo3) - Non heat treated - Remelting stock

Luft- und Raumfahrt - Hochwarmfeste Legierungen NI-CH2601 (NiCr19Fe19Nb5Mo3) - Nicht wärmebehandelt - Gussvormaterial

Série aérospatiale - Alliage résistant à chaud NI-CH2601 (NiCr19Fe19Nb5Mo3) - Non traité - Produit pour refusion

[SIST EN 4383:2009
https://standards.iteh.ai/catalog/standards/sist/c5f43baa-dd28-464d-aa64-999961c93642/sist-en-4383-2009](https://standards.iteh.ai/catalog/standards/sist/c5f43baa-dd28-464d-aa64-999961c93642/sist-en-4383-2009)

Ta slovenski standard je istoveten z: EN 4383:2006

ICS:

49.025.99 Drugi materiali Other materials

SIST EN 4383:2009 en,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4383:2009

<https://standards.iteh.ai/catalog/standards/sist/c5f43baa-dd28-464d-aa64-999961c93642/sist-en-4383-2009>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 4383

December 2006

ICS 49.025.99

English Version

**Aerospace series - Heat resisting alloy NI-CH2601
(NiCr19Fe19Nb5Mo3) - Non heat treated - Remelting stock**

Série aérospatiale - Alliage résistant à chaud NI-CH2601
(NiCr19Fe19Nb5Mo3) - Non traité - Produit pour refusion

Luft- und Raumfahrt - Hochwarmfeste Legierung NI-
CH2601 (NiCr19Fe19Nb5Mo3) - Nicht wärmebehandelt -
Gußvormaterial

This European Standard was approved by CEN on 18 October 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN 4383:2009](https://standards.iteh.ai/catalog/standards/sist/c5f43baa-dd28-464d-aa64-999961c93642/sist-en-4383-2009)

<https://standards.iteh.ai/catalog/standards/sist/c5f43baa-dd28-464d-aa64-999961c93642/sist-en-4383-2009>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN 4383:2006 (E)**Foreword**

This document (EN 4383:2006) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2007, and conflicting national standards shall be withdrawn at the latest by June 2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 4383:2009](https://standards.iteh.ai/catalog/standards/sist/c5f43baa-dd28-464d-aa64-999961c93642/sist-en-4383-2009)

<https://standards.iteh.ai/catalog/standards/sist/c5f43baa-dd28-464d-aa64-999961c93642/sist-en-4383-2009>

Introduction

This standard is part of the series of EN metallic material standards for aerospace applications. The general organization of this series is described in EN 4258.

This standard has been prepared in accordance with EN 4500-3.

1 Scope

This standard specifies the requirements relating to:

Heat resisting alloy NI-CH2601 (NiCr19Fe19Nb5Mo3)
Non heat treated
Remelting stock

for aerospace applications.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2043, Aerospace series — *Metallic materials — General requirements for semi-finished product qualification (excluding forgings and castings)*. ¹⁾ [999961c93642/sist-en-4383-2009](#)

EN 2103-2, Aerospace series — *Steel, nickel base and cobalt base alloy remelting stock and castings — Technical specification — Part 2: Remelting stock*.

EN 4258, Aerospace series — *Metallic materials — General organization of standardization — Links between types of EN standards and their use*.

EN 4500-3, Aerospace series — *Metallic materials — Rules for drafting and presentation of material standards — Part 3: Specific rules for heat resisting alloys*. ¹⁾

¹⁾ Published as ASD Prestandard at the date of publication of this standard.

EN 4383:2006 (E)

1	Material designation	Heat resisting alloy NI-CH2601 (NiCr19Fe19Nb5Mo3)										
2	Chemical composition %	Element	C	Si	Mn	P	S	Al	B	Co	Cr	
		min.	0,02	–	–	–	–	0,40	20 ^a	–	17,0	
		max.	0,08	0,35	0,35	0,015	0,015	0,80	60 ^a	1,00	21,0	
		Element	Cu	Fe	Mo	Nb	N2	Ti	Ag	Bi	Pb	Ni
		min.	–	16,5	2,80	4,80	–	0,70	–	–	–	Base
max.	0,20	20,5	3,30	5,50	100 ^a	1,15	5 ^a	1 ^a	5 ^a			
3	Method of melting	Vacuum melted										
4.1	Form	Remelting stock										
4.2	Method of production	–										
4.3	Limit dimension(s)	mm	–									
5	Technical specification	EN 2103-2										

6.1	Delivery condition	Non heat treated									
	Heat treatment	–									
6.2	Delivery condition code	U									
7	Use condition	Delivery condition									
	Heat treatment	–									

iTeh STANDARD PREVIEW
(standards.iteh.ai)

8.1	Test sample(s)	See EN 2103-2.										
8.2	Test piece(s)	See EN 2103-2.										
8.3	Heat treatment	See line 29.										
9	Dimensions concerned	mm	–									
10	Thickness of cladding on each face	%	–									
11	Direction of test piece	–										
12	Temperature	θ	°C	Ambient ^b								
13	Proof stress	R _{p0,2}	MPa	≥ 755								
14	T Strength	R _m	MPa	≥ 860								
15	Elongation	A	%	≥ 5								
16	Reduction of area	Z	%	≥ 8								
17	Hardness	323 ≤ HB ≤ 409										
18	Shear strength	R _c	MPa	–								
19	Bending	k	–	–								
20	Impact strength	–										
21	Temperature	θ	°C	650 ^{b, c}								
22	Time		h	t _R ≥ 23								
23	Stress	σ_a	MPa	–								
24	Elongation	a	%	–								
25	Rupture stress	σ_R	MPa	620								
26	Elongation at rupture	A	%	–								
27	Notes (see line 98)	a, b, c										

29	Reference heat treatment	-	$\theta = 1\,090\text{ °C} \pm 10\text{ °C} / 1\text{ h} \leq t \leq 2\text{ h} / \text{AC}$ + $940\text{ °C} \leq \theta \leq 980\text{ °C} / t = 1\text{ h} / \text{AC}$
44	External defects	-	See EN 2103-2.
61	Internal defects	-	See EN 2103-2.
<p>iTeh STANDARD PREVIEW (standards.iteh.ai)</p> <p>SIST EN 4383:2009 https://standards.iteh.ai/catalog/standards/sist/c5f43baa-dd28-464d-aa64-999961c93642/sist-en-4383-2009</p>			
95	Marking inspection	-	See EN 2103-2.
96	Dimensional inspection	-	See EN 2103-2.
98	Notes	-	a p.p.m. b The "capability clause" applies. c Proportional round test piece.
99	Typical use	-	-

EN 4383:2006 (E)

100	-	Product qualification	-	See EN 2043.
				Qualification programme to be agreed between manufacturer and purchaser.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4383:2009

<https://standards.iteh.ai/catalog/standards/sist/c5f43baa-dd28-464d-aa64-999961c93642/sist-en-4383-2009>