
**Safety of machinery — Anthropometric
requirements for the design of
workstations at machinery**

*Sécurité des machines — Prescriptions anthropométriques relatives à
la conception des postes de travail sur les machines*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 14738:2002

<https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002>



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 14738:2002](https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002)

<https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002>

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 14738 was prepared by the European Committee for Standardization (CEN) in collaboration with ISO Technical Committee TC 159, *Ergonomics*, Subcommittee SC 3, *Anthropometry and biomechanics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Throughout the text of this standard, read "...this European Standard..." to mean "...this International Standard...".

[ISO 14738:2002](http://standards.iteh.ai/catalog/standards/sist/b98c294-bb85-4f72-bbf0-7b7d7fd991d/iso-14738-2002)

Annex A forms a normative part of this International Standard. Annex B is for information only.

For the purposes of this International Standard, the CEN annex regarding fulfilment of European Council Directives has been removed.

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Task requirements	1
4 Determination of main work posture	2
5 Dimensional data for workstation design	4
6 Sitting	4
6.1 Working height, working surface height and slope	8
6.2 Seat	9
6.3 Sitting - measurements	10
7 Raised sitting	12
7.1 Raised sitting - measurements	14
8 Standing with support	15
8.1 Standing with support - measurements	16
9 Standing	17
9.1 Standing - measurements	18
Annex A (normative) Anthropometric data	19
Annex B (informative) Body dynamics	23
Bibliography	26

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 14738:2002](https://standards.iteh.ai/catalog/standards/sist/b68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002)

<https://standards.iteh.ai/catalog/standards/sist/b68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002>

Foreword

This document (EN ISO 14738:2002) has been prepared by Technical Committee CEN/TC 122 "Ergonomics", the secretariat of which is held by DIN, in collaboration with Technical Committee ISO/TC 159 "Ergonomics".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2003, and conflicting national standards shall be withdrawn at the latest by February 2003.

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 14738:2002](https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002)

<https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002>

Introduction

This International Standard is one of several ergonomics standards for the safety of machinery. EN 614-1 describes the principles designers should adopt in order to take account of ergonomic factors.

This International Standard describes how these principles should be applied by using anthropometric requirements for the design of workstations at machinery.

In addition it is recommended that the postures and movements that are imposed by the machinery design are evaluated as described in ISO 11226 and prEN 1005-4.

This International Standard has been prepared to be a harmonized standard in the sense of the Machinery Directive and associated EFTA regulations.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 14738:2002](https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002)

<https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002>

1 Scope

This International Standard establishes principles for deriving dimensions from anthropometric measurements and applying them to the design of workstations at non-mobile machinery. It is based on current ergonomic knowledge and anthropometric measurements.

This International Standard specifies the body's space requirements for equipment during normal operation in sitting and standing positions. This International Standard does not specifically include space demands for maintenance, repairing and cleaning work.

This International Standard does not give recommendations specifically for visual display terminal workstations at machinery. For this purpose ISO 9241-5 can be used in conjunction with this International Standard.

Situations where people are to be prevented from reaching a hazard are dealt with in ISO 13852.

2 Normative references

This European Standard incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references, the latest edition of the publication referred to applies (including amendments).

- ISO 13852 [ISO 14738:2002](https://standards.iteh.ai/catalog/standards/sist/14738-2002/iso-14738-2002)
 Safety of machinery - Safety distances to prevent danger zones being reached by the upper limbs
- ISO 15534-3
 Ergonomic design for the safety of machinery - Part 3: Anthropometric data
- ISO 7250 : 1996
 Basic human body measurements for technological design

3 Task requirements

Design of workstations at machinery shall be based on an analysis of task requirements (see EN 614-1 and EN 614-2) including at least the following elements:

- time aspects e.g. duration of work at the machinery (see ISO 11226 and prEN 1005-4);
- size of working area;
- size of objects to be handled;
- force demands (see prEN 1005-2 and prEN 1005-3);
- action demands (e.g. for feeding and/or removing items from the machinery);

- dynamic body measurements (see Annex B);
- co-ordination demands;
- stability demands;
- visual demands;
- need for communication;
- frequency and duration of body, head and limb movements (see ISO 11226 and prEN 1005-4);
- need to move between workstations;
- the possibility for adopting different postures (see also ISO 11226 and prEN 1005-4).

Machinery and workstations shall be designed to ensure the best postures and movement patterns taking into account technical and economic constraints.


4 Determination of main work posture

Figure 1 shows an analysis method for determining the main work posture at a machine and shows how some of the different factors described in clause 3 should be used. The design of the machine, workstation, task and equipment shall encourage a certain amount of movement and shifting of posture. The design should also allow the operator to change freely between the sitting and standing posture during the working day. When the designer chooses the main work posture, sitting is generally to be preferred. The standing postures are less recommended. Kneeling, crawling and lying down should be avoided as working postures. Figure 1 also indicates how factors can be modified to allow a sitting posture.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 14738:2002](https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002)

<https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002>



ISO 14738:2002
<https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7fd991d/iso-14738-2002>

Figure 1 - Analysis method for determining main work posture

5 Dimensional data for workstation design

For each working posture described in this International Standard several dimensions for workstation design are given. These dimensions are based on anthropometric data. The anthropometric data originate from static measurements of nude persons and do not take into account body movements, clothing, equipment, machinery operating conditions or environmental conditions.

Annex A, table A.1, gives the human body measurements necessary to calculate the dimensions of workstations taking account of the known range of body sizes within Europe. Table A.2 is provided to allow the incorporation of anthropometric data from other regional areas of the world (for example from East Asia, South East Asia and North America). The notations used in this International Standard and its annexes are common to ISO 15534 Parts 1 to 3. Physical dimensions associated with the workstation are denoted by the capital letters A, B, C etc. in tables 4 to 8. These tables give dimensions calculated from human body measurements for European countries. Anthropometric measurements are denoted by lower case letters with indices. When a specific percentile of a body measurement is referred to, this is denoted by the actual percent figure preceded by the letter 'P' within brackets after the index (e.g. $a_2(P5)$ denotes the 5th percentile of body measurement a_2 , shoulder breadth).

The dimensions given in table 1 are based on practical experience, and supplement the anthropometric measurements specified in Annex A. Together these data are used to specify the dimensions for the workstations at machinery.

The dimensions calculated will be the minimum for clearance dimensions and the maximum for reach dimensions. Wherever possible, the dimensions for clearance should be increased and the dimensions for reach should be decreased.

Table 1 - Allowances and additional dimensions

Height allowances (x) ¹⁾	x_1 - for shoes add 30 mm x_2 - for shoes and foot movements add 130 mm x_3 - for shoes and possibility to cross legs or for seat with forward sloping adjustment add 130 mm
Width allowances (y)	y - for movement of legs add at least 350 mm.
Depth allowances (z)	z_1 - for movements at knee height add at least 50 mm z_2 - for movements for the feet add at least 100 mm.
Other dimensions which are of importance:	<ul style="list-style-type: none"> - worksurface thickness as thin as possible, preferred maximum at front edge 30 mm (see clause 6.1) - width of footrest, preferred at least 700 mm - depth of footrest, preferred 700 mm.
¹⁾ For access to and use of pedal add pedal height plus sufficient space according to force demands see prEN 1005-3.	

Annex B provides additional information on body movements and associated space requirements.

6 Sitting

The advantages of the sitting posture include:


- the physiological energy cost and fatigue are reduced,
- it provides the body with a stable support,
- it allows precision work to be done.

The disadvantages include:

- the working area is limited,
- the possibilities for applying forces are limited,
- the possible risk of being constrained in a fixed posture for a long time.

Workstation dimensions shall accommodate the anthropometric variation in the user groups and the different work tasks, e.g. by being adjustable (see EN 614-1).

The best method of fitting the workstation to the user and the task is to make both the working surface and the seat easily adjustable.



Leaning Backward

Upright

Leaning Forward

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 14738:2002

<https://standards.iteh.ai/catalog/standards/sist/bf68c394-bb85-4f72-bbb0-7b7d7dd991d/iso-14738-2002>
Figure 2 - Examples of variations in sitting posture




In order to avoid discomfort caused by sitting for a long time in a fixed position the workstation design shall allow variations in postures. This shall be done by adding sufficient allowances, as given in clause 5 (see also Annex B), to the relevant anthropometric dimensions when calculating the space requirements according to tables 4 and 5. Figure 2 shows variations in sitting postures ranging from slightly leaning backward to slightly leaning forward and illustrates how movements of the legs and upper body are interdependent.

In order to obtain appropriate sitting postures sufficient space for free body movements shall be provided, especially for the legs and feet. The working area for the arms shall be within appropriate distances according to the intended frequency and duration of movements of the body, head and limbs. For example, the placement of loading and unloading points on a machine shall be selected so that operation can be carried out in the preferred working area.

Account shall also be taken of the visual demands of the tasks which affect the position and movement of the head and body. The need for additional space for associated body movements should be assessed, tables 2 and 3 give information on the angles of movement of the head and body when seated. The influence of body movement on the effective field of vision is also shown (see also Annex B).

The angles α , β , γ and δ shown in tables 2 and 3 are guidelines for use in design. However, the actual values are highly variable and certain populations, e.g. younger or older people may have, respectively, much enlarged or restricted abilities to move parts of the body. Wearing spectacles or personal protective equipment, which restrict the field of vision, can increase the need for body movement. Factors, such as frequency and duration will also affect the acceptability of such movements (see also ISO 9355-2, ISO 11226 and prEN 1005-4).

Table 2 - Horizontal working areas taking account of eye, head and body movement

Posture	Notation	Value	Explanation of measurement
	α	30°	α = field of vision for frequent handling and observation without requiring head and body movement (see ISO 9355-2 for further information)
	α β	30° 40° 55°	α = field of vision (eye movements) β = head movement angle (left) $\alpha/2 + \beta$ = field of vision (left) for occasional handling and observation with head movement but without requiring body movement.
 <p data-bbox="129 1765 517 1823">Such postures should not be maintained for any length of time.</p>	α β γ	30° 40° 55° 110°	α = field of vision (eye movements) β = head movement angle (left) γ = angle for extended head and body movement (left) $\alpha/2 + \beta + \gamma$ = field of vision (left) only for occasional observation and light handling where turning the head and body is permissible.
NOTE 1: Only movement to the left is shown. Movements to the right are symmetrical. NOTE 2: According to table 4, the working areas are designated by curved lines.			

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 14738:2002

<https://standards.iteh.ai/catalog/standards/st/b/b3/7b17fd991d/iso-14738-2002>