

Edition 4.2 2007-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Safety –
Part 2-27: Particular requirements for appliances for skin exposure to ultraviolet and infrared radiation

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-27: Règles particulières pour les appareils d'exposition de la peau aux rayonnements ultraviolets et infrarouges





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Email: inmail@iec.c Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online_news/justpub/

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 4.2 2007-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Safety –
Part 2-27: Particular requirements for appliances for skin exposure to ultraviolet and infrared radiation

Appareils électrodomestiques et analogues – Sécurité – Partie 2-27: Règles particulières pour les appareils d'exposition de la peau aux rayonnements ultraviolets et infrarouges 27/2002

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX

CM

ICS 13.120; 97.170 ISBN 2-8318-9090-X

CONTENTS

	FO	REWORD4
	INT	RODUCTION6
	1	Scope
	2	Normative references
	3	Definitions8
	4	General requirement8
	5	General conditions for the tests8
	6	Classification8
	7	Marking and instructions 9
	8	Protection against access to live parts
	9	Starting of motor-operated appliances
	10	Power input and current
	11	Heating12
	12	Void
	13	Leakage current and electric strength at operating temperature
	14	Transient overvoltages
	15	Moisture resistance
	16	Leakage current and electric strength
	17	Overload protection of transformers and associated circuits
	18	Endurance 13
	19	Abnormal operation
	20	Stability and mechanical hazards
	21	Mechanical strength
	22	Construction
	23	Internal wiring
	24	Components
	25	Supply connection and external flexible cords
	26	Terminals for external conductors
	27	Provision for earthing
	28	Screws and connections
	29	Clearances, creepage distances and solid insulation
	30	Resistance to heat and fire
	31	Resistance to rusting
	32	Radiation, toxicity and similar hazards

60335-2-27 @	DIEC:2002+A1:2004
+ \(2 \cdot 2 \cdot 0.7 \)	

Annexes	25		
Annex AA (normative) Measurement of luminance	25		
Annex BB (informative) Detailed classification of UV appliances	26		
Annex CC (informative) Fluorescent UV lamp equivalency code	28		
Bibliography	29		
Figure 101 – UV action spectrums			
Table 101 – Maximum transmission of the goggles	22		
Table BB.1 – Limits of effective irradiance	27		

- 3 -

iTek Standards https://standards.iteh.ai) Document Preview

IEC (033)5-2-27:2002

https://standards.iteh.ai/xxt/ixxtandards/ixx/da\ff521-65fe-4088-bd76-03b0d70ec377/iec-60335-2-27-2002

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-27: Particular requirements for appliances for skin exposure to ultraviolet and infrared radiation

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any 7-2002 equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-27 consists of the fourth edition (2002) [documents 61/2181/FDIS and 61/2262/RVD], its amendment 1 (2004) [documents 61/2688/FDIS and 61/2720/RVD] and its amendment 2 (2007) [documents 61/3225/FDIS and 61/3242/RVD].

The technical content is therefore identical to the base edition and its amendment(s) and has been prepared for user convenience.

It bears the edition number 4.2.

A vertical line in the margin shows where the base publication has been modified by amendments 1 and 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric appliances for skin exposure to ultraviolet and infrared radiation.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below:

- 7.1: The markings are different (USA).
- 10.1: The deviations are different (USA).
- 10.2: The deviations are different (USA).
- 19.101: The test is different (USA).
- //-an20.1: The test is carried out at an angle of 8° (USA).88-bd76-03b0d70ec377/jec-60335-2-27-2002
 - Clause 22: Series resistors are to be incorporated in some UV emitters (Australia).
 - 22.107: The requirement is not applicable (USA).
 - 22.108: The maximum timer setting is shorter (USA).
 - 32.101: The irradiance limits and the tests are different (USA).
 - 32.101. The effective irradiance limits and wavelength intervals are different (Spain).
 - 32.102: The requirements for protective goggles are different (USA).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-27: Particular requirements for appliances for skin exposure to ultraviolet and infrared radiation

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electrical appliances incorporating emitters for exposing the skin to ultraviolet or infrared radiation, for household and similar use, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used in tanning salons, beauty parlours and similar premises, are also within the scope of this standard.

As far as practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledge

prevents them from using the appliance safely without supervision or instruction;

children playing with the appliance.

NOTE 101 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities;
- IEC 60598-1 is applicable as far as is reasonable.

NOTE 102 This standard does not apply to

- appliances for medical purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of Part 1 is applicable.

Definitions

This clause of Part 1 is applicable except as follows.

3.101

ultraviolet emitter (UV emitter)

radiating source constructed to emit non-ionizing electromagnetic energy at wavelengths of 400 nm or less

NOTE A fluorescent UV lamp for tanning is an example of a UV emitter.

3.102

infrared emitter (IR emitter)

radiating source constructed to emit electromagnetic energy at wavelengths of 800 nm or longer

3.103

effective irradiance

irradiance of electromagnetic radiation weighted according to a specified action spectrum

3.104

UV filter

device used to reduce or modify the ultra-violet radiation passing through it by altering the spectral distribution of the radiation

General requirement

This clause of Part 1 is applicable.

General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.1 Addition:

Appliances with UV emitters are tested as motor-operated appliances.

Appliances with IR emitters only are tested as heating appliances.

Classification

This clause of Part 1 is applicable except as follows.

- 6.101 UV appliances shall be one of the following types with respect to the emission of ultraviolet radiation:
- appliances for household use;
- appliances for commercial use only.
- NOTE 1 Appliances for household use may also be for commercial use, such as in tanning salons, beauty parlours and similar premises.
- NOTE 2 Detailed classification of the appliances is described in Annex BB.

Compliance is checked by inspection and by the relevant tests.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

UV appliances intended for commercial use, such as in tanning salons, beauty parlours and similar premises shall be marked with the "not for household use" symbol shown in 7.6 or with the substance of the following:

Not for household use

Appliances having fluorescent UV lamps for tanning shall be marked with the fluorescent UV lamp equivalency code range. This equivalency code range identifies the fluorescent UV lamps for tanning that shall be used in the appliance.

NOTE 101 Details of the fluorescent UV lamp code that is marked on the lamp are given in IEC 61228 and is reproduced in Annex CC for information. An example of the fluorescent UV lamp equivalency code range to be marked on the appliance is given in 22.111.

For **UV emitters** other than fluorescent UV lamps for tanning, the appliance shall be marked with the type reference of the emitters that are recommended for use.

Appliances having **UV emitters** shall be marked with the substance of the following:

WARNING:

Ultraviolet radiation may cause injury to eyes and skin, such as skin aging and eventually skin cancer. Read instructions carefully. Wear the protective goggles provided. Certain medicines and cosmetics may increase sensitivity.

1-65fe-4088-bd76-03b0d70ec377/iec-60335-2-27-2002

NOTE 102 For appliances having **UV** emitters intended only for use in tanning salons, beauty parlours and similar premises, this warning may be given on a permanent label intended to be fixed on the wall adjacent to the UV appliance. The wording "Read instructions carefully" may be replaced by "Consult the attendant for further information".

Appliances having **UV emitters** with a luminance exceeding 100 000 cd/m² shall be marked with the substance of the following:

WARNING: Intense light. Do not stare at the emitter.

NOTE 103 The method of measuring luminance is given in Annex AA.

NOTE 104 If these warnings are combined, the word "warning" need not be repeated.

7.6 Addition:



Not for household use

NOTE 101 This symbol incorporates the prohibition sign of ISO 3864-1.

7.12 Addition:

The instructions shall give clear information with regard to the proper use of the appliance.

UV appliances shall include a statement that non-users, especially children, must not be present when the appliance is being operated.

The instructions for appliances having **UV emitters** shall include the substance of the following:

- a statement that UV appliances are not to be used by
 - · children and young adolescents;
 - · persons who tend to freckle;
 - · persons with a natural red hair colour;
 - persons having abnormal discoloured patches on the skin;
 - persons having a large number of moles;
 - · persons suffering from sunburn;
 - persons not able to tan at all or not able to tan without burning when exposed to the sun:
 - persons having a history of frequent severe sunburn during childhood;
 - persons suffering from or previously suffering from skin cancer or predisposed to skin cancer;
 - persons under a doctors care for diseases that involve photosensitivity;
 - persons receiving photosensitising medications.
- a statement that if unexpected side effects, such as itching, occur within 48 h of the first session of using a UV appliance, medical advice should be sought prior to further UV exposure;
- information concerning the intended exposure distance (unless this is controlled by the construction of the UV appliance);
- recommended schedule of exposure specifying duration and intervals (based on the UV emitter characteristics, distances and skin sensitivity);

NOTE 101 The recommended exposure time for the first session for untanned skin is to correspond to a dose not exceeding 100 J/m², weighted according to the erythema action spectrum shown in Figure 101, or as a result of a test on a small area of the skin. For calculation of the recommended exposure time for the first session use the formula in Note 5 of 32.101.

recommended number of exposures that should not be exceeded in one year;

NOTE 102 The recommended number of exposures for each part of the body is to be based upon a maximum yearly dose of 25 kJ/m², weighted according to the non-melanoma skin cancer action spectrum shown in Figure 101 and taking into account the recommended schedule of exposure.

- a statement that the appliance must not be used if the timer is faulty or the filter is broken or removed;
- identification of alternative components that may influence the ultraviolet radiation, such as filters and reflectors;
- identification of replaceable UV emitters and a statement that they are only to be replaced by types marked on the appliance. For fluorescent UV lamps for tanning, it shall be stated that they are only to be replaced by types marked with an equivalency code, the UV component of which falls within the UV component equivalency code range that is marked on the appliance. In this case, an example of the equivalency code shall be given and the UV component aspect of the fluorescent UV lamp for tanning equivalency code shall be explained.

The instructions for appliances having **UV emitters** shall contain the substance of the following information and precautions:

- ultraviolet radiation from the sun or from UV appliances can cause skin or eye damage that may be irreversible. These biological effects depend upon the quality and quantity of the radiation as well as the skin sensitivity of the individual;
- the skin may develop sunburn after overexposure. Excessively repeated exposures to ultraviolet radiation from the sun or from UV appliances may lead to premature ageing of the skin as well as increased risk of development of skin tumours. These risks increase with increasing cumulative UV exposure. Exposure at an early age increases the risk of skin damage later in life;
- the unprotected eye may develop surface inflammation and in some cases damage may occur to the retina after excessive exposure. Cataracts may develop after many repeated exposures;
- in cases of pronounced individual sensitivity or allergic reaction to ultraviolet radiation, medical advice is recommended before starting exposure;
- the following precautions must be taken:
 - always use the protective goggles provided. Contact lenses and sun glasses are not a substitute for goggles;
 - remove cosmetics well in advance of exposure and do not use any sunscreens or products that accelerate tanning;
 - certain medical conditions or side effects of certain medicines may be aggravated by ultraviolet exposure. In case of doubt, seek medical advice;
 - allow at least 48 h between the first two exposures;
 - do not sunbathe and use the appliance on the same day;
 - follow the recommendations concerning exposure durations, exposure intervals and distances from the lamp;
 - seek medical advice if persistent lumps or sores appear on the skin or if there are changes in pigmented moles;
 - protect sensitive skin parts such as scars, tattoos and genitals from exposure.

For appliances having a lid that has to be opened in normal use, the instructions shall include a warning that the appliance must not be switched on with the lid in the closed position and that, before closing the lid for storage, the appliance must be disconnected from the supply and allowed to cool down.

NOTE 103 This warning is not required if the appliance complies with the tests of 19.2 and 19.3.

The instructions for appliances having **IR emitters** shall include advice for the protection of the eyes against exposure to infrared radiation and advise that adequate precautions must be taken to safeguard the user against the dangers of excessive exposure.

If the "Not for household use" symbol is used, its meaning shall be explained.

7.14 Addition:

The height of the "not for household use" symbol shall be at least 10 mm.

Compliance is checked by measurement.

7.15 Addition:

The additional warnings and markings specified in 7.1 of this Part 2 shall be visible after the appliance has been installed and without removal of a cover.

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

NOTE 101 Compliance with the relevant requirements of Section 8 of IEC 60598-1 is to be maintained during the replacement of emitters, unless the instructions forbid replacement by the user and **tools** are needed.

8.1.3 Not applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable except as follows.

10.1 Modification:

The following deviations apply:

- appliances having UV emitters only: + 10 %,
- other appliances: +5 %

10.2 Modification

The following deviations apply:

- appliances having UV emitters only: + 10 %;
- other appliances: $^{+5}_{-10}$ %

11 Heating

This clause of Part 1 is applicable except as follows.

11.2 Modification:

Appliances normally placed on a floor or table are placed on the floor of the test corner with their back as near as possible to one of the walls and away from the other wall.

If the direction of the radiation is adjustable, the appliance is adjusted to the most unfavourable position of normal use.