
**Information technology — Universal
Multiple-Octet Coded Character Set
(UCS) —**

Part 1:

Architecture and Basic Multilingual Plane

(standards.iteh.ai)

AMENDMENT 7: 33 additional characters

[ISO/IEC 10646-1:1993/Amd 7:1997](https://standards.iteh.ai/catalog/standards/sist/52edaac6-1dd0-4fc0-be2c-aa3e7c01295c/iso-10646-1-1993-amd-7-1997)

<https://standards.iteh.ai/catalog/standards/sist/52edaac6-1dd0-4fc0-be2c-aa3e7c01295c/iso-10646-1-1993-amd-7-1997>

Technologies de l'information — Jeu universel de caractères codés à plusieurs octets —

Partie 1: Architecture et table multilingue

AMENDEMENT 7: 33 caractères additionnels



Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 7 to International Standard ISO/IEC 10646-1:1993 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 2, *Coded character sets*.

ITEH STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 10646-1:1993/Amd 7:1997
<https://standards.iteh.ai/catalog/standards/sist/52edaac6-1dd0-4fc0-be2c-aa3e771ca1bf/iso-iec-10646-1-1993-amd-7-1997>

© ISO/IEC 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland
Printed in Switzerland

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

Part 1:

Architecture and Basic Multilingual Plane

AMENDMENT 7: 33 additional characters

Page 42, Table 14 - Row 05: HEBREW (Basic and Extended)

Insert 31 additional graphic symbols in positions 0591 to 05A1, 05A3 to 05AF, and 05C4, replacing the existing cross-hatched markings, as shown overleaf.

IT IS STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC 10646-1:1993/Amd 7:1997
<https://standards.iteh.ai/catalog/standards/sist/52edaac6-1dd0-4fc0-be2c-aa3e771ca1bf/iso-iec-10646-1-1993-amd-7-1997>

Additional entries for:

TABLE 14 - Row 05: HEBREW (Basic and Extended)

	059	05A	05B	05C	05D	05E	05F
0							
1							
2							
3							
4							
5							
6							
7							
8							
9							
A							
B							
C							
D							
E							
F							

STANDARD PREVIEW
 (standards.iteh.ai)
 ISO/IEC 10646-1:1993/Amd 7:1997
<https://standards.iteh.ai/catalog/standards/sist/52edaac6-1dd0-4fc0-bc2e-a2e77ca1bf/iso-iec-10646-1-1993-amd-7-1997>

G = 00
 P = 00

Page 43, Table 14 - Row 05: HEBREW (Basic and Extended)

Insert 31 additional character name entries in positions hex 91 to A1, A3 to AF, and C4, replacing the existing entries "(This position shall not be used)", as shown below.

Additional entries for:

TABLE 14 - Row 05: HEBREW (Basic and Extended)

dec	hex	Name	dec	hex	Name
144	90		208	D0	
145	91	HEBREW ACCENT ETNAHTA	209	D1	
146	92	HEBREW ACCENT SEGOL	210	D2	
147	93	HEBREW ACCENT SHALSHELET	211	D3	
148	94	HEBREW ACCENT ZAQEF QATAN	212	D4	
149	95	HEBREW ACCENT ZAQEF GADOL	213	D5	
150	96	HEBREW ACCENT TIPEHA *	214	D6	
151	97	HEBREW ACCENT REVIA	215	D7	
152	98	HEBREW ACCENT ZARQA *	216	D8	
153	99	HEBREW ACCENT PASHTA	217	D9	
154	9A	HEBREW ACCENT YETIV	218	DA	
155	9B	HEBREW ACCENT TEVIR	219	DB	
156	9C	HEBREW ACCENT GERESH	220	DC	
157	9D	HEBREW ACCENT GERESH MUQDAM	221	DD	
158	9E	HEBREW ACCENT GERSHAYIM	222	DE	
159	9F	HEBREW ACCENT QARNEY PARA	223	DF	
160	A0	HEBREW ACCENT TELISHA GEDOLA	224	E0	
161	A1	HEBREW ACCENT PAZER	225	E1	
162	A2		226	E2	
163	A3	HEBREW ACCENT MUNAH	227	E3	
164	A4	HEBREW ACCENT MAHAPAKH	228	E4	
165	A5	HEBREW ACCENT MERKHA *	229	E5	
166	A6	HEBREW ACCENT MERKHA KEFULA	230	E6	
167	A7	HEBREW ACCENT DARGA	231	E7	
168	A8	HEBREW ACCENT QADMA *	232	E8	
169	A9	HEBREW ACCENT TELISHA QETANA	233	E9	
170	AA	HEBREW ACCENT YERAH BEN YOMO *	234	EA	
171	AB	HEBREW ACCENT OLE	235	EB	
172	AC	HEBREW ACCENT ILUY	236	EC	
173	AD	HEBREW ACCENT DEHI	237	ED	
174	AE	HEBREW ACCENT ZINOR	238	EE	
175	AF	HEBREW MARK MASORA CIRCLE	239	EF	
176	B0		240	F0	
177	B1		241	F1	
178	B2		242	F2	
179	B3		243	F3	
180	B4		244	F4	
181	B5		245	F5	
182	B6		246	F6	
183	B7		247	F7	
184	B8		248	F8	
185	B9		249	F9	
186	BA		250	FA	
187	BB		251	FB	
188	BC		252	FC	
189	BD		253	FD	
190	BE		254	FE	
191	BF		255	FF	
192	C0				
193	C1				
194	C2				
195	C3				
196	C4	HEBREW MARK UPPER DOT			
197	C5				
198	C6				
199	C7				
200	C8				
201	C9				
202	CA				
203	CB				
204	CC				
205	CD				
206	CE				
207	CF				


Group 00

Plane 00

Row 05

Page 78, Table 32 - Row 1E: LATIN EXTENDED ADDITIONAL

Insert an additional graphic symbol in position 1E9B, replacing the existing cross-hatched marking, as follows:




Page 79, Table 32 - Row 1E: LATIN EXTENDED ADDITIONAL

Insert an additional character name entry:

LATIN SMALL LETTER LONG S WITH DOT ABOVE in position hex 9B, replacing the existing entry "(This position shall not be used)".

Page 86, Table 36 - Row 20: CURRENCY SYMBOLS

Insert an additional graphic symbol in position 20AB, replacing the existing cross-hatched marking, as follows:



Page 87, Table 36 - Row 20: CURRENCY SYMBOLS

Insert an additional character name entry:
DONG SIGN in position hex AB, replacing the existing entry "(This position shall not be used)".

Page 700, Annex A Collections of graphic characters for subsets

In the list of collection numbers and names, after the entry 300 BMP insert the following note:

NOTE - The collection 301 BMP-AMD.7 is intended for inclusion in a future amendment, and will comprise the set of characters in the BMP as specified in this International Standard after all Amendments up to and including this Amendment no. 7 have been applied.

Page 701, Annex B

In B.1, List of all combining characters, and in B.2, List of characters not allowed in implementation level 2, after the entry

0486 COMBINING CYRILLIC PSILI PNEUMATA insert the following character name entries:

- 0591 HEBREW ACCENT ETNAHTA
- 0592 HEBREW ACCENT SEGOL
- 0593 HEBREW ACCENT SHALSHELET
- 0594 HEBREW ACCENT ZAQEF QATAN
- 0595 HEBREW ACCENT ZAQEF GADOL
- 0596 HEBREW ACCENT TIPEHA
- 0597 HEBREW ACCENT REVIA

- 0598 HEBREW ACCENT ZARQA
- 0599 HEBREW ACCENT PASHTA
- 059A HEBREW ACCENT YETIV
- 059B HEBREW ACCENT TEVIR
- 059C HEBREW ACCENT GERESH
- 059D HEBREW ACCENT GERESH MUQDAM
- 059E HEBREW ACCENT GERSHAYIM
- 059F HEBREW ACCENT QARNEY PARA
- 05A0 HEBREW ACCENT TELISHA GEDOLA
- 05A1 HEBREW ACCENT PAZER
- 05A3 HEBREW ACCENT MUNAH
- 05A4 HEBREW ACCENT MAHAPAKH
- 05A5 HEBREW ACCENT MERKHA
- 05A6 HEBREW ACCENT MERKHA KEFULA
- 05A7 HEBREW ACCENT DARGA
- 05A8 HEBREW ACCENT QADMA
- 05A9 HEBREW ACCENT TELISHA QETANA
- 05AA HEBREW ACCENT YERAH BEN YOMO
- 05AB HEBREW ACCENT OLE
- 05AC HEBREW ACCENT ILUY
- 05AD HEBREW ACCENT DEHI
- 05AE HEBREW ACCENT ZINOR
- 05AF HEBREW MARK MASORA CIRCLE

In B.1, after the entry

- 05C2 HEBREW POINT SIN DOT
- insert the following character name entry:

- 05C4 HEBREW MARK UPPER DOT

In B.2, after the insertions listed above, insert the following character name entry:

- 05C4 HEBREW MARK UPPER DOT

Pages 709 ff, Annex E - Alphabetically sorted list of character names

On page 721, after the entry

- 0024 DOLLAR SIGN
- insert the following character name entry:

- 20AB DONG SIGN

On page 727, before the entry

- 05D0 HEBREW LETTER ALEF
- insert the following character name entries:

- 05A7 HEBREW ACCENT DARGA
- 05AD HEBREW ACCENT DEHI
- 0591 HEBREW ACCENT ETNAHTA
- 059C HEBREW ACCENT GERESH
- 059D HEBREW ACCENT GERESH MUQDAM
- 059E HEBREW ACCENT GERSHAYIM
- 05AC HEBREW ACCENT ILUY
- 05A4 HEBREW ACCENT MAHAPAKH
- 05A5 HEBREW ACCENT MERKHA
- 05A6 HEBREW ACCENT MERKHA KEFULA
- 05A3 HEBREW ACCENT MUNAH
- 05AB HEBREW ACCENT OLE
- 0599 HEBREW ACCENT PASHTA
- 05A1 HEBREW ACCENT PAZER
- 05A8 HEBREW ACCENT QADMA
- 059F HEBREW ACCENT QARNEY PARA
- 0597 HEBREW ACCENT REVIA
- 0592 HEBREW ACCENT SEGOL
- 0593 HEBREW ACCENT SHALSHELET
- 05A0 HEBREW ACCENT TELISHA GEDOLA
- 05A9 HEBREW ACCENT TELISHA QETANA

059B HEBREW ACCENT TEVIR
 0596 HEBREW ACCENT TIPEHA
 05AA HEBREW ACCENT YERAH BEN YOMO
 059A HEBREW ACCENT YETIV
 0595 HEBREW ACCENT ZAQEF GADOL
 0594 HEBREW ACCENT ZAQEF QATAN
 0598 HEBREW ACCENT ZARQA
 05AE HEBREW ACCENT ZINOR

On page 728, before the entry

05BC HEBREW POINT DAGESH OR MAPIQ
insert the following character name entries:

05AF HEBREW MARK MASORA CIRCLE
 05C4 HEBREW MARK UPPER DOT

On page 733, after the entry

017F LATIN SMALL LETTER LONG S
insert the following character name entry:

1E9B LATIN SMALL LETTER LONG S WITH DOT
 ABOVE

Page 751, Annex L Sources of characters

After the entry for KS C 5657-1991 insert the following entry:

SI 1311.2 - 1996 The Standards Institution of Israel Information Technology. *ISO 8-bit coded character set for information interchange with Hebrew points and cantillation marks.*

Annex P (added as part of Corrigendum no. 1)

Insert the following additional entries:

0596 HEBREW ACCENT TIPEHA

This character may be used as a Hebrew accent tarha.

0598 HEBREW ACCENT ZARQA

This character may be used as a Hebrew accent zinorit.

05A5 HEBREW ACCENT MERKHA

This character may be used as a Hebrew accent yored.

05A8 HEBREW ACCENT QADMA

This character may be used as a Hebrew accent azla.

05AA HEBREW ACCENT YERAH BEN YOMO

This character may be used as a Hebrew accent galgal.

STANDARD PREVIEW
 (standards.iteh.ai)

[ISO/IEC 10646-1:1993/Amd 7:1997](https://standards.iteh.ai/catalog/standards/sist/52edaac6-1dd0-4fc0-be2c-aa3e771ca1bf/iso-iec-10646-1-1993-amd-7-1997)

<https://standards.iteh.ai/catalog/standards/sist/52edaac6-1dd0-4fc0-be2c-aa3e771ca1bf/iso-iec-10646-1-1993-amd-7-1997>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 10646-1:1993/Amd 7:1997](https://standards.iteh.ai/catalog/standards/sist/52edaac6-1dd0-4fc0-be2c-aa3e771ca1bf/iso-iec-10646-1-1993-amd-7-1997)

<https://standards.iteh.ai/catalog/standards/sist/52edaac6-1dd0-4fc0-be2c-aa3e771ca1bf/iso-iec-10646-1-1993-amd-7-1997>

ICS 35.040

Descriptors: data processing, information interchange, text processing, graphic characters, character sets, representation of characters, coded character sets, architecture.

Price based on 5 pages
