

ETSI TS 102 486-2-1 V1.2.1 (2008-10)

Technical Specification

**Intelligent Transport Systems (ITS);
Road Transport and Traffic Telematics (RTTT);
Test specifications for Dedicated Short
Range Communication (DSRC) transmission equipment;
Part 2: DSRC application layer;
Sub-Part 1: Protocol Implementation Conformance
Statement (PICS) proforma specification**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/16251f59-207e-4bec-b616-a115d8cbccf7/etsi-ts-102-486-2-1-v1.2.1-2008-10>



ReferenceRTS/ITS-0040008

KeywordsITS, DSRC, application, PICS, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2008.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	6
Foreword.....	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions and abbreviations.....	8
3.1 Definitions.....	8
3.2 Abbreviations	8
4 Overview of the templates.....	9
5 Conformance requirement concerning PICS.....	9
Annex A (normative): ICS proforma for DSRC application layer for OBU.....	10
A.1 Guidance for completing the PICS proforma.....	10
A.1.1 Purposes and structure.....	10
A.1.2 Abbreviations and conventions	10
A.1.3 Instructions for completing the PICS proforma.....	12
A.2 Identification of the implementation	12
A.2.1 Date of the statement.....	12
A.2.2 Implementation Under Test (IUT) identification	12
A.2.3 System Under Test (SUT) identification.....	13
A.2.4 Product supplier.....	13
A.2.5 Client (if different from product supplier).....	13
A.2.6 PICS contact person	14
A.3 Identification of the protocol.....	14
A.4 Global statement of conformance.....	15
A.5 Kernels	15
A.6 Initialization Kernel.....	15
A.6.1 Procedures	15
A.6.2 PDU.....	15
A.7 Transport Kernel	16
A.7.1 Procedures	16
A.7.2 PDU.....	17
A.8 Broadcast Kernel	20
A.8.1 Procedures	20
A.8.2 PDU.....	20
A.9 ASN.1 Data Types.....	21
A.9.1 Extendable data types.....	21
A.9.2 Extendable lists	21
Annex B (normative): ICS proforma for DSRC application layer for RSU.....	22
B.1 Guidance for completing the PICS proforma.....	22
B.1.1 Purposes and structure.....	22
B.1.2 Abbreviations and conventions	22
B.1.3 Instructions for completing the PICS proforma.....	24
B.2 Identification of the implementation	24
B.2.1 Date of the statement.....	24

B.2.2	Implementation Under Test (IUT) identification	24
B.2.3	System Under Test (SUT) identification	25
B.2.4	Product supplier.....	25
B.2.5	Client (if different from product supplier).....	25
B.2.6	PICS contact person	26
B.3	Identification of the protocol	26
B.4	Global statement of conformance.....	27
B.5	Kernels	27
B.6	Initialization Kernel.....	27
B.6.1	Procedures	27
B.6.2	PDU.....	27
B.7	Transport Kernel	28
B.7.1	Procedures	28
B.7.2	PDU.....	29
B.8	Broadcast Kernel	32
B.8.1	Procedures	32
B.8.2	PDU.....	32
B.9	ASN.1 Data Types.....	33
B.9.1	Extendable data types	33
B.9.2	Extendable lists	33
Annex C (normative):	Profile Requirement List for RTTT profile of DSRC application layer for OBU.....	34
C.1	General	34
C.1.1	Profile Requirement List (profile RL).....	34
C.2	Identification of the profile.....	34
C.3	Kernels	35
C.4	Initialization Kernel.....	35
C.5	Transport Kernel	35
C.5.1	PDU.....	35
C.6	ASN.1 Data Types.....	36
C.6.1	Extendable data types	36
C.6.2	Extendable lists	36
Annex D (normative):	Profile Requirement List for RTTT profile of DSRC application layer for RSU.....	37
D.1	General	37
D.1.1	Profile Requirement List (profile RL).....	37
D.2	Identification of the profile.....	37
D.3	Kernels	38
D.4	Initialization Kernel.....	38
D.5	Transport Kernel	38
D.5.1	PDU.....	38
D.6	ASN.1 Data Types.....	39
D.6.1	Extendable data types	39
D.6.2	Extendable lists	39
Annex E (normative):	Profile specific ICS proforma for RTTT profile of DSRC application layer for OBU.....	40

E.1	Guidance for completing the profile ICS proforma	40
E.1.1	Purposes and structure	40
E.1.2	Abbreviations and conventions	40
E.1.3	Instructions for completing the profile ICS proforma	42
E.2	Identification of the implementation	42
E.2.1	Date of the statement	42
E.2.2	Implementation Under Test (IUT) identification	42
E.2.3	System Under Test (SUT) identification	43
E.2.4	Product supplier.....	43
E.2.5	Client (if different from product supplier).....	43
E.2.6	Profile ICS contact person.....	44
E.3	Identification of the profile.....	44
E.4	Global statement of conformance.....	45
E.5	Profiles	45
E.6	Interlayer Relations	45
E.6.1	Receiver.....	45
E.6.2	Transmitter	46
Annex F (normative):	Profile specific ICS proforma for RTTT profile of DSRC application layer for RSU.....	47
F.1	Guidance for completing the profile ICS proforma	47
F.1.1	Purposes and structure	47
F.1.2	Abbreviations and conventions	47
F.1.3	Instructions for completing the profile ICS proforma	49
F.2	Identification of the implementation	49
F.2.1	Date of the statement	49
F.2.2	Implementation Under Test (IUT) identification	49
F.2.3	System Under Test (SUT) identification	50
F.2.4	Product supplier.....	50
F.2.5	Client (if different from product supplier).....	50
F.2.6	Profile ICS contact person.....	51
F.3	Identification of the profile.....	51
F.4	Global statement of conformance.....	52
F.5	Profiles	52
F.6	Interlayer Relations	52
F.6.1	Transmitter	52
F.6.2	Receiver.....	53
History	54

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Intelligent Transport System(ITS).

The present document is part 2, sub-part 1 of a multi-part deliverable covering Intelligent Transport Systems (ITS); Road Transport and Traffic Telematics (RTTT); Test specifications for Dedicated ShortRange Communication (DSRC) transmission equipment as identified belows identified below:

Part 1: "DSRC data link layer: medium access and logical link control";

Part 2: "DSRC application layer":

Sub-part 1: "Protocol Implementation Conformance Statement (PICS) proforma specification";

Sub-part 2: "Test Suite Structure and Test Purposes (TSS&TP)";

Sub-part 3: "Abstract Test Suite (ATS) and partial PIXIT proforma".

1 Scope

The present document specifies partial Protocol Implementation Conformance Statement (PICS) proformas for the application layer of CEN DSRC as defined in EN 12834 [1], in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-7 [4] and ETS 300 406 [5].

This proforma is intended for use by suppliers of equipment which is claimed to conform to the CEN DSRC application layer, as specified in EN 12834 [1].

The present document also contains profile Implementation Conformance Statement (ICS) proformas and profile Requirements Lists for the application layer for use by suppliers of equipment which is claimed to conform to EN 13372 [2], DSRC Profiles for RTTT.

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a telecommunication specification. Such a statement is called an Implementation Conformance Statement (ICS). The present document provides proforma ICS templates, to be filled in by equipment suppliers.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

For online referenced documents, information sufficient to identify and locate the source shall be provided. Preferably, the primary source of the referenced document should be cited, in order to ensure traceability. Furthermore, the reference should, as far as possible, remain valid for the expected life of the document. The reference shall include the method of access to the referenced document and the full network address, with the same punctuation and use of upper case and lower case letters.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] CEN EN 12834 (2003): "Road transport and traffic telematics - Dedicated Short Range Communication (DSRC). DSRC application layer".
- [2] CEN EN 13372 (2004): "Road Transport and Traffic Telematics (RTTT) - Dedicated short-range communication - Profiles for RTTT applications".
- [3] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concept".

- [4] ISO/IEC 9646-7: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [5] ETSI ETS 300 406: "Methods for testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".

2.2 Informative references

The following referenced documents are not essential to the use of the present document but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Not applicable.

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in EN 12834 [1], EN 13372 [2], ISO/IEC 9646-1 [3], ISO/IEC 9646-7 [4] and the following apply:

Implementation Conformance Statement (ICS): statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented

NOTE: The ICS can take several forms: protocol ICS, profile ICS, profile specific ICS, information object ICS, etc.

ICS proforma: document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in EN 12834 [1], EN 13372 [2], ISO/IEC 9646-1 [3], ISO/IEC 9646-7 [4] and the following apply:

DSRC	Dedicated Short Range Communication
ICS	Implementation Conformance Statement
IUT	Implementation Under Test
ME	Mobile Equipment
OBU	On Board Unit

NOTE: An alternative descriptor to Mobile Equipment.

PICS	Protocol Implementation Conformance Statement
RL	Requirements List
RSU	Road Side Unit

NOTE: An alternative descriptor to Fixed Equipment.

RTTT	Road Transport and Traffic Telematics
SUT	System Under Test

4 Overview of the templates

The present document contains separate PICS templates for On Board Unit (OBU) and Road Side Unit (RSU). These can be found in annexes A and B respectively.

In addition, the present document contains profile Requirement Lists (RL) and profile-specific ICS proformas for equipment claimed to conform to EN 13372 [2]. Again, these exist for the OBU and for the RSU.

5 Conformance requirement concerning PICS

If it claims to conform to the present document, the actual PICS proforma to be filled in by a supplier shall be technically equivalent to the text of the PICS proforma given in annex A, and shall preserve the numbering/naming and ordering of the proforma items.

An ICS which conforms to the present document shall be a conforming PICS proforma completed in accordance with the instructions for completion given at the start of each annex.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/16251f59-207e-4bec-b616-a115d8cbccf7/etsi-ts-102-486-2-1-v1.2.1-2008-10>

Annex A (normative): ICS proforma for DSRC application layer for OBU

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the ICS proforma in this annex so that it can be used for its intended purposes and may further publish the completed ICS.

A.1 Guidance for completing the PICS proforma

A.1.1 Purposes and structure

The purpose of this PICS proforma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in EN 12834 [1] may provide information about the implementation in a standardized manner.

The PICS proforma is subdivided into clauses for the following categories of information:

- guidance for completing the PICS proforma;
- identification of the implementation;
- identification of the protocol;
- global statement of conformance;
- PICS proforma tables:
 - Kernels;
 - Initialization Kernel;
 - Transport Kernel;
 - Broadcast Kernel;
 - ASN.1 Data Types.

A.1.2 Abbreviations and conventions

The PICS proforma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [4].

Item column

The item column contains a number which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

Status column

The following notations, defined in ISO/IEC 9646-7 [4], are used for the status column:

m	mandatory - the capability is required to be supported.
o	optional - the capability may be supported or not.
n/a	not applicable - in the given context, it is impossible to use the capability.
x	prohibited (excluded) - there is a requirement not to use this capability in the given context.
o.i	qualified optional - for mutually exclusive or selectable options from a set. "i" is an integer which identifies a unique group of related optional items and the logic of their selection which is defined immediately following the table.
ci	conditional - the requirement on the capability ("m", "o", "x" or "n/a") depends on the support of other optional or conditional items. "i" is an integer identifying a unique conditional status expression which is defined immediately following the table.

Reference column

The reference column makes reference to EN 12834 [1], except where explicitly stated otherwise.

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7 [4], are used for the support column:

Y or y	supported by the implementation.
N or n	not supported by the implementation.
N/A, n/a or -	no answer required (allowed only if the status is n/a, directly or after evaluation of a conditional status).

NOTE: As stated in ISO/IEC 9646-7 [4], support for a received PDU requires the ability to parse all valid parameters of that PDU. Supporting a PDU while having no ability to parse a valid parameter is non-conformant. Support for a parameter on a PDU means that the semantics of that parameter are supported.

Values allowed column

The values allowed column contains the type, the list, the range, or the length of values allowed. The following notations are used:

- range of values:	<min value> .. <max value>
example:	5 .. 20
- list of values:	<value1>, <value2>, ..., <valueN>
example:	2, 4, 6, 8, 9
example:	'1101'B, '1011'B, '1111'B
example:	'0A'H, '34'H, '2F'H
- list of named values:	<name1>(<val1>), <name2>(<val2>), ..., <nameN>(<valN>)
example:	reject(1), accept(2)
- length:	size (<min size> .. <max size>)
example:	size (1 .. 8)

Values supported column

The values supported column shall be filled in by the supplier of the implementation. In this column, the values or the ranges of values supported by the implementation shall be indicated.

References to items

For each possible item answer (answer in the support column) within the PICS proforma a unique reference exists, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a solidus character "/", followed by the item number in the table. If there is more than one support column in a table, the columns are discriminated by letters (a, b, etc.), respectively.

EXAMPLE 1: A.5/4 is the reference to the answer of item 4 in table 5 of annex A.

EXAMPLE 2: A.6/3b is the reference to the second answer (i.e. in the second support column) of item 3 in table 6 of annex A.

Prerequisite line

A prerequisite line takes the form: Prerequisite: <predicate>.

A prerequisite line after a clause or table title indicates that the whole clause or the whole table is not required to be completed if the predicate is FALSE.

A.1.3 Instructions for completing the PICS proforma

The supplier of the implementation shall complete the PICS proforma in each of the spaces provided. In particular, an explicit answer shall be entered, in each of the support or supported column boxes provided, using the notation described in clause A.1.2.

If necessary, the supplier may provide additional comments in space at the bottom of the tables or separately.

A.2 Identification of the implementation

Identification of the Implementation Under Test (IUT) and the system in which it resides (the System Under Test (SUT)) should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the PICS should be named as the contact person.

A.2.1 Date of the statement

.....

A.2.2 Implementation Under Test (IUT) identification

IUT name:

.....

.....

IUT version:

.....

A.2.3 System Under Test (SUT) identification

SUT name:

.....
.....

Hardware configuration:

.....
.....
.....

Operating system:

.....

A.2.4 Product supplier

Name:

.....

Address:

.....
.....
.....

Telephone number:

.....

Facsimile number:

.....

E-mail address:

.....

Additional information:

.....
.....
.....

A.2.5 Client (if different from product supplier)

Name:

.....

ITeH STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/16251f59-207e-4bec-b616-a115d8cbecf7/etsi-ts-102-486-2-1-v1.2.1-2008-10>