

SLOVENSKI STANDARD **SIST EN ISO 21872-1:2017**

01-september-2017

Mikrobiologija v prehranski verigi - Horizontalna metoda za ugotavljanje Vibrio spp. - 1. del: Ugotavljanje potencialno enteropatogene Vibrio parahaemolyticus, Vibrio cholerae in Vibrio vulnificus (ISO 21872-1:2017)

Microbiology of the food chain - Horizontal method for the determination of Vibrio spp. -Part 1: Detection of potentially enteropathogenic Vibrio parahaemolyticus, Vibrio cholerae and Vibrio vulnificus (ISO 21872-1:2017)

iTeh STANDARD PREVIEW
Mikrobiologie von Lebensmitteln und Futtermitteln - Horizontales Verfahren zum Nachweis von potentiell enteropathogenen Vibrio sppl-Tell 1: Nachweis von vibrio parahaemolyticus und vibrio cholerae (ISO 21872-1:2017)

https://standards.iteh.ai/catalog/standards/sist/26935542-f102-4aa0-9da6-

Microbiologie de la chaîne alimentaire Méthode horizontale pour la détermination des Vibrio spp. - Partie 1: Recherche des espèces de Vibrio parahaemolyticus, Vibrio cholerae et Vibrio vulnificus potentiellement entéropathogènes (ISO 21872-1:2017)

Ta slovenski standard je istoveten z: EN ISO 21872-1:2017

ICS:

07.100.30 Mikrobiologija živil Food microbiology

SIST EN ISO 21872-1:2017 en **SIST EN ISO 21872-1:2017**

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN ISO 21872-1

July 2017

ICS 07.100.30

English Version

Microbiology of food and animal feeding stuffs - Horizontal method for the detection of potentially enteropathogenic Vibrio spp. - Part 1: Detection of Vibrio parahaemolyticus and Vibrio cholerae (ISO 21872-1:2017)

Microbiologie des aliments - Méthode horizontale pour la recherche des Vibrio spp. potentiellement entéropathogènes - Partie 1: Recherche de Vibrio parahaemolyticus et Vibrio cholerae (ISO 21872-1:2017) Mikrobiologie von Lebensmitteln und Futtermitteln -Horizontales Verfahren zum Nachweis von potentiell enteropathogenen Vibrio spp. - Teil 1: Nachweis von vibrio parahaemolyticus und vibrio cholerae (ISO 21872-1:2017)

This European Standard was approved by CEN on 14 May 2017.

CEN members are bound to comply with the GEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own/language and notified to the CEN-CENELEC Management Centre has the same status as the official versions 238/sist-en-iso-21872-1-2017

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 21872-1:2017 (E)

Contents	Page
European foreword	

iTeh STANDARD PREVIEW (standards.iteh.ai)

EN ISO 21872-1:2017 (E)

European foreword

This document (EN ISO 21872-1:2017) has been prepared by Technical Committee ISO/TC 34 "Food products" in collaboration with Technical Committee CEN/TC 275 "Food analysis - Horizontal methods" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2018 and conflicting national standards shall be withdrawn at the latest by January 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom, TANDARD PREVIEW

(stan Endorsement notice)

The text of ISO 21872-1:2017 has been approved by GEN as EN ISO 21872-1:2017 without any modification. https://standards.iteh.ai/catalog/standards/sist/26935542-f102-4aa0-9da6-e28cd408a238/sist-en-iso-21872-1-2017

SIST EN ISO 21872-1:2017

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 21872-1:2017

INTERNATIONAL STANDARD

ISO 21872-1

First edition 2017-06

Microbiology of the food chain — Horizontal method for the determination of *Vibrio* spp. —

Part 1:

Detection of potentially
iTeh ST parahaemolyticus, Vibrio cholerae and
(stylbrio vulnificus

Microbiologie de la chaîne alimentaire — Méthode horizontale pour https://standards.iteh la determination des Vibrio spp. — 4a0-9da6-

Partie 1: Recherche des espèces de Vibrio parahaemolyticus, Vibrio cholerae et Vibrio vulnificus potentiellement entéropathogènes



ISO 21872-1:2017(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 21872-1:2017 https://standards.iteh.ai/catalog/standards/sist/26935542-f102-4aa0-9da6-e28cd408a238/sist-en-iso-21872-1-2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Cor	itent	S	Page
Fore	word		v
Intro	ductio	n	vi
1	Scop	e	1
2	-	native references	
3		ns and definitions	
4	4.1	ciple General	
	4.2	Primary enrichment in a liquid selective medium	
	4.3	Secondary enrichment in a liquid selective medium	3
	4.4	Isolation and identification	3
	4.5	Confirmation	3
5	Cultu	ıre media and reagents	3
	5.1	Enrichment medium: alkaline saline peptone water (ASPW)	4
	5.2	Solid selective isolation media	
		5.2.1 First medium: thiosulphate, citrate, bile and sucrose agar medium (TCBS)	
	5.3	Saline nutrient agar (SNA)	
	5.4	Reagent for detection of oxidase	
	5.5		
		Biochemical tests (Inc.) Biochemical tests (In	4
		5.5.2 Arginine dihydrolase saline medium (ADH)	4
		5.5.3 Reagent for detection of β-galactosidase	
		5.5.4 Saline medium for detection of indole	5 5
		5.5.6 https://daidards.iifo-ridatslou/standards/sist/26935542-f102-4aa0-9da6-	5 5
	5.6	5.5.5 Saline peptone waters SO 21872-1:2017 5.5.6 https://doi.org/10.0000/10.000000000000000000000000000	5
		5.6.1 Tris acetate EDTA buffer (TAE) (or a buffer allowing similar performance for the purpose)	
		5.6.2 Mastermix	
		5.6.3 Primers and probes	
		5.6.4 Positive control material	
		5.6.5 Negative extraction control	6
6	Equi	pment and consumables	6
7	Sam	pling	6
8	Prep	aration of the test sample	6
9	Proc	edure (See Figure A.1)	7
	9.1	Test portion and initial suspension	7
	9.2	Primary selective enrichment	
	9.3	Secondary selective enrichment	
	9.4 9.5	Isolation and identification	
	9.5	9.5.1 General	
		9.5.2 Selection of colonies for confirmation and preparation of pure cultures	
		9.5.3 Tests for presumptive identification	
		9.5.4 Biochemical confirmation	10
		9.5.5 PCR confirmation	
		9.5.6 DNA extraction	
		9.5.7 Conventional PCR 9.5.8 Real-time PCR	
4.0			13 12
10	HVNY	accion of recults	72

ISO 21872-1:2017(E)

11	Performance characteristics of the method		13
	11.1	Interlaboratory study	13
	11.2	Sensitivity	14
	11.3	Specificity	14
	11.4	Interlaboratory study Sensitivity Specificity LOD ₅₀	14
12		eport	
Annex	A (no	mative) Diagram of procedure	15
Annex	B (no	mative) Composition and preparation of the culture media and reagents	17
Annex	thern	ormative) Conventional PCR for the detection of Vibrio parahaemolyticus, nostable direct haemolysin (tdh) and thermostable direct related haemolysin genes, Vibrio cholerae and Vibrio vulnificus	23
Annex		ormative) Real-time PCR for the detection of <i>Vibrio parahaemolyticus,</i> sostable direct haemolysin gene (<i>tdh</i>) and <i>Vibrio vulnificus</i>	27
Annex	E (info	ormative) Results of an interlaboratory study	29
Biblio	granhy		32

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 275, Food analysis — Horizontal methods, in collaboration with ISO Technical Committee TC 34, Food products, Subcommittee SC 9, Microbiology, in accordance with the agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition cancels and replaces ISO/TS 21872-1:2007, which has been technically revised. It also incorporates ISO/TS 21872-1:2007/Cor.1:2008.

The main changes are as follows:

- introduction of optional molecular identification methods for major food borne *Vibrio* spp. (*V. parahaemolyticus*, including potentially enteropathogenic strains, *V. vulnificus* and *V. cholerae*);
- performance characteristics of the method have been added in <u>Annex E</u>.

A list of all parts in the ISO 21872 series can be found on the ISO website.

ISO 21872-1:2017(E)

Introduction

Because of the large variety of food and feed products, the horizontal method described in this document may not be appropriate in every detail for certain products. In this case, different methods, which are specific to these products may be used if absolutely necessary for justified technical reasons. Nevertheless, every attempt will be made to apply this horizontal method as far as possible.

The main changes, listed in the foreword, introduced in this document compared to ISO/TS 21872-1:2007 are considered as major (see ISO 17468).

When this document is next reviewed, account will be taken of all information then available regarding the extent to which this horizontal method has been followed and the reasons for deviations from this method in the case of particular products.

The harmonization of test methods cannot be immediate and, for certain groups of products, International Standards and/or national standards may already exist that do not comply with this horizontal method. It is hoped that when such standards are reviewed they will be changed to comply with this document so that eventually the only remaining departures from this horizontal method will be those necessary for well-established technical reasons.

iTeh STANDARD PREVIEW (standards.iteh.ai)

Microbiology of the food chain — Horizontal method for the determination of *Vibrio* spp. —

Part 1:

Detection of potentially enteropathogenic Vibrio parahaemolyticus, Vibrio cholerae and Vibrio vulnificus

WARNING — In order to safeguard the health of laboratory personnel, it is essential that tests for detection of *Vibrio* spp., and particularly toxigenic *Vibrio* cholerae, be conducted only in laboratories equipped for this purpose and under the supervision of an experienced microbiologist, and that great care is exercised in the disposal of contaminated material.

1 Scope

This document specifies a horizontal method for the detection of enteropathogenic *Vibrio* spp., which causes human illness in or via the intestinal tract. The species detectable by the methods specified include *Vibrio parahaemolyticus*, *Vibrio cholerae* and *Vibrio vulnificus*.

It is applicable to the following: STANDARD PREVIEW

- products intended for human consumption and the feeding of animals;
- environmental samples in the area of food production and food handling. SIST EN ISO 21872-12017

NOTE 2 The World Health Organization (WHO) has identified that *V. parahaemolyticus, V. cholerae* and *V. vulnificus* are the major food-borne *Vibrio* spp. However, the method in this document can also be appropriate for the identification of other *Vibrio* spp. causing illness in humans. [1]

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6887-1:2017, Microbiology of the food chain — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination — Part 1: General rules for the preparation of the initial suspension and decimal dilutions

ISO 6887-3, Microbiology of the food chain — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination — Part 3: Specific rules for the preparation of fish and fishery products

ISO 7218, Microbiology of food and animal feeding stuffs — General requirements and guidance for microbiological examinations

ISO 11133, Microbiology of food, animal feed and water — Preparation, production, storage and performance testing of culture media

ISO 22118, Microbiology of food and animal feeding stuffs — Polymerase chain reaction (PCR) for the detection and quantification of food-borne pathogens — Performance characteristics