



# SLOVENSKI STANDARD

## SIST EN ISO 9612:2009

01-julij-2009

Nadomešča:  
SIST ISO 9612:1998

---

**Akustika - Določanje izpostavljenosti hrupu v delovnem okolju - Inženirska metoda (ISO 9612:2009)**

Acoustics - Determination of occupational noise exposure - Engineering method (ISO 9612:2009)

Akustik - Bestimmung der Lärmexposition am Arbeitsplatz - Verfahren der Genauigkeitsklasse 2 (Ingenieurverfahren) (ISO 9612:2009)

Acoustique - Détermination de l'exposition au bruit en milieu de travail - Méthode d'expertise (ISO 9612:2009)

**Ta slovenski standard je istoveten z: EN ISO 9612:2009**

---

**ICS:**

|        |                      |                                    |
|--------|----------------------|------------------------------------|
| 13.140 | Vpliv hrupa na ljudi | Noise with respect to human beings |
|--------|----------------------|------------------------------------|

**SIST EN ISO 9612:2009**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN ISO 9612:2009

<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN ISO 9612**

April 2009

ICS 13.140

English Version

**Acoustics - Determination of occupational noise exposure -  
Engineering method (ISO 9612:2009)**

Acoustique - Détermination de l'exposition au bruit en  
milieu de travail - Méthode d'expertise (ISO 9612:2009)

Akustik - Bestimmung der Lärmexposition am Arbeitsplatz -  
Verfahren der Genauigkeitsklasse 2 (Ingenieurverfahren)  
(ISO 9612:2009)

This European Standard was approved by CEN on 5 March 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 9612:2009](https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009)

<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

**Contents**

Page

Foreword.....3

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

SIST EN ISO 9612:2009

<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>

## Foreword

This document (EN ISO 9612:2009) has been prepared by Technical Committee ISO/TC 43 "Acoustics" in collaboration with Technical Committee CEN/TC 211 "Acoustics" the secretariat of which is held by DS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2009, and conflicting national standards shall be withdrawn at the latest by October 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

### Endorsement notice

The text of ISO 9612:2009 has been approved by CEN as a EN ISO 9612:2009 without any modification.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**  
SIST EN ISO 9612:2009  
<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN ISO 9612:2009

<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>

# INTERNATIONAL STANDARD

**ISO**  
**9612**

Second edition  
2009-04-01

---

---

## Acoustics — Determination of occupational noise exposure — Engineering method

*Acoustique — Détermination de l'exposition au bruit en milieu de  
travail — Méthode d'expertise*

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 9612:2009](https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009)

<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>



Reference number  
ISO 9612:2009(E)

© ISO 2009

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 9612:2009](https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009)

<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Page

|   |    |
|---|----|
| Foreword.....   | iv |
| Introduction .....  | v  |
| 1 Scope .....   | 1  |
| 2 Normative references .....  | 1  |
| 3 Terms and definitions.....  | 1  |
| 4 Symbols .....   | 4  |
| 5 Instrumentation.....  | 5  |
| 6 Methodology — Chronological steps .....   | 6  |
| 7 Work analysis.....  | 7  |
| 8 Selection of measurement strategies .....   | 8  |
| 9 Strategy 1 — Task-based measurement.....  | 9  |
| 10 Strategy 2 — Job-based measurement .....   | 12 |
| 11 Strategy 3 — Full-day measurement.....   | 14 |
| 12 Measurements.....  | 15 |
| 13 Sources of uncertainty .....   | 17 |
| 14 Calculation of measurement uncertainties and presentation of the final results.....  | 19 |
| 15 Information to be reported.....  | 19 |
| Annex A (informative) Example of a checklist to ensure that significant noise events are detected during the work analysis..... | 21 |
| Annex B (informative) Guide to the selection of measurement strategy .....  | 22 |
| Annex C (normative) Evaluation of measurement uncertainties .....   | 25 |
| Annex D (informative) An example showing calculation of daily noise exposure level using task-based measurements .....          | 33 |
| Annex E (informative) An example showing calculation of daily noise exposure level using job-based measurements .....           | 37 |
| Annex F (informative) Sample calculation of daily noise exposure level using full-day measurements.....                         | 40 |
| Bibliography .....  | 43 |

**ISO 9612:2009(E)****Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9612 was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*.

This second edition cancels and replaces the first edition (ISO 9612:1997), which has been technically revised.

ITEH STANDARD PREVIEW

(standards.iteh.ai)

SIST EN ISO 9612:2009

<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>

## Introduction

This International Standard provides a stepwise approach to the determination of occupational noise exposure from noise level measurements. The procedure contains the following major steps: work analysis, selection of measurement strategy, measurements, error handling and uncertainty evaluations, calculations, and presentation of results. This International Standard specifies three different measurement strategies: task-based measurement; job-based measurement; and full-day measurement. This International Standard gives guidance on selecting an appropriate measurement strategy for a particular work situation and purpose of investigation. This International Standard also provides an informative spreadsheet to allow calculation of measurement results and uncertainties. ISO is not responsible for errors that may arise or occur with the use of this spreadsheet.

This International Standard recognizes the use of hand-held sound level meters as well as personal sound exposure meters. The methods specified optimize the effort required for obtaining a given accuracy.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 9612:2009](https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009)

<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN ISO 9612:2009

<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>

# Acoustics — Determination of occupational noise exposure — Engineering method

## 1 Scope

This International Standard specifies an engineering method for measuring workers' exposure to noise in a working environment and calculating the noise exposure level. This International Standard deals with A-weighted levels but is applicable also to C-weighted levels. Three different strategies for measurement are specified. The method is useful where a determination of noise exposure to engineering grade is required, e.g. for detailed noise exposure studies or epidemiological studies of hearing damage or other adverse effects.

The measuring process requires observation and analysis of the noise exposure conditions so that the quality of the measurements can be controlled. This International Standard provides methods for estimating the uncertainty of the results.

This International Standard is not intended for assessment of masking of oral communication or assessment of infrasound, ultrasound and non-auditory effects of noise. It does not apply to the measurement of the noise exposure of the ear when hearing protectors are worn.

Results of the measurements performed in accordance with this International Standard can provide useful information when defining priorities for noise control measures.

[SIST EN ISO 9612:2009](https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009)

<https://standards.iteh.ai/catalog/standards/sist/52a558c5-73e8-43ec-8bb9-82d4de35376f/sist-en-iso-9612-2009>

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1999, *Acoustics — Determination of occupational noise exposure and estimation of noise-induced hearing impairment*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

IEC 60942:2003, *Electroacoustics — Sound calibrators*

IEC 61252, *Electroacoustics — Specifications for personal sound exposure meters*

IEC 61672-1:2002, *Electroacoustics — Sound level meters — Part 1: Specifications*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

## ISO 9612:2009(E)

## 3.1

**A-weighted time-averaged sound pressure level** $L_{p,A,T}$ **A-weighted equivalent continuous sound pressure level** $L_{p,A,eqT}$ 

ten times the logarithm to the base 10 of the ratio of the time average of the square of the A-weighted sound pressure,  $p_A$ , during a stated time interval of duration  $T$  (starting at  $t_1$  and ending at  $t_2$ ), to the square of a reference value,  $p_0$ , expressed in decibels

$$L_{p,A,T} = L_{p,A,eqT} = 10 \lg \left[ \frac{\frac{1}{T} \int_{t_1}^{t_2} p_A^2(t) dt}{p_0^2} \right] \text{ dB} \quad (1)$$

where the reference value,  $p_0$ , is 20  $\mu\text{Pa}$

NOTE Adapted from ISO/TR 25417:2007 [9].

## 3.2

**A-weighted noise exposure level normalized to an 8 h working day****daily noise exposure level** $L_{EX,8h}$ 

(occupational noise) level, in decibels, given by the equation:

$$L_{EX,8h} = L_{p,A,eqT_e} + 10 \lg \left[ \frac{T_e}{T_0} \right] \text{ dB} \quad (2)$$

where

$L_{p,A,eqT_e}$  is the A-weighted equivalent continuous sound pressure level for  $T_e$ ;

$T_e$  is the effective duration, in hours, of the working day;

$T_0$  is the reference duration,  $T_0 = 8 \text{ h}$

NOTE 1 If the effective duration of the working day,  $T_e$ , is equal to 8 h, then  $L_{EX,8h}$  equals  $L_{p,A,eq,8h}$ .

NOTE 2 If the average or normalized exposure over a number of days is desired, Equation (3) can be used:

$$\bar{L}_{EX,8h} = 10 \lg \left[ \frac{1}{X} \sum_{x=1}^X 10^{0,1 \times L_{EX,8h,x}} \right] \text{ dB} \quad (3)$$

The value of  $X$  is chosen according to the purpose of the averaging process. For example,  $X = 5$  leads to a daily noise exposure level normalized to a nominal week of five 8 h working days.

NOTE 3 This definition differs from that given in ISO/TR 25417:2007 [9].

## 3.3

**nominal day**

working day over which it is chosen to determine the noise exposure

NOTE 1 The nominal day is determined from the work analysis and depends on the purpose of the measurements. For example, it may be a typical day representing the work performed over several days or the day with the highest noise exposure. See also 7.3.

NOTE 2 The noise exposure level is normally calculated on a daily basis, but there may be circumstances where the use of weekly or longer periods of noise exposure is considered appropriate.

### 3.4

#### C-weighted peak sound pressure level

$L_{p,Cpeak}$

ten times the logarithm to the base 10 of the ratio of the square of the C-weighted peak sound pressure,  $p_{Cpeak}$ , to the square of a reference value,  $p_0$ , expressed in decibels

$$L_{p,Cpeak} = 10 \lg \frac{p_{Cpeak}^2}{p_0^2} \text{ dB} \quad (4)$$

where the reference value,  $p_0$ , is 20  $\mu\text{Pa}$ .

### 3.5

#### task

(occupational noise) distinct part of a worker's occupational activity

Figure 1 illustrates the hierarchy of jobs and tasks.


### 3.6

#### job

(occupational noise) overall occupational activity that is carried out by a worker, consisting of all the tasks performed by the worker during the entire working day or shift

NOTE A worker often has a job title that describes his or her job, sometimes complemented with an additional description to ensure clear identification, e.g. "welder - process line A"

Figure 1 illustrates the hierarchy of jobs and tasks.



#### Key

Job 1 scaffolders  
Job 2 welders  
Job 3 painters  
Job 4 store keepers

Task 1 planning  
Task 2 grinding  
Task 3 welding

Figure 1 — An example illustrating the hierarchy of jobs and tasks