



SLOVENSKI STANDARD

SIST EN 12933:2008

01-november-2008

Nadomešča:
SIST EN 12933:2001

**Kemikalije, ki se uporabljajo za pripravo pitne vode - Kemikalije za uporabo v sili -
Trikloroisocianova kislina**

Chemicals used for treatment of water intended for human consumption - Chemicals for
emergency use - Trichloroisocyanuric acid

iTeh STANDARD PREVIEW

Produkte zur Aufbereitung von Wasser für den menschlichen Gebrauch - Produkte für
den Notfall - Trichlorisocyanursäure

[SIST EN 12933:2008](https://standards.itih.ai/catalog/standards/sist/50e79a70-7ddb-4bb4-a82a-bab22b6174c/sist-en-12933-2008)

Produits chimiques pour le traitement de l'eau destinée à la consommation humaine -
Produits chimiques utilisés en cas d'urgence - Acide trichloroisocyanurique

Ta slovenski standard je istoveten z: EN 12933:2008

ICS:

13.060.20	Pitna voda	Drinking water
71.100.80	Kemikalije za čiščenje vode	Chemicals for purification of water

SIST EN 12933:2008 **en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 12933:2008

<https://standards.iteh.ai/catalog/standards/sist/50f79a70-7ddb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008>

EUROPEAN STANDARD

EN 12933

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2008

ICS 71.100.80

Supersedes EN 12933:2000

English Version

Chemicals used for treatment of water intended for human
consumption - Chemicals for emergency use -
Trichloroisocyanuric acid

Produits chimiques pour le traitement de l'eau destinée à la
consommation humaine - Produits chimiques utilisés en
cas d'urgence - Acide trichloroisocyanurique

Produkte zur Aufbereitung von Wasser für den
menschlichen Gebrauch - Produkte für den Notfall -
Trichlorisocyanursäure

This European Standard was approved by CEN on 28 June 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/50179a70-7ddb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	Page
Foreword.....	3
Introduction	5
1 Scope	6
2 Normative references	6
3 Description	6
4 Purity criteria.....	8
5 Test methods.....	9
6 Labelling - Transportation - Storage.....	16
Annex A (informative) General information on trichloroisocyanuric acid.....	19
Annex B (normative) General rules relating to safety.....	21
Annex C (normative) Determination of arsenic, antimony and selenium (atomic absorption spectrometry hydride technique).....	23
Bibliography	30

[SIST EN 12933:2008](https://standards.iteh.ai/catalog/standards/sist/50f79a70-7ddb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008)
<https://standards.iteh.ai/catalog/standards/sist/50f79a70-7ddb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008>

Foreword

This document (EN 12933:2008) has been prepared by Technical Committee CEN/TC 164 "Water supply", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2009, and conflicting national standards shall be withdrawn at the latest by January 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12933:2000.

Significant technical difference between this edition and EN 12933:2000 is as follows:

- Deletion of reference to EU Directive 80/778/EEC of July 15, 1980 in order to take into account the latest Directive in force (see [1]).

Other amendments:

- iTeh STANDARD PREVIEW**
(standards.iteh.ai)
SIST EN 12933:2008
<https://standards.iteh.ai/catalog/standards/sist/50f79a71-9adb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008>
- a) section 3.1.2 – addition of "Symclosene" as a synonym;
 - b) section 6.1 – inclusion of big bags as permitted means of delivery;
 - c) section 6.2 – updating of risk and safety labelling according to EU directives (Annex I of the Directive 67/548EEC and its latest Adaptations to Technical Progress).
 - 1) inclusion of "N : Dangerous for the environment";
 - 2) deletion of R phrase:
 - R 34: Causes burns.
 - 3) addition of R phrase
 - R 50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 - 4) addition of S phrases:
 - S2: Keep out of the reach of children.
 - S 60: This material and its container must be disposed of as hazardous waste.
 - S 61: Avoid release to the environment. Refer to special instructions/safety data sheets.
 - d) section 6.4 – addition of "Symclosene" as one possible chemical name.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy,

EN 12933:2008 (E)

Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN 12933:2008

<https://standards.iteh.ai/catalog/standards/sist/50f79a70-7ddb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008>

Introduction

In respect of potential adverse effects on the quality of water intended for human consumption, caused by the product covered by this European Standard:

- a) this European Standard provides no information as to whether the product may be used without restriction in any of the Member States of the EU or EFTA;
- b) it should be noted that, while awaiting the adoption of verifiable European criteria, existing national regulations concerning the use and/or the characteristics of this product remain in force.

NOTE Conformity with this European Standard does not confer or imply acceptance or approval of the product in any of the Member States of the EU or EFTA. The use of the product covered by this European Standard is subject to regulation or control by National Authorities.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 12933:2008](https://standards.iteh.ai/catalog/standards/sist/50f79a70-7ddb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008)

<https://standards.iteh.ai/catalog/standards/sist/50f79a70-7ddb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008>

EN 12933:2008 (E)**1 Scope**

This European Standard is applicable to trichloroisocyanuric acid used for emergency treatment of water intended for human consumption. It describes the characteristics of trichloroisocyanuric acid and specifies the requirements and the corresponding test methods for trichloroisocyanuric acid. It gives information on its use in water treatment. It also determines the rules relating to safe handling and use of trichloroisocyanuric acid (see Annex B).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1233, *Water quality - Determination of chromium - Atomic absorption spectrometric methods*

EN 1483, *Water quality - Determination of mercury – Method using atomic absorption spectrometry*

EN ISO 3696, *Water for analytical laboratory use - Specification and test methods (ISO 3696:1987)*

ISO 3165, *Sampling of chemical products for industrial use - Safety in sampling*

ISO 6206, *Chemical products for industrial use - Sampling - Vocabulary*

ISO 8213, *Chemical products for industrial use - Sampling techniques - Solid chemical products in the form of particles varying from powders to coarse lumps*

ISO 8288:1986, *Water quality - Determination of cobalt, nickel, copper, zinc, cadmium and lead - Flame atomic absorption spectrometric methods*

3 Description**3.1 Identification****3.1.1 Chemical name**

1,3,5-trichloro - 1,3,5 triazine - 2,4,6-trione.

3.1.2 Synonym or common names

Trichloroisocyanuric acid, TCCA.

Symclosene.


3.1.3 Relative molecular mass

232,42

3.1.4 Empirical formula

$C_3N_3O_3Cl_3$

3.1.5 Chemical formula



3.1.6 CAS Registry Number¹⁾
87-90-01

3.1.7 EINECS reference²⁾

201-782-8

iTeh STANDARD PREVIEW
(standards.iteh.ai)

3.2 Commercial form

The product is available in various forms: powder, granules or tablets.

[SIST EN 12933:2008](#)

3.3 Physical properties

<https://standards.iteh.ai/catalog/standards/sist/50f79a70-7ddb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008>

3.3.1 Appearance and odour

The product is white free-flowing powder, granules or tablets with chlorinous odour.

3.3.2 Density

The bulk density of the product is approximately : 1 g/cm³ ;

1,2 g/cm³ for powder and granules;

1,9 g/cm³ for tablets.

3.3.3 Solubility in water

The solubility of the product in water is 12 g/l at 25 °C.

¹⁾ Chemical Abstracts Service Registry Number

²⁾ European Inventory of Existing Commercial Chemical Substances

EN 12933:2008 (E)**3.3.4 Vapour pressure**

Not applicable.

3.3.5 Boiling point at 100 kPa³⁾

Not applicable, the product decomposes before fusion.

3.3.6 Melting point

Not applicable.

3.3.7 Specific heat

(880 ± 40) kJ/kg.K at 20 °C.

3.3.8 Viscosity (dynamic)

Not applicable.

3.3.9 Critical temperature

Not applicable.

3.3.10 Critical pressure

Not applicable.

3.3.11 Physical hardness

Not applicable.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 12933:2008](https://standards.iteh.ai/catalog/standards/sist/50f79a70-7ddb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008)

<https://standards.iteh.ai/catalog/standards/sist/50f79a70-7ddb-4bb4-a82a-bab22b617f4c/sist-en-12933-2008>

3.4 Chemical properties

The product is a strong oxidant, it is corrosive and hygroscopic; trichloroisocyanuric acid decomposes into hydrochloric acid and cyanuric acid. When dissolved in an excess of water it liberates chlorine by hydrolysis.

4 Purity criteria**4.1 General**

This European Standard specifies the minimum purity requirements for trichloroisocyanuric acid used for the treatment of water intended for human consumption. Limits are given for impurities commonly present in the product. Depending on the raw material and the manufacturing process other impurities may be present and, if so, this shall be notified to the user and when necessary to relevant authorities.

NOTE Users of this product should check the national regulations in order to clarify whether it is of appropriate purity for treatment of water intended for human consumption, taking into account raw water quality, required dosage, contents of other impurities and additives used in the product not stated in this product standard.

³⁾ 100 kPa = 1 bar

Limits have been given for impurities and chemical parameters where these are likely to be present in significant quantities from the current production process and raw materials. If the production process or raw materials lead to significant quantities of impurities, by-products or additives being present, this shall be notified to the user.

4.2 Composition of commercial product

The commercial product shall contain at least a mass fraction of 89 % of available chlorine as calculated in accordance with the corresponding method given in 5.2.1.

4.3 Impurities and main by-products

The water content shall be less than a mass fraction of 0,15 % of product.

The sodium chloride content shall be less than a mass fraction of 0,05 % of product.

4.4 Chemical parameters

The product shall conform to the requirements specified in Table 1.

Table 1 – Chemical parameters

Element		Limit mg/kg of product	
		type 1	type 2
Arsenic (As)	max.	10	10
Cadmium (Cd)	max.	1	1
Chromium (Cr)	max.	6	10
Mercury (Hg)	max.	0,02	0,02
Nickel (Ni)	max.	3	5
Lead (Pb)	max.	4	15
Antimony (Sb)	max.	5	5
Selenium (Se)	max.	1	1

NOTE Cyanide, which does not exist in a strong oxidizing medium such as trichloroisocyanuric acid, is not a relevant chemical parameter. Pesticides and polycyclic aromatic hydrocarbons are not by-products of the manufacturing process. For parametric values of trichloroisocyanuric acid on trace metal content in drinking water, see [1].

5 Test methods

5.1 Sampling

Observe the general recommendations of ISO 3165 and take account of ISO 6206. Prepare the laboratory sample(s) required by the relevant procedure described in ISO 8213.

EN 12933:2008 (E)

5.2 Analysis

5.2.1 Determination of available chlorine (main product)

5.2.1.1 Principle

The available chlorine is determined by measuring active chlorine in the sample. The oxidizing chlorine reacts with potassium iodide releasing iodine which is then titrated with sodium thiosulfate standard volumetric solution in the presence of starch indicator solution.

5.2.1.2 Reagents

All reagents shall be of a recognized analytical grade and the water used shall conform to grade 3 in accordance with EN ISO 3696.

5.2.1.2.1 Potassium iodide crystals (KI).

5.2.1.2.2 Glacial acetic acid.

5.2.1.2.3 Sodium thiosulfate standard volumetric solution, $c(\text{Na}_2\text{S}_2\text{O}_3 \cdot 5\text{H}_2\text{O}) = 0,1 \text{ mol/l}$.

Standard volumetric solutions of sodium thiosulfate are commercially available; eventually they have to be diluted.

Alternatively a standard volumetric solution can be prepared by the following procedure:

Dissolve 24,8 g $\text{Na}_2\text{S}_2\text{O}_3 \cdot 5 \text{H}_2\text{O}$ in a 1 000 ml one-mark volumetric flask in about 0,75 l water. After the temperature has equalized make up to the mark with water and mix thoroughly.

To standardize: Weigh, to the nearest 0,1 mg, 3,600 g (m) of dry potassium iodate. Dissolve in water in a 1 000 ml one-mark volumetric flask, make up to the mark with water and mix (standard reference solution $c(1/6\text{KIO}_3) = 0,1 \text{ mol/l}$). Place 200 ml of water in a 500 ml stoppered conical flask, add $(2 \pm 0,5)$ g of potassium iodide and stir to dissolve. Then introduce, by means of a pipette, 10,0 ml of sodium thiosulfate solution for standardization, add (15 ± 1) ml of hydrochloric acid solution (diluted 1 + 1 by volume) and (5 ± 1) ml of starch solution (5.2.1.2.4).

Titrate immediately with the potassium iodate standard reference solution until the appearance of a blue coloration persisting for at least 30 s occurs. Record the volume (V_1) of iodate used.

The actual concentration, c , of the sodium thiosulfate standard volumetric solution ($\text{Na}_2\text{S}_2\text{O}_3 \cdot 5\text{H}_2\text{O}$), expressed in moles per litre is given by the following equation:

$$c = \frac{V_1 \times c_1}{V} \quad (1)$$

where

c_1 is the concentration, expressed in moles per litre, of the potassium iodate standard reference solution [$c(1/6 \text{KIO}_3) = 0,1 \text{ mol/l}$];

V is the volume, in millilitres, of the sodium thiosulfate standard volumetric solution used for the standardization ($V = 10 \text{ ml}$);

V_1 is the volume, in millilitres, of potassium iodate standard reference solution used in the titration.