
# ETSITS 186 012-1 V1.0.0 (2008-06)

Technical Specification

Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN);
PSTN/ISDN simulation services;
Subaddressing (SUB);
Part 1: Protocol Implementation
Conformance Statement (PICS)



# Reference DTS/TISPAN-06044-1-NGN Keywords

IMS, PICS, SUB, testing

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 6

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from: <a href="http://www.etsi.org">http://www.etsi.org</a>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<a href="http://portal.etsi.org/tb/status/status.asp">http://portal.etsi.org/tb/status/status.asp</a></a>

If you find errors in the present document, please send your comment to one of the following services: http://portal.etsi.org/chaircor/ETSI\_support.asp

#### **Copyright Notification**

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2008. All rights reserved.

**DECT**<sup>TM</sup>, **PLUGTESTS**<sup>TM</sup>, **UMTS**<sup>TM</sup>, **TIPHON**<sup>TM</sup>, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**<sup>TM</sup> is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

# Contents

Intelle	ectual Property Rights	4
	vord	
1	Scope	
1	зсорс	•••••
2	References	5
2.1	Normative references	5
2.2	Informative references	6
3	Definitions and abbreviations	6
3.1	Definitions	<i>6</i>
3.2	Abbreviations	<i>6</i>
4	Protocol Implementation Conformance Statement proforma	7
4.1	Instructions for completing the PICS proforma	
4.1.1		
4.1.1.1	Purposes and structure	7
4.1.2	Abbreviations and conventions	7
4.2	Identification of the implementation	8
4.2.1	Date of the statement	8
4.2.2	Implementation Under Test (IUT) identification	8
4.2.3	System Under Test (SUT) identification	8
4.2.4	Product supplier	9
4.2.5	Client	9
4.2.6	PICS contact person	9
4.3	PICS proforma tables	9
4.3.1	Global statement of conformance	9
4.3.2	Roles and network capabilities	10
5	More detailed instructions are given at the beginning of the different clauses of the PICS proforma  Purposes and structure  Abbreviations and conventions  Identification of the implementation  Date of the statement  Implementation Under Test (IUT) identification  System Under Test (SUT) identification  Product supplier  Client  PICS contact person  PICS proforma tables  Global statement of conformance and network capabilities  Additional information for PICS  ry	10
Histo	rv	11
	and 95	

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

### **Foreword**

This Technical Specification (TS) has been produced by ETSI Technical Committee Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN).

The present document is part 1 of a multi-part deliverable covering the Subaddressing (SUB) service, as identified below:

Part 1: "Protocol Implementation Conformance Statement (PICS)";

Part 2: "Test Suite Structure and Test Purposes (TSS&TP)".

#### 1 Scope

The present document specifies the protocol implementation conformance statement of the Subaddressing (SUB) service, based on IP Multimedia Call Control Protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP) Stage 3. Within the Next Generation Network (NGN) the stage 3 description is specified using the IP-Multimedia Communication Control Protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP).

5

#### 2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
  - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
  - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at http://docbox.etsi.org/Reference.

For online referenced documents, information sufficient to identify and locate the source shall be provided. Preferably, the primary source of the referenced document should be cited, in order to ensure traceability. Furthermore, the reference should, as far as possible, remain valid for the expected life of the document. The reference shall include the method of access to the referenced document and the full network address, with the same punctuation and use of upper case and lower case letters.

While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee NOTE: their long term validity.

#### 2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] ETSI ES 283 003: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); IP Multimedia Call Control Protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP) Stage 3 [3GPP TS 24.229 (Release 7), modified]".
- ETSI TS 181 002: "Telecommunications and Internet converged Services and Protocols for [2] Advanced Networking (TISPAN); Multimedia Telephony with PSTN/ISDN simulation services".
- [3] IETF RFC 3261: "SIP: Session Initiation Protocol".
- ISO/IEC 9646-7: "Information technology Open Systems Interconnection Conformance testing [4] methodology and framework - Part 7: Implementation Conformance Statements".
- IETF RFC 3966 (2004): "The tel URI for Telephone Numbers". [5]
- [6] ETSI ES 283 027: "Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); Endorsement of the SIP-ISUP Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks [3GPP TS 29.163 (Release 7), modified]".

## 2.2 Informative references

The following referenced documents are not essential to the use of the present document but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Not applicable.

# 3 Definitions and abbreviations

## 3.1 Definitions

For the purposes of the present document, the terms and definitions given in TS 181 002 [2] and RFC 3261 [3] apply.

# 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

	97
HOLD	communication HOLD
IMS	IP Multimedia Subsystem
IP	Internet Protocol
ISDN	Integrated Service Data Network
NGN	Next Generation Network
OCB	Outgoing Communication Barring
PSTN	Public Switched Telephone Network
SDP	Session Description Protocol
SIP	Session Initiation Protocol
SUB	Subaddressing Su
UE	User Equipment
URI	Universal Resource Identifier
	communication HOLD IP Multimedia Subsystem Internet Protocol Integrated Service Data Network Next Generation Network Outgoing Communication Barring Public Switched Telephone Network Session Description Protocol Session Initiation Protocol Subaddressing User Equipment Universal Resource Identifier
	1/straffer
	XDS-12-A
	Mr. dip.
	· Programme and the second of the second

# 4 Protocol Implementation Conformance Statement proforma

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the PICS proforma in this clause so that it can be used for its intended purposes and may further publish the completed PICS.

# 4.1 Instructions for completing the PICS proforma

# 4.1.1 More detailed instructions are given at the beginning of the different clauses of the PICS proforma

The supplier of the implementation shall complete the PICS proforma in each of the spaces provided. If necessary, the supplier may provide additional comments separately in clause 5.

#### 4.1.1.1 Purposes and structure

The purpose of this PICS proforma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in reference specification [1] to [6] may provide information about the implementation in a standardized manner.

The PICS proforma is subdivided into clauses for the following categories of information:

- instructions for completing the PICS proforma;
- identification of the implementation;
- identification of the reference protocol specification;
- PICS proforma tables (containing the global statement of conformance).

#### 4.1.2 Abbreviations and conventions

The PICS proforma is composed of an information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [4].

#### Item column

It contains a number that identifies the item in the table.

#### Item description column

It describes each respective item (e.g. parameters, timers, etc.).

#### Reference column

It gives reference to the SUB specification [5], except where explicitly stated otherwise.

#### Status column

The following notations, defined in ISO/IEC 9646-7 [4], are used for the status column:

- m mandatory the capability is required to be supported.
- n/a not applicable in the given context, it is impossible to use the capability. No answer in the support column is required.
- o optional the capability may be supported or not.

- o.i qualified optional for mutually exclusive or selectable options from a set. "i" is an integer which identifies a unique group of related optional items and the logic of their selection which is defined immediately following the table.
- ci conditional the requirement on the capability ("m", "o" or "n/a") depends on the support of other optional or conditional items. "i" is an integer identifying a unique conditional status expression that is defined immediately following the table. For nested conditional expressions, the syntax "IF ... THEN (IF ... THEN ... ELSE...) ELSE ..." shall be used to avoid ambiguities. If an ELSE clause is omitted, "ELSE n/a" shall be implied.

NOTE: Support of a capability means that the capability is implemented in conformance to the specification(s) [1] to [6].

#### Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7 [4], are used for the support column:

Y or y supported by the implementation.

N or n not supported by the implementation.

N/A or n/a - no answer required (allowed only if the status is N/A, directly or after evaluation of a conditional status).

# 4.2 Identification of the implementation

Identification of the Implementation Under Test (IUT) and the system in which it resides - the System Under Test (SUT) should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the PICS should be named as the contact person.

## 4.2.1 Date of the statement

|--|

#### 4.2.2 Implementation Under Test (IUT) identification

IUT name:	
IUT version:	

# 4.2.3 System Under Test (SUT) identification

SUT name:	
Hardware configuration:	
Operating system:	

# 4.2.4 Product supplier

Name:	
Address:	
Telephone number:	
Facsimile number:	
Additional information:	

#### 4.2.5 Client

Name:	
Address:	
Telephone number:	albeg'r.
Facsimile number:	PRE ail starte.
Additional information:	All itell and soul?

	, taditional information	and a feet
4.	2.6 PICS contact	person standards tandards tanders to the person standards tandards to the person of th
	Name:	ill Sitelling 2000
	Telephone number:	andard 949 Ard
	Facsimile number:	tos: Ista ph
	Additional information:	He Alle

#### 4.3 PICS proforma tables

#### 4.3.1 Global statement of conformance

	(Yes/No)
Are all mandatory capabilities implemented?	