



SLOVENSKI STANDARD

SIST EN 459-3:2011

01-julij-2011

Nadomešča:

SIST EN 459-3:2002

SIST EN 459-3:2002/AC:2004

Gradbeno apno - 3. del: Ovrednotenje skladnosti

Building lime - Part 3: Conformity evaluation

Baukalk - Teil 3: Konformitätsbewertung

Chaux de construction - Partie 3: Evaluation de la conformité

ITEH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 459-3:2011](#)

Ta slovenski standard je istoveten z: EN 459-3:2011

<http://standards.iteh.ai/catalog/standards/sist/91.100.10/459-3-2011/8f1-4af1-99c2-70499dba340b/sist-en-459-3-2011>

ICS:

91.100.10 Cement. Mavec. Apno. Malta Cement. Gypsum. Lime.
Mortar

SIST EN 459-3:2011

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 459-3:2011

<https://standards.iteh.ai/catalog/standards/sist/0ec1d038-f8f1-4af1-99c2-70499dba340b/sist-en-459-3-2011>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 459-3

June 2011

ICS 91.100.10

Supersedes EN 459-3:2001

English Version

Building lime - Part 3: Conformity evaluation

Chaux de construction - Partie 3: Evaluation de la
conformité

Baukalk - Teil 3: Konformitätsbewertung

This European Standard was approved by CEN on 28 April 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

SIST EN 459-3:2011

<https://standards.iteh.ai/catalog/standards/sist/0ec1d038-f8f1-4af1-99c2-70499dba340b/sist-en-459-3-2011>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Factory production control by the manufacturer	5
4.1 General requirements.....	5
4.1.1 Definition and concept.....	5
4.1.2 Work's quality manual.....	5
4.1.3 Management system	6
4.1.4 System of documentation.....	6
4.2 Internal quality control	6
4.2.1 Process control.....	6
4.2.2 Measuring and testing.....	7
4.2.3 Handling, storage, packaging and delivery	7
4.3 Autocontrol testing of samples.....	7
4.3.1 Sampling and testing	7
4.3.2 Evaluation of results of autocontrol testing	8
4.3.3 Corrective action.....	8
4.3.4 Measuring and test equipment for autocontrol testing	8
4.3.5 Quality records.....	8
4.4 Initial type testing of the building lime	9
5 Surveillance, assessment and acceptance of the factory production control.....	9
5.1 Inspection of the factory production control	9
5.1.1 Inspection tasks.....	9
5.1.2 Initial inspection of the factory and the factory production control	9
5.1.3 Inspection of an existing factory.....	9
5.1.4 Criteria for the assessment of the production equipment	9
5.1.5 Criteria for the assessment of laboratories	10
5.1.6 Frequency of inspections	10
5.2 Reports	10
5.3 Certification of the factory production control.....	10
6 Actions in the event of non-conformity.....	11
6.1 Actions to be taken by the manufacturer	11
6.2 Actions to be taken in case of a non-conforming factory production control system	11
7 Declaration of conformity	11
8 Requirements for dispatching centres.....	11
8.1 General.....	11
8.2 Tasks for the intermediary.....	11
8.2.1 Quality control.....	11
8.2.2 Confirmation autocontrol testing of samples taken at the dispatching centre	11
Bibliography.....	13

Foreword

This document (EN 459-3:2011) has been prepared by Technical Committee CEN/TC 51 “Cement and building limes”, the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2011, and conflicting national standards shall be withdrawn at the latest by December 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 459-3:2001.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

The European Standard EN 459 for building lime consists of the following parts:

- *Part 1: Definitions, specifications and conformity criteria.*
- *Part 2: Test methods;*
- *Part 3: Conformity evaluation.*

[SIST EN 459-3:2011](https://standards.iteh.ai/catalog/standards/sist/0ec1d038-f8f1-4af1-99c2-70499dba340b/sist-en-459-3-2011)

<https://standards.iteh.ai/catalog/standards/sist/0ec1d038-f8f1-4af1-99c2-70499dba340b/sist-en-459-3-2011>

EN 459-3:2011 (E)

1 Scope

This European Standard specifies the scheme for the evaluation of conformity of building lime to their corresponding product standard EN 459-1. It provides rules for surveillance, assessment and acceptance of the factory production control and rules for the frequency of inspections.

The European Standard specifies technical rules for factory production control by the manufacturer, including autocontrol testing of samples. It also provides rules for actions to be followed in the event of non-conformity and requirements for dispatching centres.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 459-1:2010, *Building lime — Part 1: Definitions, specifications and conformity criteria*

EN 459-2, *Building lime — Part 2: Test methods*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

3.1

factory

facility used by a manufacturer for the production of building lime using equipment which is suitable for continuous mass production of building lime including, where relevant, equipment for adequate calcining, slaking, grinding and equipment for homogenization and the necessary capacity for the storage and dispatch of each type of building lime produced. This equipment and the production control applied allow the control of production with sufficient accuracy to ensure that the requirements of EN 459-1 are met

3.2

factory production control

permanent internal control of building lime production exercised by the manufacturer consisting of internal quality control and autocontrol testing

3.3

work's quality manual

document(s) providing information on the factory production control applied by a manufacturer at a particular factory to ensure conformity of the building lime with the requirements of EN 459-1

3.4

depot

building lime handling facility (not located at the factory) used for the dispatch of building lime (whether in bulk or bagged) after transfer or storage where the manufacturer has full responsibility for all aspects of the quality of the building lime

3.5

dispatching centre

building lime handling facility (not located at the factory) used for the dispatch of building lime (whether in bulk or bagged) after transfer or storage where an intermediary has full responsibility for all aspects of the quality of the building lime

3.6**intermediary**

natural or legal person who takes from the manufacturer bulk building lime declared according to this European Standard and bearing the conformity marking, who undertakes full responsibility for maintaining in a bulk handling facility all aspects of the quality of the building lime and who supplies the building lime onwards to a further person

3.7**confirmation autocontrol testing**

continual testing carried out by an intermediary which consists of testing of samples taken by the intermediary at the point(s) of release from the dispatching centre

4 Factory production control by the manufacturer**4.1 General requirements****4.1.1 Definition and concept**

Factory production control means the permanent internal control of building lime production exercised by the manufacturer and consists of internal quality control and autocontrol testing of samples of building lime taken at the point of release¹⁾ (see 4.3).

The details of the factory production control are described in the work's quality manual (see 4.1.2).

4.1.2 Work's quality manual

The manufacturer's documentation and procedures for factory production control shall be described in a work's quality manual, which shall adequately describe, among others:

- a) The quality aims, organisation structure, responsibilities and powers of the management with regard to product quality, the means to monitor the achievement of the required product quality and the effective operation of the factory production control (see 4.1.3);
- b) The manufacturing and quality control techniques, processes and systematic actions that will be used (see 4.2.1 and 4.2.3);
- c) The inspections and tests that will be carried out before, during and after manufacture, and the frequency with which they will be carried out (see 4.2.2).

The work's quality manual prepared by the manufacturer for each factory shall include an adequate system of documentation (see 4.1.4).

The work's quality manual shall address and document the procedures operated to ensure that the manufactured building lime conforms to the technical specifications. It may be referred to associated documents which provide further details of the autocontrol testing of samples and the internal quality control.

NOTE In the case of an existing quality management system according to EN ISO 9001, it may be examined if the corresponding quality manual meets all the requirements of this European Standard which are relevant to the factory production control of building lime. Provided all the requirements are included, this quality manual may also be applied for the evaluation of the conformity of the factory production control.

1) This testing corresponds also to the "further testing of samples" mentioned in Annex III Section 2 point (i) of the Construction Products Directive 89/106/EEC.

EN 459-3:2011 (E)**4.1.3 Management system****4.1.3.1 Quality policy**

The work's quality manual shall include a statement by management defining its quality policy, objectives and commitments to the attainment of product quality.

4.1.3.2 Management representative

The manufacturer shall appoint a management representative who, irrespective of other responsibilities, shall have defined authority and responsibility for ensuring that the requirements of this European Standard for the evaluation of conformity are implemented and maintained.

4.1.3.3 Internal audits and management review

In order to ensure the continuing suitability and effectiveness of the work's quality manual to meet the requirements of this European Standard, the manufacturer shall perform at least once per year:

- a) internal audits covering the scope of this clause 4 and 6.1;
- b) a management review of the factory production control, taking into account records of the internal audits.

4.1.3.4 Training

The work's quality manual shall describe the measures taken to ensure that all the personnel involved in operations that can affect internal quality control and product quality have appropriate experience or training. Appropriate records shall be retained.

4.1.4 System of documentation

[SIST EN 459-3:2011](https://standards.iteh.ai/catalog/standards/sist/0ec1d038-f8f1-4af1-99c2-70499dba340b/sist-en-459-3-2011)

<https://standards.iteh.ai/catalog/standards/sist/0ec1d038-f8f1-4af1-99c2-70499dba340b/sist-en-459-3-2011>

4.1.4.1 Document control

The management representative shall be responsible for the control of all documents and data related to factory production control and to this scheme for the evaluation of conformity.

This control shall ensure that the appropriate issues of all documents are available at essential locations, that obsolete documents are withdrawn and that changes or modifications to any document are effectively introduced.

The producer shall have a system to identify the current versions of documents in order to prevent the use of non-applicable documents.

4.1.4.2 Quality records

The manufacturer shall retain records of factory production control for at least the period required to comply with relevant legislation.

4.2 Internal quality control**4.2.1 Process control****4.2.1.1 General**

The work's quality manual shall describe the parameters for process planning, process control and testing, inspection, corrective action, verification, dispatch and the associated records.

4.2.1.2 Composition of calcium lime, dolomitic lime, natural hydraulic lime and hydraulic lime

The work's quality manual shall describe the methods used by the manufacturer to ensure that the composition of the building lime produced conforms to EN 459-1 including appropriate test methods.

4.2.1.3 Constituents and composition of formulated lime

The manufacturer shall establish documented procedures and select appropriate test methods to ensure that the constituents meet the requirements of the relevant product specification standard and are suitable to enable formulated lime to be produced meeting the requirements of EN 459-1.

The work's quality manual shall describe the methods used by the manufacturer to ensure that the composition of the formulated lime produced conforms to EN 459-1 including appropriate test methods.

4.2.1.4 Control of off-specification production

The work's quality manual shall contain procedures to ensure that off-specification production is adequately managed.

4.2.2 Measuring and testing

4.2.2.1 Inspection, measuring and test equipment

The equipment for in-process inspection and testing shall be regularly checked and calibrated in accordance with the procedures and frequencies laid down in the work's quality manual.

4.2.2.2 Inspection and test status

Procedures for the inspection and test status through the stages of manufacture shall be detailed in the work's quality manual. These shall include procedures for the control of off-specification intermediate materials.

4.2.3 Handling, storage, packaging and delivery

The work's quality documentation shall describe the precautions taken for the protection of the quality of the building lime while under the responsibility of the manufacturer. It shall include a description of the procedures used at depots. Delivery documentation shall allow traceability to the producing works.

4.3 Autocontrol testing of samples

4.3.1 Sampling and testing

The manufacturer shall operate a system of autocontrol testing for each building lime. This system shall be used to demonstrate conformity to the requirements in the sub-clauses entitled "Conformity criteria" in EN 459-1:2010. The properties to be tested, test methods and the minimum testing frequencies of autocontrol during routine testing and initial period testing and the conformity criteria shall be in accordance with the basic requirements given in the subclauses 4.4.7, 4.5.7 and 5.6 in EN 459-1:2010.

For building lime not being dispatched continuously, the frequency of testing and the point of sampling shall be as specified in the work's quality manual.

All test data shall be documented.