



SLOVENSKI STANDARD SIST EN ISO 19134:2009

01-maj-2009

Geografske informacije - Storitve na podlagi lokacije - Večnačinovno usmerjanje in navigacija (ISO 19134:2007)

Geographic information - Location-based services - Multimodal routing and navigation (ISO 19134:2007)

Geoinformation - Standortbezogene Dienste - Multimodale Routenplanung und Navigation (ISO 19134:2007)

Information géographique - Services basés sur la localisation - Routage et navigation multimodaux (ISO 19134:2007)

ITEH STANDARD PREVIEW
(standards.iteh.ai)
SIST EN ISO 19134:2009
<https://standards.iteh.ai/catalog/standards/sist/9c7b850-4c03-4e63-a5b5-59e6f7b761b/sist-en-iso-19134-2009>

Ta slovenski standard je istoveten z: EN ISO 19134:2008

ICS:

07.040	Astronomija. Geodezija. Geografija	Astronomy. Geodesy. Geography
35.240.70	Uporabniške rešitve IT v znanosti	IT applications in science

SIST EN ISO 19134:2009

en,fr

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19134:2009

<https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>

EUROPEAN STANDARD

EN ISO 19134

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2008

ICS 35.240.70

English Version

Geographic information - Location-based services - Multimodal routing and navigation (ISO 19134:2007)

Information géographique - Services basés sur la localisation - Routage et navigation multimodaux (ISO 19134:2007)

Geoinformation - Standortbezogene Dienste - Multimodale Routenplanung und Navigation (ISO 19134:2007)

This European Standard was approved by CEN on 18 July 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 19134:2009](https://standards.iteh.ai/catalog/standards/sist/9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009)

<https://standards.iteh.ai/catalog/standards/sist/9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....3

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN ISO 19134:2009

<https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>

Foreword

The text of ISO 19134:2007 has been prepared by Technical Committee ISO/TC 211 "Geographic information/Geomatics" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 19134:2008 by Technical Committee CEN/TC 287 "Geographic Information" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2009, and conflicting national standards shall be withdrawn at the latest by February 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 19134:2007 has been approved by CEN as a EN ISO 19134:2008 without any modification.

[SIST EN ISO 19134:2009](https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009)

<https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 19134:2009](#)

<https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>

INTERNATIONAL STANDARD

ISO
19134

First edition
2007-02-01

Geographic information — Location- based services — Multimodal routing and navigation

*Information géographique — Services basés sur la localisation —
Routage et navigation multi-modes*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 19134:2009](https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009)

<https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>



Reference number
ISO 19134:2007(E)

© ISO 2007

ISO 19134:2007(E)**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 19134:2009](https://standards.iteh.ai/catalog/standards/sist/9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009)

<https://standards.iteh.ai/catalog/standards/sist/9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Terms and definitions.....	1
5 Symbols and abbreviated terms	4
5.1 Acronyms	4
5.2 UML Notation.....	4
5.3 Package abbreviations	4
6 Multimodal LBS for routing and navigation.....	5
6.1 Semantics	5
6.2 Multimodal Network.....	5
6.3 Multimodal Routing	18
6.4 Multimodal Constraint and Advisory	24
6.5 Multimodal Navigation Service.....	26
6.6 Multimodal Cost Function.....	29
Annex A (normative) Abstract test suite.....	31
Annex B (informative) Multimodal Cost Functions for routing and navigation	33
Bibliography	38

ISO 19134:2007(E)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19134 was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 19134:2009](https://standards.iteh.ai/catalog/standards/sist/9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009)

<https://standards.iteh.ai/catalog/standards/sist/9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>

Introduction

In everyday life in metropolitan areas in the world, a typical traveller is involved in using various modes of transportation for daily activities: e.g. walking, driving, park-and-ride, mass transit and taxi. The traveller frequently faces the problem of finding the optimal or best route combining several modes, from the origin to the destination, passing through the locations (waypoints) where the traveller might want to engage in activities such as shopping and meeting people, possibly satisfying a set of constraints such as the sequence constraints like “activity 1 before activity 2”, “location 1 before location 2”, etc. A typical intercity traveller faces situations requiring decisions to be made such as which station (junction) and by which mode to travel in order to take which system among the available transportation modes between an origin and a destination. The decision will depend on the overall cost that includes the line-haul, parking, routing, stopping at stations (junctions), stopping at intermediate places, etc.

This International Standard provides a conceptual schema for describing the data and services needed to support routing and navigation application for mobile clients who intend to reach a target position using two or more modes of transportation. This conceptual schema is a standard schema such as the spatial schema (ISO 19107) or the temporal schema (ISO 19108). This International Standard provides a description of a service type to support routing and navigation for a mode that operates either on a fixed route or with a fixed schedule, a description of data type for transfers, and a description of data type for schedule information and route information of a mode with a fixed route and/or schedule.

Based upon ISO 19133:2005, this International Standard specifies additional classes as well as extensions to existing classes to be used for multimodal routing and navigation. As in ISO 19133:2005, this International Standard assumes that all requests for services will be encapsulated in a request/response pair between the mobile client and the client application or its on-web proxy application. Therefore, this International Standard describes service operation types and a set of request/response data types associated with some operations which are necessary for multimodal routing and navigation.

By way of adding and/or expanding ISO 19133:2005, standardized conceptual schemas for multimodal routing and navigation of mobile clients will increase the ability to share geographic information among multimodal location-based service applications. These schemas will be used by multimodal location-based service applications, mostly in metropolitan areas, and in all intercity travelling environments to provide consistently understandable spatial data structures.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19134:2009

<https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>

Geographic information — Location-based services — Multimodal routing and navigation

1 Scope

This International Standard specifies the data types and their associated operations for the implementation of multimodal location-based services for routing and navigation. It is designed to specify web services that may be made available to wireless devices through web-resident proxy applications, but is not limited to that environment.

2 Conformance

Conformance to this International Standard depends on the type of entity declaring conformance.

Mechanisms for the data exchanges are conformant to this International Standard if they contain record implementations of the object types described within this International Standard, as specified in A.2.

Web services for routing and navigation are conformant to this International Standard if their interfaces implement one or both of the subtypes of service defined in this International Standard, as specified in A.3.

Details of the conformance classes are given in the Abstract test suite in Annex A.

<https://standards.iteh.ai/catalog/standards/sist/9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19101, *Geographic information — Reference model*

ISO 19107, *Geographic information — Spatial schema*

ISO 19108, *Geographic information — Temporal schema*

ISO 19112, *Geographic information — Spatial referencing by geographic identifiers*

ISO 19133:2005, *Geographic information — Location-based services — Tracking and navigation*

4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

4.1

application

manipulation and processing of data in support of user requirements

[ISO 19101]

ISO 19134:2007(E)**4.2****application schema**

conceptual schema for data required by one or more **applications**

[ISO 19101]

4.3**cost function**

function that associates a measure (cost) to a **route**

[ISO 19133:2005]

NOTE The normal mechanism is to apply a cost to each part of a route, and to define the total route cost as the sum of the cost of the parts. This is necessary for the operation of the most common navigation algorithms. The units of cost functions are not limited to monetary costs and values only, but include such measures as time, distance and possibly others. The only requirement is that the function be additive and at least non-negative. This latter criteria can be softened as long as it is not zero or less cost is associated to any loop in the network, as this will prevent the existence of a “minimal cost” route.

4.4**junction**

single topological node in a **network** with its associated collection of **turns**, and incoming and outgoing **links**

[ISO 19133:2005]

NOTE Junction is an alias for node.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

4.5**link**

directed topological connection between two nodes (**junctions**), consisting of an edge and a direction

[ISO 19133:2005]

[SIST EN ISO 19134:2009](https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009)

[https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-](https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009)

NOTE Link is an alias for directed edge. [5eac6f7b761b/sist-en-iso-19134-2009](https://standards.iteh.ai/catalog/standards/sist/f9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009)

4.6**location**

identifiable geographic place

[ISO 19112]

NOTE A location is represented by one of a set of data types that describes a position, along with metadata about that data, including coordinates (from a coordinate reference system), a measure (from a linear referencing system), or an address (from an address system) [ISO 19133:2005].

4.7**location-based service****LBS**

service whose return or other property is dependent on the **location** of the client requesting the service or of some other thing, object or person

[ISO 19133:2005]

4.8**navigation**

combination of **routing**, route traversal and **tracking**

[ISO 19133:2005]

NOTE This is essentially the common term navigation, but the definition decomposes the process in terms used in the packages defined in this International Standard.

4.9**network**

abstract structure consisting of a set of 0-dimensional objects called **junctions**, and a set of 1-dimensional objects called **links** that connect the **junctions**, each **link** being associated to a start (origin, source) **junction** and end (destination, sink) **junction**

[ISO 19133:2005]

NOTE The network is essentially the universe of discourse for the navigation problem. Networks are a variety of one-dimensional topological complexes. In this light, junction and topological nodes are synonyms, as are link and directed edges.

4.10**position**

data type that describes a point or geometry potentially occupied by an object or person

[ISO 19133:2005]

NOTE A direct position is a semantic subtype of position. Direct position as described can only define a point and therefore not all positions can be represented by a direct position. That is consistent with the "is type of" relation. An ISO 19107 geometry is also a position, but not a direct position.

4.11**route**

sequence of links, and/or partial links, that describe a path, usually between two positions, within a network

[ISO 19133:2005]

iTeh STANDARD PREVIEW
(standards.iteh.ai)

4.12**routing**

finding of optimal (minimal **cost function**) **routes** between **locations** in a **network**

[ISO 19133:2005]

STANDARDS between 2108
<https://standards.iteh.ai/catalog/standards/sist/9c7b850-4c03-4e63-a5b5-5eac6f7b761b/sist-en-iso-19134-2009>

4.13**tracking**

monitoring and reporting the **location** of a **vehicle**

[ISO 19133:2005]

4.14**transportation mode**

means that travellers can choose for transportation

4.15**turn**

part of a **route** or **network** consisting of a **junction** location and an entry and exit **link** for that **junction**

[ISO 19133:2005]

4.16**traveller**

person subject to being navigated, or tracked

cf. vehicle

[ISO 19133:2005]