

ETSI TS 102 250-2 V1.7.1 (2009-10)

Technical Specification

Speech and multimedia Transmission Quality (STQ); QoS aspects for popular services in GSM and 3G networks; Part 2: Definition of Quality of Service parameters and their computation

ITEH STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/40a5cc06-dt3f46d1-a9ad-866103b9c13b/etsi-ts-102-250-2-v1.7.1>
2009-10



Reference

RTS/STQ-00134m

Keywords

3G, GSM, network, QoS, service, speech

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™, TIPHON™, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered
for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	18
Foreword.....	18
Introduction	19
1 Scope	20
2 References	20
2.1 Normative references	20
2.2 Informative references.....	22
3 Definitions and abbreviations.....	22
3.1 Definitions.....	22
3.2 Abbreviations	24
4 QoS Parameter Basics	26
4.1 General Overview.....	26
4.2 FTP, HTTP and E-Mail Issues	27
4.2.1 Performance Enhancement Proxies	28
4.3 Timeouts.....	29
5 Service independent QoS Parameters.....	29
5.1 Radio Network Unavailability [%].....	29
5.1.1 Abstract Definition	29
5.1.2 Abstract Equation	29
5.1.3 Trigger Points	29
5.2 Network Non-Accessibility [%].....	30
5.2.1 {Manual Automatic} Network Selection and Registration Failure Ratio [%]	30
5.2.1.1 Abstract Definition.....	30
5.2.1.2 Abstract Equation.....	31
5.2.1.3 Trigger Points.....	31
5.2.2 {Manual Automatic} Network Selection and Registration Time [s]	33
5.2.2.1 Abstract Definition.....	33
5.2.2.2 Abstract Equation.....	33
5.2.2.3 Trigger Points.....	34
5.3 Attach Failure Ratio [%]	35
5.3.1 Abstract Definition	35
5.3.2 Abstract Equation	35
5.3.3 Trigger Points	35
5.4 Attach Setup Time [s].....	36
5.4.1 Abstract Definition	36
5.4.2 Abstract Equation	36
5.4.3 Trigger Points	36
5.5 PDP Context Activation Failure Ratio [%]	37
5.5.1 Abstract Definition	37
5.5.2 Abstract Equation	37
5.5.3 Trigger Points	37
5.6 PDP Context Activation Time [s].....	37
5.6.1 Abstract Definition	37
5.6.2 Abstract Equation	38
5.6.3 Trigger Points	38
5.7 PDP Context Cut-off Ratio [%].....	38
5.7.1 Abstract Definition	38
5.7.2 Abstract Equation	38
5.7.3 Trigger Points	39
5.8 Data Call Access Failure Ratio [%].....	39
5.8.1 Abstract Definition	39
5.8.2 Abstract Equation	39
5.8.3 Trigger Points	39

5.9	Data Call Access Time [s].....	40
5.9.1	Abstract Definition	40
5.9.2	Abstract Equation	40
5.9.3	Trigger Points	40
5.10	DNS Host Name Resolution Failure Ratio [%].....	40
5.10.1	Abstract Definition	40
5.10.2	Abstract Equation	41
5.10.3	Trigger Points	41
5.11	DNS Host Name Resolution Time [s].....	41
5.11.1	Abstract Definition	41
5.11.2	Abstract Equation	41
5.11.3	Trigger Points	42
6	Direct Services QoS Parameters.....	42
6.1	File Transfer (FTP).....	42
6.1.1	FTP {Download Upload} Service Non-Accessibility [%].....	42
6.1.1.1	Abstract Definition.....	42
6.1.1.2	Abstract Equation.....	42
6.1.1.3	Trigger Points.....	43
6.1.2	FTP {Download Upload} Setup Time [s].....	43
6.1.2.1	Abstract Definition.....	43
6.1.2.2	Abstract Equation.....	43
6.1.2.3	Trigger Points.....	44
6.1.3	FTP {Download Upload} IP-Service Access Failure Ratio [%].....	44
6.1.3.1	Abstract Definition.....	44
6.1.3.2	Abstract Equation.....	44
6.1.3.3	Trigger Points.....	45
6.1.4	FTP {Download Upload} IP-Service Setup Time [s].....	45
6.1.4.1	Abstract Definition.....	45
6.1.4.2	Abstract Equation.....	45
6.1.4.3	Trigger Points.....	46
6.1.5	FTP {Download Upload} Session Failure Ratio [%].....	46
6.1.5.1	Abstract Definition.....	46
6.1.5.2	Abstract Equation.....	46
6.1.5.3	Trigger Points.....	46
6.1.6	FTP {Download Upload} Session Time [s].....	47
6.1.6.1	Abstract Definition.....	47
6.1.6.2	Abstract Equation.....	47
6.1.6.3	Trigger Points.....	47
6.1.7	FTP {Download Upload} Mean Data Rate [kbit/s]	47
6.1.7.1	Abstract Definition.....	47
6.1.7.2	Abstract Equation.....	48
6.1.7.3	Trigger Points.....	48
6.1.8	FTP {Download Upload} Data Transfer Cut-off Ratio [%]	48
6.1.8.1	Abstract Definition.....	48
6.1.8.2	Abstract Equation.....	48
6.1.8.3	Trigger Points.....	49
6.2	Mobile Broadcast	49
6.2.1	Mobile Broadcast Network Non-Availability {Broadcast Bearer}.....	51
6.2.1.1	Abstract Definition.....	51
6.2.1.2	Abstract Equation.....	51
6.2.1.3	Trigger Points.....	51
6.2.2	Mobile Broadcast Program Menu Non-Accessibility {Bootstrapping Bearer, ESG Retrieval Bearer}.....	51
6.2.2.1	Abstract Definition.....	51
6.2.2.2	Abstract Equation.....	52
6.2.2.3	Trigger Points.....	52
6.2.3	Mobile Broadcast Program Menu Access Time {Bootstrapping Bearer, ESG Retrieval Bearer}	52
6.2.3.1	Abstract Definition.....	52
6.2.3.2	Abstract Equation.....	52
6.2.3.3	Trigger Points.....	52
6.2.4	Mobile Broadcast Channel Non-Accessibility {Broadcast Bearer}.....	53
6.2.4.1	Abstract Definition.....	53

6.2.4.2	Abstract Equation.....	53
6.2.4.3	Trigger Points.....	53
6.2.5	Mobile Broadcast Channel Access Time {Broadcast Bearer}.....	53
6.2.5.1	Abstract Definition.....	53
6.2.5.2	Abstract Equation.....	53
6.2.5.3	Trigger Points.....	53
6.2.6	Mobile Broadcast Interactivity Response Failure Ratio {Mobile Network Bearer} {Broadcast Bearer}.....	54
6.2.6.1	Abstract Definition.....	54
6.2.6.2	Abstract Equation.....	54
6.2.6.3	Trigger Points.....	54
6.2.7	Mobile Broadcast Interactivity Response Time {Mobile Network Bearer} {Broadcast Bearer}	55
6.2.7.1	Abstract Definition.....	55
6.2.7.2	Abstract Equation.....	55
6.2.7.3	Trigger Points.....	55
6.2.8	Mobile Broadcast Session Cut-off Ratio {Broadcast Bearer}	55
6.2.8.1	Abstract Definition.....	55
6.2.8.2	Abstract Equation.....	55
6.2.8.3	Trigger Points.....	56
6.2.9	Mobile Broadcast Service Integrity {Broadcast Bearer}.....	56
6.2.10	Mobile Broadcast Reproduction Soft Cut-off Ratio {Broadcast Bearer}	56
6.2.10.1	Abstract Definition.....	56
6.2.10.2	Abstract Equation.....	56
6.2.10.3	Trigger Points.....	57
6.2.11	Mobile Broadcast Reproduction Hard Cut-off Ratio {Broadcast Bearer}	57
6.2.11.1	Abstract Definition.....	57
6.2.11.2	Abstract Equation.....	57
6.2.11.3	Trigger Points.....	57
6.2.12	Mobile Broadcast Audio Quality {Broadcast Bearer}	58
6.2.12.1	Abstract Definition.....	58
6.2.12.2	Abstract Equation.....	58
6.2.12.3	Trigger Points.....	58
6.2.13	Mobile Broadcast Video Quality {Broadcast Bearer}	58
6.2.13.1	Abstract Definition.....	58
6.2.13.2	Abstract Equation.....	58
6.2.13.3	Trigger Points.....	58
6.3	Ping	59
6.3.1	Ping Round Trip Time [ms].....	59
6.3.1.1	Abstract Definition.....	59
6.3.1.2	Abstract Equation.....	59
6.3.1.3	Trigger Points.....	59
6.4	Push to Talk over Cellular (PoC)	59
6.4.1	Definitions	60
6.4.2	Generic Signal Flow	61
6.4.3	PoC Registration Failure Ratio [%]	62
6.4.3.1	Abstract Definition.....	62
6.4.3.2	Abstract Equation.....	63
6.4.3.3	Trigger Points.....	63
6.4.4	PoC Registration Time [s]	63
6.4.4.1	Abstract Definition.....	63
6.4.4.2	Abstract Equation.....	64
6.4.4.3	Trigger Points.....	64
6.4.5	PoC Publish Failure Ratio [%].....	64
6.4.5.1	Abstract Definition.....	64
6.4.5.2	Abstract Equation.....	65
6.4.5.3	Trigger Points.....	65
6.4.6	PoC Publish Time [s].....	65
6.4.6.1	Abstract Definition.....	65
6.4.6.2	Abstract Equation.....	65
6.4.6.3	Trigger Points.....	66
6.4.7	PoC Registration Failure Ratio (long) [%]	66
6.4.7.1	Abstract Definition.....	66

6.4.7.2	Abstract Equation.....	66
6.4.7.3	Trigger Points.....	66
6.4.8	PoC Registration Time (long) [s].....	67
6.4.8.1	Abstract Definition.....	67
6.4.8.2	Abstract Equation.....	67
6.4.8.3	Trigger Points.....	67
6.4.9	PoC Session Initiation Failure Ratio (on-demand) [%]	67
6.4.9.1	Abstract Definition.....	67
6.4.9.2	Abstract Equation.....	68
6.4.9.3	Trigger Points.....	68
6.4.10	PoC Session Initiation Time (on-demand) [s].....	68
6.4.10.1	Abstract Definition.....	68
6.4.10.2	Abstract Equation.....	69
6.4.10.3	Trigger Points.....	70
6.4.11	PoC Session Media Parameters Negotiation Failure Ratio (pre-established) [%]	70
6.4.11.1	Abstract Definition.....	70
6.4.11.2	Abstract Equation.....	70
6.4.11.3	Trigger Points.....	71
6.4.12	PoC Session Media Parameters Negotiation Time (pre-established) [s]	71
6.4.12.1	Abstract Definition.....	71
6.4.12.2	Abstract Equation.....	71
6.4.12.3	Trigger Points.....	72
6.4.13	PoC Session Initiation Failure Ratio (pre-established) [%]	72
6.4.13.1	Abstract Definition.....	72
6.4.13.2	Abstract Equation.....	72
6.4.13.3	Trigger Points.....	73
6.4.14	PoC Session Initiation Time (pre-established) [s]	73
6.4.14.1	Abstract Definition.....	73
6.4.14.2	Abstract Equation.....	74
6.4.14.3	Trigger Points.....	74
6.4.15	PoC Session Setup Failure Ratio (on-demand) [%]	74
6.4.15.1	Abstract Definition.....	74
6.4.15.2	Abstract Equation.....	75
6.4.15.3	Trigger Points.....	75
6.4.16	PoC Session Setup Failure Ratio (pre-established) [%]	75
6.4.16.1	Abstract Definition.....	75
6.4.16.2	Abstract Equation.....	75
6.4.16.3	Trigger Points.....	76
6.4.17	PoC Session Setup Time [s].....	76
6.4.17.1	Abstract Definition:.....	76
6.4.17.2	Abstract Equation.....	77
6.4.17.3	Trigger Points.....	77
6.4.18	PoC Push to Speak Failure Ratio [%]	77
6.4.18.1	Abstract Definition.....	77
6.4.18.2	Abstract Equation.....	77
6.4.18.3	Trigger Points.....	78
6.4.19	PoC Push to Speak Time [s]	78
6.4.19.1	Abstract Definition.....	78
6.4.19.2	Abstract Equation.....	78
6.4.19.3	Trigger Points.....	79
6.4.20	PoC Session Leaving Failure Ratio (on-demand) [%]	79
6.4.20.1	Abstract Definition.....	79
6.4.20.2	Abstract Equation.....	79
6.4.20.3	Trigger Points.....	79
6.4.21	PoC Session Leaving Time (on-demand) [s]	80
6.4.21.1	Abstract Definition.....	80
6.4.21.2	Abstract Equation.....	80
6.4.21.3	Trigger Points.....	80
6.4.22	PoC Session Leaving Failure Ratio (pre-established) [%]	80
6.4.22.1	Abstract Definition.....	80
6.4.22.2	Abstract Equation.....	81
6.4.22.3	Trigger Points.....	81

6.4.23	PoC Session Leaving Time (pre-established) [s]	81
6.4.23.1	Abstract Definition.....	81
6.4.23.2	Abstract Equation.....	82
6.4.23.3	Trigger Points.....	82
6.4.24	PoC Deregistration Failure Ratio [%]	82
6.4.24.1	Abstract Definition.....	82
6.4.24.2	Abstract Equation.....	82
6.4.24.3	Trigger Points.....	83
6.4.25	PoC Deregistration Time [s]	83
6.4.25.1	Abstract Definition.....	83
6.4.25.2	Abstract Equation.....	83
6.4.25.3	Trigger Points.....	84
6.4.26	PoC Busy Floor Response Failure Ratio [%]	84
6.4.26.1	Abstract Definition.....	84
6.4.26.2	Abstract Equation.....	84
6.4.26.3	Trigger Points.....	84
6.4.27	PoC Busy Floor Response Time [s]	84
6.4.27.1	Abstract Definition.....	84
6.4.27.2	Abstract Equation.....	85
6.4.27.3	Trigger Points.....	85
6.4.28	PoC Talk Burst Request Failure Ratio [%]	85
6.4.28.1	Abstract Definition.....	85
6.4.28.2	Abstract Equation.....	86
6.4.28.3	Trigger Points.....	86
6.4.29	PoC Talk Burst Request Time [s]	86
6.4.29.1	Abstract Definition.....	86
6.4.29.2	Abstract Equation.....	86
6.4.29.3	Trigger Points.....	87
6.4.30	PoC Talk Burst Cut-off Ratio [%]	87
6.4.30.1	Abstract Definition.....	87
6.4.30.2	Abstract Equation.....	87
6.4.30.3	Trigger Points.....	88
6.4.31	PoC Talk Burst Packet Drop Ratio [%]	88
6.4.31.1	Abstract Definition.....	88
6.4.31.2	Abstract Equation.....	88
6.4.31.3	Trigger Points.....	89
6.4.32	PoC Voice Transmission Delay (first) [s]	89
6.4.32.1	Abstract Definition.....	89
6.4.32.2	Abstract Equation.....	90
6.4.32.3	Trigger Points.....	90
6.4.33	PoC Speech Transmission Delay (others) [s]	90
6.4.33.1	Abstract Definition.....	90
6.4.33.2	Abstract Equation.....	91
6.4.33.3	Trigger Points.....	91
6.4.34	PoC Speech Quality	91
6.4.35	Group Management QoS Parameter	91
6.4.36	Group Document related QoS Parameter.....	91
6.4.37	Instant Message QoS Parameter	91
6.5	Streaming Video.....	91
6.5.1	Definitions	91
6.5.1.1	Streaming Session or Session.....	91
6.5.2	Prerequisites.....	91
6.5.3	Streaming Scenarios	92
6.5.3.1	Generic Streaming Signalling Flow	92
6.5.3.2	Parameter Overview Chart.....	93
6.5.4	Streaming Service Non-Accessibility [%]	93
6.5.4.1	Abstract Definition.....	93
6.5.4.2	Abstract Equation.....	93
6.5.4.3	Trigger Points.....	93
6.5.5	Streaming Service Access Time [s]	94
6.5.5.1	Abstract Definition.....	94
6.5.5.2	Abstract Equation.....	94

6.5.5.3	Trigger Points.....	94
6.5.6	Streaming Reproduction Cut-off Ratio [%]	94
6.5.6.1	Abstract Definition.....	94
6.5.6.2	Abstract Equation.....	94
6.5.6.3	Trigger Points.....	94
6.5.7	Streaming Audio Quality	95
6.5.7.1	Abstract Definition.....	95
6.5.7.2	Abstract Equation.....	95
6.5.7.3	Trigger Points.....	95
6.5.8	Streaming Video Quality	95
6.5.8.1	Abstract Definition.....	95
6.5.8.2	Abstract Equation.....	95
6.5.8.3	Trigger Points.....	95
6.5.9	Streaming Audio/Video De-Synchronization	95
6.5.9.1	Abstract Definition.....	95
6.5.9.2	Abstract Equation.....	96
6.5.9.3	Trigger Points.....	96
6.5.10	Streaming Reproduction Start Failure Ratio [%]	96
6.5.10.1	Abstract Definition.....	96
6.5.10.2	Abstract Equation.....	96
6.5.10.3	Trigger Points.....	96
6.5.11	Streaming Reproduction Start Delay [s]	96
6.5.11.1	Abstract Definition.....	96
6.5.11.2	Abstract Equation.....	96
6.5.11.3	Trigger Points.....	97
6.5.12	Streaming Teardown Failure Ratio [%]	97
6.5.12.1	Abstract Definition.....	97
6.5.12.2	Abstract Equation.....	97
6.5.12.3	Trigger Points.....	97
6.5.13	Streaming Teardown Time [s]	97
6.5.13.1	Abstract Definition.....	97
6.5.13.2	Abstract Equation.....	97
6.5.13.3	Trigger Points.....	97
6.5.14	Streaming Rebuffering Failure Ratio [%]	98
6.5.14.1	Abstract Definition.....	98
6.5.14.2	Abstract Equation.....	98
6.5.14.3	Trigger Points.....	98
6.5.15	Streaming Rebuffering Time [s]	98
6.5.15.1	Abstract Definition.....	98
6.5.15.2	Abstract Equation.....	98
6.5.15.3	Trigger Points.....	98
6.6	Telephony	99
6.6.1	Telephony Service Non-Accessibility [%]	99
6.6.1.1	Abstract Definition.....	99
6.6.1.2	Abstract Equation.....	99
6.6.1.3	Trigger Points.....	99
6.6.2	Telephony Setup Time [s].....	103
6.6.2.1	Abstract Definition.....	103
6.6.2.2	Abstract Equation.....	103
6.6.2.3	Trigger Points.....	103
6.6.3	Telephony Speech Quality on Call Basis.....	103
6.6.3.1	Abstract Definition.....	103
6.6.3.2	Abstract Equation.....	104
6.6.3.3	Trigger Points.....	104
6.6.4	Telephony Speech Quality on Sample Basis	104
6.6.4.1	Abstract Definition.....	104
6.6.4.2	Abstract Equation.....	104
6.6.4.3	Trigger Points.....	104
6.6.5	Telephony Cut-off Call Ratio [%]	105
6.6.5.1	Abstract Definition.....	105
6.6.5.2	Abstract Equation.....	105
6.6.5.3	Trigger Points.....	105

6.6.6	Telephony CLIP Failure Ratio [%].....	105
6.6.6.1	Abstract Definition.....	105
6.6.6.2	Abstract Equation.....	105
6.6.6.3	Trigger Points.....	106
6.7	Video Telephony	106
6.7.1	Network Accessibility/Availability	106
6.7.2	Parameter Overview Chart.....	106
6.7.3	VT Service Non-Accessibility [%]	108
6.7.3.1	Abstract Definition.....	108
6.7.3.2	Abstract Equation.....	108
6.7.3.3	Trigger Points.....	108
6.7.4	VT Service Access Time [s]	109
6.7.4.1	Abstract Definition.....	109
6.7.4.2	Abstract Equation.....	109
6.7.4.3	Trigger Points.....	109
6.7.5	VT Audio/Video Setup Failure Ratio [%]	109
6.7.5.1	Abstract Definition.....	109
6.7.5.2	Abstract Equation.....	110
6.7.5.3	Trigger Points.....	110
6.7.6	VT Audio/Video Setup Time [s].....	110
6.7.6.1	Abstract Definition.....	110
6.7.6.2	Abstract Equation.....	110
6.7.6.3	Trigger Points.....	111
6.7.7	VT Cut-off Call Ratio [%]	111
6.7.7.1	Abstract Definition.....	111
6.7.7.2	Abstract Equation.....	111
6.7.7.3	Trigger Points.....	112
6.7.8	VT Speech Quality on Call Basis	112
6.7.8.1	Abstract Definition.....	112
6.7.8.2	Abstract Equation.....	113
6.7.8.3	Trigger Points.....	113
6.7.9	VT Speech Quality on Sample Basis	114
6.7.9.1	Abstract Definition.....	114
6.7.9.2	Abstract Equation.....	114
6.7.9.3	Trigger Points.....	115
6.7.10	VT Video Quality	115
6.7.10.1	Abstract Definition.....	115
6.7.10.2	Abstract Equation.....	115
6.7.10.3	Trigger Points.....	116
6.7.11	VT End-To-End Mean One-Way Transmission Time [s].....	116
6.7.11.1	Abstract Definition.....	116
6.7.11.2	Abstract Equation.....	116
6.7.11.3	Trigger Points.....	117
6.7.12	VT Audio/Video Synchronization [%]	117
6.7.12.1	Abstract Definition.....	117
6.7.12.2	Abstract Equation.....	117
6.7.12.3	Trigger Points.....	117
6.7.13	Signalling Diagrams	118
6.8	Web Browsing (HTTP)	121
6.8.1	HTTP Service Non-Accessibility [%].....	121
6.8.1.1	Abstract Definition.....	121
6.8.1.2	Abstract Equation.....	121
6.8.1.3	Trigger Points.....	121
6.8.2	HTTP Setup Time [s].....	121
6.8.2.1	Abstract Definition.....	121
6.8.2.2	Abstract Equation.....	121
6.8.2.3	Trigger Points.....	122
6.8.3	HTTP IP-Service Access Failure Ratio [%]	122
6.8.3.1	Abstract Definition.....	122
6.8.3.2	Abstract Equation.....	122
6.8.3.3	Trigger Points.....	122
6.8.4	HTTP IP-Service Setup Time [s].....	122

6.8.4.1	Abstract Definition.....	122
6.8.4.2	Abstract Equation.....	123
6.8.4.3	Trigger Points.....	123
6.8.5	HTTP Session Failure Ratio [%]	123
6.8.5.1	Abstract Definition.....	123
6.8.5.2	Abstract Equation.....	123
6.8.5.3	Trigger Points.....	123
6.8.6	HTTP Session Time [s].....	123
6.8.6.1	Abstract Definition.....	123
6.8.6.2	Abstract Equation.....	123
6.8.6.3	Trigger Points.....	124
6.8.7	HTTP Mean Data Rate [kbit/s]	124
6.8.7.1	Abstract Definition.....	124
6.8.7.2	Abstract Equation.....	124
6.8.7.3	Trigger Points.....	124
6.8.8	HTTP Data Transfer Cut-off Ratio [%]	124
6.8.8.1	Abstract Definition.....	124
6.8.8.2	Abstract Equation.....	125
6.8.8.3	Trigger Points.....	125
6.9	Web Radio.....	125
6.9.1	General.....	125
6.9.2	Preconditions	125
6.9.3	Special remarks on Internet radio audio playback and buffering.....	126
6.9.4	Transaction Definition from User's perspective.....	126
6.9.5	Result Definition.....	126
6.9.6	QoS Parameter Overview	126
6.9.7	Web Radio EPG Retrieval Failure Ratio [%]	127
6.9.7.1	Abstract Definition.....	127
6.9.7.2	Abstract Equation.....	127
6.9.7.3	Trigger Points.....	127
6.9.8	Web Radio EPG Retrieval Time [s].....	127
6.9.8.1	Abstract Definition.....	127
6.9.8.2	Abstract Equation.....	127
6.9.8.3	Trigger Points.....	127
6.9.9	Web Radio Tune-in Failure Ratio [%]	127
6.9.9.1	Abstract Definition.....	127
6.9.9.2	Abstract Equation.....	128
6.9.9.3	Trigger Points.....	128
6.9.10	Web Radio Tune-in Time [s].....	128
6.9.10.1	Abstract Definition.....	128
6.9.10.2	Abstract Equation.....	128
6.9.10.3	Trigger Points.....	128
6.9.11	Web Radio Reproduction Set-up Failure Ratio [%]	128
6.9.11.1	Abstract Definition.....	128
6.9.11.2	Abstract Equation.....	128
6.9.11.3	Trigger Points.....	129
6.9.12	Web Radio Reproduction Set-Up Time [s].....	129
6.9.12.1	Abstract Definition.....	129
6.9.12.2	Abstract Equation.....	129
6.9.12.3	Trigger Points.....	129
6.9.13	Web Radio Reproduction Cut-off Ratio [%]	129
6.9.13.1	Abstract Definition.....	129
6.9.13.2	Abstract Equation.....	130
6.9.13.3	Trigger Points.....	130
6.9.14	Web Radio Audio Quality	130
6.10	WLAN service provisioning with HTTP based authentication.....	131
6.10.1	Generic Signal Flow	131
6.10.2	WLAN Scan Failure Ratio [%]	132
6.10.2.1	Abstract Definition.....	132
6.10.2.2	Abstract Equation.....	132
6.10.2.3	Trigger Points.....	132
6.10.3	WLAN Time to Scan [s].....	132

6.10.3.1	Abstract Definition.....	132
6.10.3.2	Abstract Equation.....	133
6.10.3.3	Trigger Points.....	133
6.10.4	WLAN PS Data Service Provisioning Failure Ratio [%]	133
6.10.4.1	Abstract Definition.....	133
6.10.4.2	Abstract Equation.....	133
6.10.4.3	Trigger Points.....	134
6.10.5	WLAN PS Data Service Provisioning Time [s].....	134
6.10.5.1	Abstract Definition.....	134
6.10.5.2	Abstract Equation.....	135
6.10.5.3	Trigger Points.....	135
6.10.6	WLAN Association Failure Ratio [%].....	136
6.10.6.1	Abstract Definition.....	136
6.10.6.2	Abstract Equation.....	136
6.10.6.3	Trigger Points.....	136
6.10.7	WLAN Association Time [s]	136
6.10.7.1	Abstract Definition.....	136
6.10.7.2	Abstract Equation.....	137
6.10.7.3	Trigger Points.....	137
6.10.8	WLAN IP Address Allocation Failure Ratio [%]	137
6.10.8.1	Abstract Definition.....	137
6.10.8.2	Abstract Equation.....	137
6.10.8.3	Trigger Points.....	137
6.10.9	WLAN IP Address Allocation Time [s]	138
6.10.9.1	Abstract Definition.....	138
6.10.9.2	Abstract Equation.....	138
6.10.9.3	Trigger Points.....	138
6.10.10	WLAN Landing Page Download Failure Ratio [%]	138
6.10.10.1	Abstract Definition.....	138
6.10.10.2	Abstract Equation.....	138
6.10.10.3	Trigger Points.....	138
6.10.11	WLAN Landing Page Download Time [s]	139
6.10.11.1	Abstract Definition.....	139
6.10.11.2	Abstract Equation.....	139
6.10.11.3	Trigger Points.....	139
6.10.12	WLAN Landing Page Password Retrieval Failure Ratio [%]	139
6.10.12.1	Abstract Definition.....	139
6.10.12.2	Abstract Equation.....	139
6.10.12.3	Trigger Points.....	139
6.10.13	WLAN Landing Page Password Retrieval Time [s]	140
6.10.13.1	Abstract Definition.....	140
6.10.13.2	Abstract Equation.....	140
6.10.13.3	Trigger Points.....	140
6.10.14	WLAN Landing Page Authorization Failure Ratio [%]	140
6.10.14.1	Abstract Definition.....	140
6.10.14.2	Abstract Equation.....	140
6.10.14.3	Trigger Points.....	140
6.10.15	WLAN Landing Page Authorization Time [s]	141
6.10.15.1	Abstract Definition.....	141
6.10.15.2	Abstract Equation.....	141
6.10.15.3	Trigger Points.....	141
6.10.16	WLAN Re-accessibility Failure Ratio [%]	141
6.10.16.1	Abstract Definition.....	141
6.10.16.2	Abstract Equation.....	141
6.10.16.3	Trigger Points.....	142
6.10.17	WLAN Re-accessibility Time [s]	142
6.10.17.1	Abstract Definition.....	142
6.10.17.2	Abstract Equation.....	142
6.10.17.3	Trigger Points.....	142
6.10.18	WLAN Logout Page Download Failure Ratio [%].....	142
6.10.18.1	Abstract Definition.....	142
6.10.18.2	Abstract Equation.....	143

6.10.18.3	Trigger Points.....	143
6.10.19	WLAN Logout Page Download Time [s]	143
6.10.19.1	Abstract Definition.....	143
6.10.19.2	Abstract Equation.....	143
6.10.19.3	Trigger Points.....	143
6.11	Wireless Application Protocol (WAP)	143
6.11.1	WAP Activation Failure Ratio [%] (WAP 1.x only)	144
6.11.1.1	Abstract Definition.....	144
6.11.1.2	Abstract Equation.....	145
6.11.1.3	Trigger Points.....	145
6.11.2	WAP Activation Time [s] (WAP 1.x only).....	145
6.11.2.1	Abstract Definition.....	145
6.11.2.2	Abstract Equation.....	145
6.11.2.3	Trigger Points.....	145
6.11.3	WAP {Page} IP Access Failure Ratio [%] (WAP 2.x only).....	145
6.11.3.1	Abstract Definition.....	145
6.11.3.2	Abstract Equation.....	146
6.11.3.3	Trigger Points.....	146
6.11.4	WAP {Page} IP Access Setup Time [s] (WAP 2.x only)	146
6.11.4.1	Abstract Definition.....	146
6.11.4.2	Abstract Equation.....	146
6.11.4.3	Trigger Points.....	146
6.11.5	WAP {Page} Session Failure Ratio [%].....	146
6.11.5.1	Abstract Definition.....	146
6.11.5.2	Abstract Equation.....	147
6.11.5.3	Trigger Points.....	147
6.11.6	WAP {Page} Session Time [s]	147
6.11.6.1	Abstract Definition.....	147
6.11.6.2	Abstract Equation.....	147
6.11.6.3	Trigger Points.....	147
6.11.7	WAP {Page} Request Failure Ratio [%]	148
6.11.7.1	Abstract Definition.....	148
6.11.7.2	Abstract Equation.....	148
6.11.7.3	Trigger Points.....	148
6.11.8	WAP {Page} Request Time [s]	148
6.11.8.1	Abstract Definition.....	148
6.11.8.2	Abstract Equation.....	148
6.11.8.3	Trigger Points.....	148
6.11.9	WAP {Page} Mean Data Rate [kbit/s].....	149
6.11.9.1	Abstract Definition.....	149
6.11.9.2	Abstract Equation.....	149
6.11.9.3	Trigger Points.....	149
6.11.10	WAP {Page} Data Transfer Cut-off Ratio [%]	149
6.11.10.1	Abstract Definition.....	149
6.11.10.2	Abstract Equation.....	149
6.11.10.3	Trigger Points.....	150
6.11.11	WAP {Page} Data Transfer Time [s]	150
6.11.11.1	Abstract Definition.....	150
6.11.11.2	Abstract Equation.....	150
6.11.11.3	Trigger Points.....	150
6.12	IMS Multimedia Telephony	150
6.12.1	MTSI Registration Failure Ratio [%]	151
6.12.1.1	Abstract Definition.....	151
6.12.1.2	Abstract Equation.....	151
6.12.1.3	Trigger Points.....	152
6.12.2	MTSI Registration Time [s].....	152
6.12.2.1	Abstract Definition.....	152
6.12.2.2	Abstract Equation.....	153
6.12.2.3	Trigger Points.....	153
6.12.3	MTSI Session Set-up Failure Ratio [%]	153
6.12.3.1	Abstract Definition.....	153
6.12.3.2	Abstract Equation.....	153

6.12.3.3	Trigger Points.....	154
6.12.4	MTSI Session Set-up Time [s].....	154
6.12.4.1	Abstract Definition.....	154
6.12.4.2	Abstract Equation.....	154
6.12.4.3	Trigger Points.....	155
6.12.5	MTSI Session Add Failure Ratio [%]	156
6.12.5.1	Abstract Definition.....	156
6.12.5.2	Abstract Equation.....	156
6.12.5.3	Trigger Points.....	156
6.12.6	MTSI Session Add Time [s]	156
6.12.6.1	Abstract Definition.....	156
6.12.6.2	Abstract Equation.....	157
6.12.6.3	Trigger Points.....	157
6.12.7	MTSI Session Remove Failure Ratio [%].....	158
6.12.7.1	Abstract Definition.....	158
6.12.7.2	Abstract Equation.....	158
6.12.7.3	Trigger Points.....	158
6.12.8	MTSI Session Remove Time [s].....	158
6.12.8.1	Abstract Definition.....	158
6.12.8.2	Abstract Equation.....	158
6.12.8.3	Trigger Points.....	159
6.12.9	MTSI Session Completion Failure Ratio [%]	159
6.12.9.1	Abstract Definition.....	159
6.12.9.2	Abstract Equation.....	159
6.12.9.3	Trigger Points.....	160
6.12.10	MTSI Speech Quality	160
6.12.10.1	Abstract Definition.....	160
6.12.10.2	Abstract Equation.....	160
6.12.10.3	Trigger Points.....	160
6.12.11	MTSI Speech Transmission Delay [s].....	161
6.12.11.1	Abstract Definition.....	161
6.12.11.2	Abstract Equation.....	161
6.12.11.3	Trigger Points.....	161
6.12.12	MTSI Speech Path Delay [s].....	161
6.12.12.1	Abstract Definition.....	161
6.12.12.2	Abstract Equation.....	161
6.12.12.3	Trigger Points.....	162
6.12.13	MTSI Video Quality	162
6.12.13.1	Abstract Definition.....	162
6.12.13.2	Abstract Equation.....	162
6.12.13.3	Trigger Points.....	163
6.12.14	MTSI Video Transmission Delay [s]	163
6.12.14.1	Abstract Definition.....	163
6.12.14.2	Abstract Equation.....	163
6.12.14.3	Trigger Points.....	163
6.12.15	MTSI Video Path Delay [s]	164
6.12.15.1	Abstract Definition.....	164
6.12.15.2	Abstract Equation.....	164
6.12.15.3	Trigger Points.....	164
6.12.16	MTSI Audio/Video De-Synchronization [%]	164
6.12.16.1	Abstract Definition.....	164
6.12.16.2	Abstract Equation.....	165
6.12.16.3	Trigger Points.....	165
6.12.17	MTSI Real-Time Text Failure Ratio [%].....	165
6.12.17.1	Abstract Definition.....	165
6.12.17.2	Abstract Equation.....	165
6.12.17.3	Trigger Points.....	166
6.12.18	MTSI Real-Time Text Delivery Time [s]	166
6.12.18.1	Abstract Definition.....	166
6.12.18.2	Abstract Equation.....	166
6.12.18.3	Trigger Points.....	166
6.12.19	MTSI Messaging Failure Ratio [%].....	167