

ETSI TS 101 376-5-3 V3.1.1 (2009-07)

Technical Specification

GEO-Mobile Radio Interface Specifications (Release 3) Third Generation Satellite Packet Radio Service; Part 5: Radio interface physical layer specifications; Sub part 3: Channel Coding; GMR-1 3G 45.003

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/fb7dc630-9aec-4c0e-822d-0e0f0af4de7e/etsi-ts-101-376-5-3-v3.1.1-2009-07>



Reference

RTS/SES-00309-5-3

Keywords

3G, coding, GMPRS, GMR, GPRS, GSM, GSO,
interface, MES, mobile, MSS, radio, satellite

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	11
Foreword.....	11
Introduction	12
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	15
3 Definitions and abbreviations.....	15
3.1 Definitions.....	15
3.2 Abbreviations	15
4 General	16
4.1 General organization	16
4.2 Naming convention	16
4.3 Parity checking.....	16
4.4 Convolutional coding	17
4.4.1 Convolutional encoding (all channels except TCH3).....	17
4.4.1.1 Rate 1/2 convolutional code.....	17
4.4.1.2 Rate 1/4 convolutional code.....	17
4.4.1.3 Rate 1/3 convolutional code.....	17
4.4.1.4 Rate 1/5 convolutional code.....	17
4.4.1.5 Rate 1/2 convolutional code (constraint length 9).....	17
4.4.2 Convolutional encoding for TCH3	17
4.4.3 Viterbi decoder for TCH3.....	17
4.4.4 Convolutional encoding for Extended PUI.....	18
4.4.5 Tail Biting Rate 1/2 convolutional code, constraint length 5.....	18
4.4.6 Tail Biting Rate 1/2 convolutional code, constraint length 9.....	18
4.4.7 Tail Biting Rate 1/3 convolutional code, constraint length 5.....	19
4.4.8 Rate 1/4 Constraint length 9 Convolutional Encoder.....	19
4.4.9 Rate 1/3 Constraint length 9 Convolutional Encoder	20
4.5 Puncturing and repetition	20
4.6 Golay encoding	24
4.7 Reed-Solomon encoding	25
4.7.1 Encoder.....	25
4.7.2 Galois field arithmetics.....	25
4.7.3 Encoder feedback register operation.....	25
4.8 Interleaving.....	25
4.8.1 Intraburst interleaving.....	25
4.8.2 Interburst interleaving.....	25
4.9 Scrambling	25
4.10 LDPC Codes.....	25
4.11 Turbo codes	29
4.11.1 Turbo encoder.....	29
4.11.2 Turbo Code Termination	30
4.11.3 Turbo code internal interleaver.....	30
4.11.4 Turbo Code Puncturing.....	32
5 Traffic channels.....	35
5.1 Traffic channel-3 (TCH3).....	35
5.1.1 Channel coding	35
5.1.2 Interleaving.....	35
5.1.3 Scrambling, multiplexing, and encryption.....	36
5.2 Traffic channel-6 (TCH6).....	36
5.2.1 Channel coding	36
5.2.1.1 Coding for 2,4 kbps fax.....	36

5.2.1.2	Coding for 2,4 kbps data	36
5.2.1.3	Coding for 4,8 kbps fax/data	36
5.2.2	Interleaving	36
5.2.3	Scrambling, multiplexing, and encryption	36
5.3	Traffic channel-9 (TCH9).....	36
5.3.1	Channel coding	36
5.3.1.1	Coding for 2,4 kbps fax	36
5.3.1.2	Coding for 4,8 kbps fax	36
5.3.1.3	Coding for 9,6 kbps fax/data	36
5.3.2	Interleaving	36
5.3.3	Scrambling, multiplexing, and encryption	36
6	Control channels	37
6.1	Broadcast Control CHannel (BCCH)	37
6.1.1	Channel coding	37
6.1.2	Interleaving	37
6.1.3	Scrambling and multiplexing	37
6.1a	Broadcast Control Channel over DC12 burst	37
6.1a.1	Channel coding	37
6.1a.2	Interleaving	37
6.1a.3	Scrambling and multiplexing	37
6.2	Paging CHannel (PCH)	37
6.2.1	Channel coding	37
6.2.2	Interleaving	37
6.2.3	Scrambling and multiplexing	37
6.2a	Paging Channel over DC12 burst	38
6.2a.1	Channel coding	38
6.2a.2	Interleaving	38
6.2a.3	Scrambling and multiplexing	38
6.3	Access Grant CHannel (AGCH)	38
6.3.1	Channel coding	38
6.3.2	Interleaving	38
6.3a	Access Grant Channel over DC12 burst	38
6.3a.1	Channel coding	38
6.3a.2	Interleaving	38
6.3a.3	Scrambling and multiplexing	38
6.4	Broadcast Alerting CHannel (BACH)	38
6.4.1	Channel coding	39
6.5	Random Access CHannel (RACH)	39
6.5.1	Channel coding	39
6.5.2	Interleaving	39
6.5.3	Scrambling and multiplexing	39
6.5a	Random Access Channel3 (RACH3)	39
6.5a.1	Channel coding	39
6.5a.2	Interleaving	39
6.5a.3	Scrambling and multiplexing	39
6.6	Cell Broadcast CHannel (CBCH)	39
6.6.1	Channel coding	39
6.6.2	Interleaving	39
6.7	Standalone Dedicated Control CHannel (SDCCH)	40
6.7.1	Channel coding	40
6.7.2	Interleaving	40
6.7.3	Scrambling, multiplexing, and encryption	40
6.8	Slow Associated Control CHannel (SACCH)	40
6.8.1	Channel coding	40
6.8.2	Interleaving	40
6.9	Fast Associated Control CHannel-3 (FACCH3)	40
6.9.1	Channel coding	40
6.9.2	Interleaving	40
6.9.3	Scrambling, multiplexing, and encryption	40
6.10	Fast Associated Control CHannel-6 (FACCH6)	40
6.10.1	Channel coding	40

6.10.2	Interleaving	41
6.10.3	Scrambling, multiplexing, and encryption	41
6.11	Fast Associated Control CHannel-9 (FACCH9)	41
6.11.1	Channel coding	41
6.11.2	Interleaving	41
6.11.3	Scrambling, multiplexing, and encryption	41
6.12	Terminal-to-terminal Associated Control CHannel (TACCH).....	41
6.12.1	TACCH channel coding.....	41
6.12.2	Interleaving	41
6.12.3	Scrambling and multiplexing	41
6.12.4	PHYSical (PHY) header for TACCH.....	41
6.13	GPS Broadcast CHannel (GBCH).....	41
6.13.1	Channel coding	41
6.13.2	Interleaving	42
6.13.3	Scrambling and multiplexing	42
6.13a	GPS Broadcast Channel3 (GBCH3).....	42
6.13a.1	Channel coding	42
6.13a.2	Interleaving	42
6.13a.3	Scrambling and multiplexing	42
6.14	ULMAP.....	42
6.14.1	ULMAP for PNB3 (5,3)/downlink	42
6.14.1.1	Channel coding	42
6.14.1.2	Interleaving	42
6.14.1.3	Scrambling and multiplexing	42
6.14.1.4	Repetition.....	43
6.14.2	ULMAP for PNB3(5,12)/downlink	43
6.14.2.1	Channel coding	43
6.14.2.2	Interleaving	43
6.14.2.3	Scrambling and multiplexing	43
6.14.2.4	Repetition.....	43
6.14.3	ULMAP for PNB3 (10,3).....	43
6.14.3.1	Channel coding	43
6.14.3.2	Interleaving	43
6.14.3.3	Scrambling and multiplexing	43
6.14.3.4	Repetition.....	44
7	Logical channel multiplexing.....	44
7.1	SACCH multiplexing	44
7.2	Status field.....	44
7.2.1	Power control field.....	44
7.2.1.1	DCH (Dedicated Channel) Power control field.....	44
7.2.2	Comfort noise field	45
7.2.3	Link Quality Indicator field	45
7.3	Status field with NTN bursts	45
7.3.1	Status field with NT6 and NT9 bursts	45
7.3.2	Status field with NT3 bursts	45
7.3.2.1	Status field with NT3 bursts for encoded speech	45
7.3.2.2	Status field with NT3 bursts for FACCH.....	45
7.3.3	Status field with Keep-Alive Bursts (KAB)	45
7.4	Status field with DCH bursts.....	45
7.4.1	Status field with PNB3(1,3), PNB3(1,6), and PNB3(1,8).....	45
7.4.2	Status field with KAB3(1,3),	46
7.4.3	Status field with KAB3(1,6)	46
7.4.4	Status field with KAB3(1,8).....	46
8	Encryption	46
9	Packet Switched Channels.....	46
9.1	Packet Data Traffic Channels.....	46
9.1.1	Public Information (PUI)	47
9.1.1a	Extended PUI (A/Gb mode only)	47
9.1.1b	Public Information (PUI3)	47
9.1.1b.1	PUI3 for PNB3(5,3)/downlink and PNB3 (5,12)/downlink	47

9.1.1b.1.1	Channel coding.....	47
9.1.1b.1.2	Interleaving.....	47
9.1.1b.1.3	Scrambling and multiplexing.....	47
9.1.1b.1.4	Repetition	47
9.1.1b.2	PUI3 for PNB3(10,3).....	47
9.1.1b.2.1	Channel coding.....	48
9.1.1b.2.2	Interleaving.....	48
9.1.1b.2.3	Scrambling and multiplexing.....	48
9.1.1b.2.4	Repetition	48
9.1.1b.3	PUI3 for PNB3(2,6).....	48
9.1.1b.3.1	Channel coding.....	48
9.1.1b.3.2	Interleaving.....	48
9.1.1b.3.3	Scrambling and multiplexing.....	48
9.1.1b.3.4	Repetition	48
9.1.2	Void	49
9.1.3	Packet Normal Burst PNB(4,3).....	49
9.1.3.1	Rate 1/2 convolutional coding.....	49
9.1.3.2	Rate 5/8 convolutional coding.....	49
9.1.3.3	Rate 3/4 convolutional coding.....	49
9.1.3.4	Interleaving	50
9.1.3.5	Scrambling, multiplexing, and encryption	50
9.1.4	Packet Normal Burst PNB(5,3).....	50
9.1.4.1	Rate 1/2 convolutional coding.....	50
9.1.4.2	Rate 5/8 convolutional coding.....	50
9.1.4.3	Rate 3/4 convolutional coding.....	51
9.1.4.4	Interleaving	51
9.1.4.5	Scrambling, multiplexing, and encryption.....	51
9.1.5	Void	51
9.1.6	Packet Normal Burst PNB(1,6).....	51
9.1.6.1	Rate 3/5 convolutional coding.....	51
9.1.6.2	Rate 7/10 convolutional coding.....	52
9.1.6.3	Rate 4/5 convolutional coding.....	52
9.1.6.4	Interleaving	52
9.1.6.5	Scrambling, multiplexing, and encryption.....	52
9.1.7	Packet Normal Burst PNB(2,6).....	52
9.1.7.1	Rate 3/5 convolutional coding.....	52
9.1.7.2	Rate 7/10 convolutional coding.....	53
9.1.7.3	Rate 4/5 convolutional coding.....	53
9.1.7.4	Interleaving	53
9.1.7.5	Scrambling, multiplexing, and encryption.....	53
9.1.8	Packet Normal Burst PNB2(5,12).....	53
9.1.8.1	$\pi/4$ QPSK Rate 0,497 LDPC Coding	54
9.1.8.2	$\pi/4$ QPSK Rate 0,508 LDPC Coding	54
9.1.8.3	$\pi/4$ QPSK Rate 0,667 LDPC Coding	54
9.1.8.4	$\pi/4$ QPSK Rate 0,681 LDPC Coding	54
9.1.8.5	$\pi/4$ QPSK Rate 0,800 LDPC Coding	55
9.1.8.6	$\pi/4$ QPSK Rate 0,818 LDPC Coding	55
9.1.8.7	$\pi/4$ QPSK Rate 0,899 LDPC Coding	55
9.1.8.8	$\pi/4$ QPSK Rate 0,919 LDPC Coding	55
9.1.8.9	16APSK Rate 0,667 LDPC Coding	56
9.1.8.10	16APSK Rate 0,681 LDPC Coding	56
9.1.8.11	16APSK Rate 0,800 LDPC Coding	56
9.1.8.12	16APSK Rate 0,818 LDPC Coding	56
9.1.8.13	16APSK Rate 0,900 LDPC Coding	57
9.1.8.14	32APSK Rate 0,765 LDPC Coding	57
9.1.8.15	32APSK Rate 0,818 LDPC Coding	57
9.1.8.16	Interleaving	57
9.1.8.17	Scrambling, multiplexing, and encryption	57
9.1.9	LDPC Coded Packet Normal Burst PNB2(5,3).....	57
9.1.9.1	$\pi/4$ QPSK Rate 0,509 LDPC Coding	58
9.1.9.2	$\pi/4$ QPSK Rate 0,660 LDPC Coding	58

9.1.9.3	$\pi/4$ QPSK Rate 0,793 LDPC Coding	58
9.1.9.4	$\pi/4$ QPSK Rate 0,894 LDPC Coding	58
9.1.9.5	16APSK Rate 0,664 LDPC Coding	59
9.1.9.6	16APSK Rate 0,797 LDPC Coding	59
9.1.9.7	16APSK Rate 0,898 LDPC Coding	59
9.1.9.8	32APSK Rate 0,748 LDPC Coding	59
9.1.9.8	32APSK Rate 0,798 LDPC Coding	60
9.1.9.9	Interleaving	60
9.1.9.10	Scrambling, multiplexing, and encryption	60
9.1.10	Packet Normal Burst PNB3(1,3).....	60
9.1.10.1	PNB3(1,3) 2,45 kbps speech	60
9.1.10.1.1	Channel coding	60
9.1.10.1.2	Interleaving	61
9.1.10.1.3	Scrambling.....	61
9.1.10.2	PNB3(1,3) 2,6 kbps data over DCH (Dedicated Channel)	61
9.1.10.2.1	Channel coding.....	61
9.1.10.2.2	Interleaving.....	61
9.1.10.2.3	Scrambling.....	61
9.1.10.3	PNB3(1,3) 4 kbps Speech	61
9.1.10.3.1	Channel coding	61
9.1.10.3.2	Interleaving	62
9.1.10.3.3	Scrambling.....	62
9.1.10.4	PNB3(1,3) 4 kbps data over DCH (Dedicated Channel).....	62
9.1.10.4.1	Channel coding.....	62
9.1.10.4.2	Interleaving.....	62
9.1.10.4.3	Scrambling.....	62
9.1.11	Packet Normal Burst PNB3(1,6).....	62
9.1.11.1	PNB3(1,6) 2,45 kbps Speech	62
9.1.11.1.1	Channel coding.....	63
9.1.11.1.2	Interleaving.....	63
9.1.11.1.3	Scrambling.....	63
9.1.11.2	PNB3(1,6) 2,6 kbps Data over DCH (Dedicated channel).....	63
9.1.11.2.1	Channel coding.....	63
9.1.11.2.2	Interleaving.....	63
9.1.11.2.3	Scrambling.....	63
9.1.11.3	PNB3(1,6) 4 kbps Speech	64
9.1.11.3.1	Channel coding.....	64
9.1.11.3.2	Interleaving.....	64
9.1.11.3.3	Scrambling.....	64
9.1.11.4	PNB3(1,6) 4 kbps Data over DCH(Dedicated Channel)	64
9.1.11.4.1	Channel coding	64
9.1.11.4.2	Interleaving	65
9.1.11.4.3	Scrambling.....	65
9.1.12	Packet Normal Burst PNB3(1,8).....	65
9.1.12.1	PNB3(1,8) 4 kbps speech	65
9.1.12.1.1	Channel coding	65
9.1.12.1.2	Interleaving	65
9.1.12.1.3	Scrambling.....	65
9.1.12.2	PNB3(1,8) 4 kbps data over DCH(Dedicated Channel).....	65
9.1.12.2.1	Channel coding.....	66
9.1.12.2.2	Interleaving	66
9.1.12.2.3	Scrambling.....	66
9.1.13	Packet Normal Burst PNB3(2,6)/uplink	66
9.1.13.1	Rate 3/5 Turbo coding.....	66
9.1.13.2	Rate 7/10 Turbo coding.....	66
9.1.13.3	Rate 4/5 Turbo coding.....	67
9.1.13.4	Interleaving	67
9.1.13.5	Scrambling, multiplexing, and encryption	67
9.1.14	Packet Normal Burst PNB3(2,6)/downlink	67
9.1.14.1	Rate 3/5 Turbo coding.....	67
9.1.14.2	Rate 7/10 Turbo coding.....	67
9.1.14.3	Rate 4/5 Turbo coding.....	68

9.1.14.4	Interleaving	68
9.1.14.5	Scrambling, multiplexing, and encryption	68
9.1.15	PNB3 (5,3) burst.....	68
9.1.15.1	$\pi/4$ QPSK PNB3(5,3) Rate 1/2	68
9.1.15.1.1	Channel coding.....	68
9.1.15.1.2	Interleaving.....	68
9.1.15.1.3	Scrambling.....	69
9.1.15.2	$\pi/4$ QPSK PNB3(5,3) Rate 5/8	69
9.1.15.2.1	Channel coding.....	69
9.1.15.2.2	Interleaving.....	69
9.1.15.2.3	Scrambling.....	69
9.1.15.3	$\pi/4$ QPSK PNB3(5,3) Rate $3/4$	69
9.1.15.3.1	Channel Coding.....	69
9.1.15.3.2	Interleaving.....	69
9.1.15.3.3	Scrambling.....	69
9.1.15.4	$\pi/4$ QPSK PNB3(5,3) Rate 5/6	70
9.1.15.4.1	Channel coding.....	70
9.1.15.4.2	Interleaving.....	70
9.1.15.4.3	Scrambling.....	70
9.1.15.5	16APSK PNB3(5,3) Rate 2/3.....	70
9.1.15.5.1	Channel coding.....	70
9.1.15.5.2	Interleaving.....	70
9.1.15.5.3	Scrambling.....	70
9.1.16	PNB3 (5,3) burst carrying ULMAP.....	71
9.1.16.1	$\pi/4$ QPSK PNB3(5,3) Rate 1/2 burst carrying ULMAP	71
9.1.16.1.1	Channel coding.....	71
9.1.16.1.2	Interleaving.....	71
9.1.16.1.3	Scrambling.....	71
9.1.16.2	$\pi/4$ QPSK PNB3(5,3) Rate 5/8 carrying ULMAP	71
9.1.16.2.1	Channel coding.....	71
9.1.16.2.2	Interleaving.....	71
9.1.16.2.3	Scrambling.....	71
9.1.16.3	$\pi/4$ QPSK PNB3(5,3) Rate $3/4$ carrying ULMAP	72
9.1.16.3.1	Channel Coding.....	72
9.1.16.3.2	Interleaving.....	72
9.1.16.3.3	Scrambling.....	72
9.1.16.4	$\pi/4$ QPSK PNB3(5,3) Rate 5/6 carrying ULMAP	72
9.1.16.4.1	Channel coding.....	72
9.1.16.4.2	Interleaving.....	72
9.1.16.4.3	Scrambling.....	72
9.1.16.5	16APSK PNB3(5,3) carrying ULMAP Rate 2/3.....	73
9.1.16.5.1	Channel coding.....	73
9.1.16.5.2	Interleaving.....	73
9.1.16.5.3	Scrambling.....	73
9.1.17	PNB3 (5,12) burst.....	73
9.1.17.1	$\pi/4$ QPSK PNB3(5,12) burst Rate 1/2.....	73
9.1.17.1.1	Channel coding.....	73
9.1.17.1.2	Interleaving.....	73
9.1.17.1.3	Scrambling.....	74
9.1.17.2	$\pi/4$ QPSK PNB3(5,12) burst Rate 5/8.....	74
9.1.17.2.1	Channel coding.....	74
9.1.17.2.2	Interleaving.....	74
9.1.17.2.3	Scrambling.....	74
9.1.17.3	$\pi/4$ QPSK PNB35,12) burst Rate $3/4$	74
9.1.17.3.1	Channel coding.....	74
9.1.17.3.2	Interleaving.....	74
9.1.17.3.3	Scrambling.....	74
9.1.17.4	$\pi/4$ QPSK PNB3(5,12) burst Rate 5/6.....	75
9.1.17.4.1	Channel coding.....	75
9.1.17.4.2	Interleaving.....	75
9.1.17.4.3	Scrambling.....	75

9.1.17.5	16APSK PNB3(5,12) burst Rate 2/3.....	75
9.1.17.5.1	Channel coding.....	75
9.1.17.5.2	Interleaving.....	75
9.1.17.5.3	Scrambling.....	75
9.1.18	PNB3(5,12) burst carrying ULMAP.....	76
9.1.18.1	$\pi/4$ QPSK PNB3(5,12) Rate 1/2 burst carrying ULMAP.....	76
9.1.18.1.1	Channel coding.....	76
9.1.18.1.2	Interleaving.....	76
9.1.18.1.3	Scrambling.....	76
9.1.18.2	$\pi/4$ QPSK PNB3(5,12) Rate 5/8 burst carrying ULMAP.....	76
9.1.18.2.1	Channel coding.....	76
9.1.18.2.2	Interleaving.....	76
9.1.18.2.3	Scrambling.....	77
9.1.18.3	$\pi/4$ QPSK PNB3(5,12) Rate 3/4 burst carrying ULMAP.....	77
9.1.18.3.1	Channel coding.....	77
9.1.18.3.2	Interleaving.....	77
9.1.18.3.3	Scrambling.....	77
9.1.18.4	$\pi/4$ QPSK PNB3(5,12) Rate 5/6 burst carrying ULMAP.....	77
9.1.18.4.1	Channel coding.....	77
9.1.18.4.2	Interleaving.....	77
9.1.18.4.3	Scrambling.....	77
9.1.18.5	16APSK PNB3(5,12) Rate 2/3 burst carrying ULMAP.....	78
9.1.18.5.1	Channel coding.....	78
9.1.18.5.2	Interleaving.....	78
9.1.18.5.3	Scrambling.....	78
9.1.19	PNB3(10,3) burst.....	78
9.1.19.1	$\pi/4$ QPSK PNB3(10,3) burst Rate 1/2.....	78
9.1.19.1.1	Channel coding.....	78
9.1.19.1.2	Interleaving.....	79
9.1.19.1.3	Scrambling.....	79
9.1.19.2	$\pi/4$ QPSK PNB3(10,3) burst Rate 5/8.....	79
9.1.19.2.1	Channel coding.....	79
9.1.19.2.2	Interleaving.....	79
9.1.19.2.3	Scrambling.....	79
9.1.19.3	$\pi/4$ QPSK PNB3(10,3) burst Rate 3/4.....	79
9.1.19.3.1	Channel coding.....	79
9.1.19.3.2	Interleaving.....	79
9.1.19.3.3	Scrambling.....	80
9.1.19.4	$\pi/4$ QPSK PNB3(10,3) burst Rate 5/6.....	80
9.1.19.4.1	Channel coding.....	80
9.1.19.4.2	Interleaving.....	80
9.1.19.4.3	Scrambling.....	80
9.1.19.5	16APSK PNB3(10,3) Rate 2/3.....	80
9.1.19.5.1	Channel coding.....	80
9.1.19.5.2	Interleaving.....	80
9.1.19.5.3	Scrambling.....	80
9.1.20	PNB3(10,3) burst carrying ULMAP.....	81
9.1.20.1	$\pi/4$ QPSK PNB3(10,3) Rate 1/2 burst carrying ULMAP.....	81
9.1.20.1.1	Channel coding.....	81
9.1.20.1.2	Interleaving.....	81
9.1.20.1.3	Scrambling.....	81
9.1.20.2	$\pi/4$ QPSK PNB3(10,3) Rate 5/8 burst carrying ULMAP.....	81
9.1.20.2.1	Channel coding.....	81
9.1.20.2.2	Interleaving.....	81
9.1.20.2.3	Scrambling.....	81
9.1.20.3	$\pi/4$ QPSK PNB3(10,3) Rate 3/4 burst carrying ULMAP.....	82
9.1.20.3.1	Channel coding.....	82
9.1.20.3.2	Interleaving.....	82
9.1.20.3.3	Scrambling.....	82
9.1.20.4	$\pi/4$ QPSK PNB3(10,3) Rate 5/6 burst carrying ULMAP.....	82
9.1.20.4.1	Channel coding.....	82

9.1.20.4.2	Interleaving.....	82
9.1.20.4.3	Scrambling.....	82
9.1.20.5	16APSK PNB3(10,3) Rate 2/3 burst carrying ULMAP.....	83
9.1.20.5.1	Channel coding.....	83
9.1.20.5.2	Interleaving.....	83
9.1.20.5.3	Scrambling.....	83
9.2	Packet Access Burst (PAB).....	83
9.2.1	Channel coding.....	83
9.2.2	Interleaving.....	83
9.2.3	Scrambling and multiplexing.....	84
9.2a	Packet Access Burst3 (PAB3).....	84
9.2a.1	Channel coding.....	84
9.2a.2	Interleaving.....	84
9.2a.3	Scrambling and multiplexing.....	84
Annex A (normative):	LDPC address parity bit accumulators	85
Annex B (informative):	Bibliography.....	93
History		94

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/fb7dc630-9aec-4c0e-822d-0e0f0af4de7e/etsi-ts-101-376-5-3-v3.1.1-2009-07>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).

The contents of the present document are subject to continuing work within TC-SES and may change following formal TC-SES approval. Should TC-SES modify the contents of the present document it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version 3.m.n

where:

- the third digit (n) is incremented when editorial only changes have been incorporated in the specification;
- the second digit (m) is incremented for all other types of changes, i.e. technical enhancements, corrections, updates, etc.

The present document is part 5, sub-part 3 of a multi-part deliverable covering the GEO-Mobile Radio Interface Specifications (Release 3); Third Generation Satellite Packet Radio Service, as identified below:

Part 1: "General specifications";

Part 2: "Service specifications";

Part 3: "Network specifications";

Part 4: "Radio interface protocol specifications";

Part 5: "Radio interface physical layer specifications":

Sub-part 1: "Physical Layer on the Radio Path: General Description";

Sub-part 2: "Multiplexing and Multiple Access; Stage 2 Service Description";

Sub-part 3: "Channel Coding";

Sub-part 4: "Modulation";

Sub-part 5: "Radio Transmission and Reception";

Sub-part 6: "Radio Subsystem Link Control";

Sub-part 7: "Radio Subsystem Synchronization";

Part 6: "Speech coding specifications";

Part 7: "Terminal adaptor specifications".

Introduction

GMR stands for GEO (Geostationary Earth Orbit) Mobile Radio interface, which is used for Mobile Satellite Services (MSS) utilizing geostationary satellite(s). GMR is derived from the terrestrial digital cellular standard GSM and supports access to GSM core networks.

The present document is part of the GMR Release 3 specifications. Release 3 specifications are identified in the title and can also be identified by the version number:

- Release 1 specifications have a GMR 1 prefix in the title and a version number starting with "1" (V1.x.x).
- Release 2 specifications have a GMPRS 1 prefix in the title and a version number starting with "2" (V2.x.x).
- Release 3 specifications have a GMR-1 3G prefix in the title and a version number starting with "3" (V3.x.x).

The GMR release 1 specifications introduce the GEO-Mobile Radio interface specifications for circuit mode Mobile Satellite Services (MSS) utilizing geostationary satellite(s). GMR release 1 is derived from the terrestrial digital cellular standard GSM (phase 2) and it supports access to GSM core networks.

The GMR release 2 specifications add packet mode services to GMR release 1. The GMR release 2 specifications introduce the GEO-Mobile Packet Radio Service (GMPRS). GMPRS is derived from the terrestrial digital cellular standard GPRS (included in GSM Phase 2+) and it supports access to GSM/GPRS core networks.

The GMR release 3 specifications evolve packet mode services of GMR release 2 to 3rd generation UMTS compatible services. The GMR release 3 specifications introduce the GEO-Mobile Radio Third Generation (GMR-1 3G) service. Where applicable, GMR-1 3G is derived from the terrestrial digital cellular standard 3GPP and it supports access to 3GPP core networks.

Due to the differences between terrestrial and satellite channels, some modifications to the GSM or 3GPP standard are necessary. Some GSM and 3GPP specifications are directly applicable, whereas others are applicable with modifications. Similarly, some GSM and 3GPP specifications do not apply, while some GMR specifications have no corresponding GSM or 3GPP specification.

Since GMR is derived from GSM and 3GPP, the organization of the GMR specifications closely follows that of GSM or 3GPP as appropriate. The GMR numbers have been designed to correspond to the GSM and 3GPP numbering system. All GMR specifications are allocated a unique GMR number. This GMR number has a different prefix for Release 2 and Release 3 specifications as follows:

- Release 1: GMR n xx.zyy.
- Release 2: GMPRS n xx.zyy.
- Release 3: GMR-1 3G xx.zyy.

where:

- xx.0yy ($z = 0$) is used for GMR specifications that have a corresponding GSM or 3GPP specification. In this case, the numbers xx and yy correspond to the GSM or 3GPP numbering scheme.
- xx.2yy ($z = 2$) is used for GMR specifications that do not correspond to a GSM or 3GPP specification. In this case, only the number xx corresponds to the GSM or 3GPP numbering scheme and the number yy is allocated by GMR.
- n denotes the first ($n = 1$) or second ($n = 2$) family of GMR specifications.

A GMR system is defined by the combination of a family of GMR specifications and GSM and 3GPP specifications as follows:

- If a GMR specification exists it takes precedence over the corresponding GSM or 3GPP specification (if any). This precedence rule applies to any references in the corresponding GSM or 3GPP specifications.

NOTE: Any references to GSM or 3GPP specifications within the GMR specifications are not subject to this precedence rule. For example, a GMR specification may contain specific references to the corresponding GSM or 3GPP specification.

- If a GMR specification does not exist, the corresponding GSM or 3GPP specification may or may not apply. The applicability of the GSM and 3GPP specifications is defined in GMR-1 3G 41.201 [2].

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/fb7dc630-9aec-4c0e-822d-0e0f0af4de7e/etsi-ts-101-376-5-3-v3.1.1-2009-07>