

First edition  
1993-05-01

AMENDMENT 10  
1998-10-01

---

---

**Information technology — Universal  
Multiple-Octet Coded Character Set  
(UCS) —**

**Part 1:  
Architecture and Basic Multilingual Plane**

**AMENDMENT 10: Ethiopic**

*Technologies de l'information — Jeu universel de caractères codés à  
plusieurs octets —*

*Partie 1: Architecture et table multilingue*

*AMENDEMENT 10: Éthiopien*

<https://standards.iteh.ai/catalog/standards/sist/48271144-b379-4b5f-99a8-81ee76076330/iso-iec-10646-1-1993-amd-10-1998>



## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 10 to ISO/IEC 10646-1:1993 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 2, *Coded character sets*.

[ISO/IEC 10646-1:1993/Amd 10:1998](https://standards.iteh.ai/catalog/standards/sist/48271144-b379-4b5f-99a8-81ee7609b55c/iso-iec-10646-1-1993-amd-10-1998)

<https://standards.iteh.ai/catalog/standards/sist/48271144-b379-4b5f-99a8-81ee7609b55c/iso-iec-10646-1-1993-amd-10-1998>

© ISO/IEC 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland  
Printed in Switzerland

# Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

## Part 1: Architecture and Basic Multilingual Plane

### AMENDMENT 10: Ethiopic

#### Page 11, Clause 19

*In the list of Block names, after the entry HANGUL JAMO, insert a new entry as follows:*

ETHIOPIC      1200-137F

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

#### Page 15, Clause 25, Figure 4 (see Amendment 5)

*In Figure 4, in the cross-hatched row between rows 11 and 1E, insert in a new row 12-13, in which the bottom-right quadrant is cross-hatched, and the remainder contains the text:*

Ethiopic

*centred on a white background.*

#### After page 75

*Add the following new tables titled:*

**Table 213 - Row 12: ETHIOPIC**

**Table 214 - Row 12: ETHIOPIC**

**Table 215 - Row 13: ETHIOPIC**

TABLE 213 - Row 12: ETHIOPIIC

	120	121	122	123	124	125	126	127
0	ሀ 000	ሐ 016	ሠ 032	ሰ 048	ቀ 064	ቆ 080	ቦ 096	ተ 112
1	ሁ 001	ሑ 017	ሡ 033	ሱ 049	ቁ 065	ቇ 081	ቮ 097	ቲ 113
2	ሂ 002	ሒ 018	ሢ 034	ሲ 050	ቂ 066	ቈ 082	ቮ 098	ቲ 114
3	ሃ 003	ሓ 019	ሣ 035	ሳ 051	ቃ 067	቉ 083	ባ 099	ታ 115
4	ሄ 004	ሔ 020	ሣ 036	ሴ 052	ቄ 068	ቊ 084	ቤ 100	ቲ 116
5	ሀ 005	ሐ 021	ሥ 037	ሰ 053	ቅ 069	ቆ 085	ብ 101	ተ 117
6	ሀ 006	ሐ 022	ሥ 038	ሰ 054	ቆ 070	ቆ 086	ቦ 102	ቶ 118
7		ሐ 023	ሣ 039	ሰ 055			ባ 103	ቲ 119
8	ለ 008	መ 024	ረ 040	ሸ 056	ቈ 072	ቊ 088	ቨ 104	ቶ 120
9	ሉ 009	ሙ 025	ሩ 041	ሹ 057			ቮ 105	ቶ 121
A	ሊ 010	ሚ 026	ሪ 042	ሺ 058	ቀላ 074	ቆላ 090	ቪ 106	ቶ 122
B	ላ 011	ማ 027	ራ 043	ሻ 059	ቁ 075	ቇ 091	ባ 107	ቶ 123
C	ሌ 012	ሚ 028	ሪ 044	ሼ 060	ቁ 076	ቇ 092	ቮ 108	ቶ 124
D	ል 013	ም 029	ር 045	ሸ 061	ቀላ 077	ቆላ 093	ብ 109	ቶ 125
E	ሎ 014	ሞ 030	ሮ 046	ሾ 062			ቮ 110	ቶ 126
F	ሊ 015	ሚ 031	ራ 047	ሻ 063			ቪ 111	ቶ 127

iTeh STANDARD PREVIEW  
(standardsitehai)  
ISO/IEC 10646-1:1993/Amd.10:1998  
https://standards.iteh.ai/catalog/standards/iso-iec/10646-1-1993-amd-10-1998

G = 00  
P = 00

TABLE 213 - Row 12: ETHIOPIC

dec	hex	Name	dec	hex	Name
000	00	ETHIOPIC SYLLABLE HA	089	59	(This position shall not be used)
001	01	ETHIOPIC SYLLABLE HU	090	5A	ETHIOPIC SYLLABLE QHWI
002	02	ETHIOPIC SYLLABLE HI	091	5B	ETHIOPIC SYLLABLE QHWAA
003	03	ETHIOPIC SYLLABLE HAA	092	5C	ETHIOPIC SYLLABLE QHWEE
004	04	ETHIOPIC SYLLABLE HEE	093	5D	ETHIOPIC SYLLABLE QHWE
005	05	ETHIOPIC SYLLABLE HE	094	5E	(This position shall not be used)
006	06	ETHIOPIC SYLLABLE HO	095	5F	(This position shall not be used)
007	07	(This position shall not be used)	096	60	ETHIOPIC SYLLABLE BA
008	08	ETHIOPIC SYLLABLE LA	097	61	ETHIOPIC SYLLABLE BU
009	09	ETHIOPIC SYLLABLE LU	098	62	ETHIOPIC SYLLABLE BI
010	0A	ETHIOPIC SYLLABLE LI	099	63	ETHIOPIC SYLLABLE BAA
011	0B	ETHIOPIC SYLLABLE LAA	100	64	ETHIOPIC SYLLABLE BEE
012	0C	ETHIOPIC SYLLABLE LEE	101	65	ETHIOPIC SYLLABLE BE
013	0D	ETHIOPIC SYLLABLE LE	102	66	ETHIOPIC SYLLABLE BO
014	0E	ETHIOPIC SYLLABLE LO	103	67	ETHIOPIC SYLLABLE BWA
015	0F	ETHIOPIC SYLLABLE LWA	104	68	ETHIOPIC SYLLABLE VA
016	10	ETHIOPIC SYLLABLE HHA	105	69	ETHIOPIC SYLLABLE VU
017	11	ETHIOPIC SYLLABLE HHU	106	6A	ETHIOPIC SYLLABLE VI
018	12	ETHIOPIC SYLLABLE HHI	107	6B	ETHIOPIC SYLLABLE VAA
019	13	ETHIOPIC SYLLABLE HHAA	108	6C	ETHIOPIC SYLLABLE VEE
020	14	ETHIOPIC SYLLABLE HHEE	109	6D	ETHIOPIC SYLLABLE VE
021	15	ETHIOPIC SYLLABLE HHE	110	6E	ETHIOPIC SYLLABLE VO
022	16	ETHIOPIC SYLLABLE HHO	111	6F	ETHIOPIC SYLLABLE VWA
023	17	ETHIOPIC SYLLABLE HHWA	112	70	ETHIOPIC SYLLABLE TA
024	18	ETHIOPIC SYLLABLE MA	113	71	ETHIOPIC SYLLABLE TU
025	19	ETHIOPIC SYLLABLE MU	114	72	ETHIOPIC SYLLABLE TI
026	1A	ETHIOPIC SYLLABLE MI	115	73	ETHIOPIC SYLLABLE TAA
027	1B	ETHIOPIC SYLLABLE MAA	116	74	ETHIOPIC SYLLABLE TEE
028	1C	ETHIOPIC SYLLABLE MEE	117	75	ETHIOPIC SYLLABLE TE
029	1D	ETHIOPIC SYLLABLE ME	118	76	ETHIOPIC SYLLABLE TO
030	1E	ETHIOPIC SYLLABLE MO	119	77	ETHIOPIC SYLLABLE TWA
031	1F	ETHIOPIC SYLLABLE MWA	120	78	ETHIOPIC SYLLABLE CA
032	20	ETHIOPIC SYLLABLE SZA	121	79	ETHIOPIC SYLLABLE CU
033	21	ETHIOPIC SYLLABLE SZU	122	7A	ETHIOPIC SYLLABLE CI
034	22	ETHIOPIC SYLLABLE SZI	123	7B	ETHIOPIC SYLLABLE CAA
035	23	ETHIOPIC SYLLABLE SZAA	124	7C	ETHIOPIC SYLLABLE CEE
036	24	ETHIOPIC SYLLABLE SZEE	125	7D	ETHIOPIC SYLLABLE CE
037	25	ETHIOPIC SYLLABLE SZE	126	7E	ETHIOPIC SYLLABLE CO
038	26	ETHIOPIC SYLLABLE SZO	127	7F	ETHIOPIC SYLLABLE CWA
039	27	ETHIOPIC SYLLABLE SZWA			
040	28	ETHIOPIC SYLLABLE PA			
041	29	ETHIOPIC SYLLABLE RU			
042	2A	ETHIOPIC SYLLABLE RI			
043	2B	ETHIOPIC SYLLABLE RAA			
044	2C	ETHIOPIC SYLLABLE REE			
045	2D	ETHIOPIC SYLLABLE RO			
046	2E	ETHIOPIC SYLLABLE RWA			
047	2F	ETHIOPIC SYLLABLE SA			
048	30	ETHIOPIC SYLLABLE SU			
049	31	ETHIOPIC SYLLABLE SI			
050	32	ETHIOPIC SYLLABLE SAA			
051	33	ETHIOPIC SYLLABLE SEE			
052	34	ETHIOPIC SYLLABLE SE			
053	35	ETHIOPIC SYLLABLE SO			
054	36	ETHIOPIC SYLLABLE SWA			
055	37	ETHIOPIC SYLLABLE SHA			
056	38	ETHIOPIC SYLLABLE SHU			
057	39	ETHIOPIC SYLLABLE SHI			
058	3A	ETHIOPIC SYLLABLE SHAA			
059	3B	ETHIOPIC SYLLABLE SHEE			
060	3C	ETHIOPIC SYLLABLE SHE			
061	3D	ETHIOPIC SYLLABLE SHO			
062	3E	ETHIOPIC SYLLABLE SHWA			
063	3F	ETHIOPIC SYLLABLE QA			
064	40	ETHIOPIC SYLLABLE QU			
065	41	ETHIOPIC SYLLABLE QI			
066	42	ETHIOPIC SYLLABLE QAA			
067	43	ETHIOPIC SYLLABLE QEE			
068	44	ETHIOPIC SYLLABLE QEE			
069	45	ETHIOPIC SYLLABLE QE			
070	46	ETHIOPIC SYLLABLE QO			
071	47	(This position shall not be used)			
072	48	ETHIOPIC SYLLABLE QWA			
073	49	(This position shall not be used)			
074	4A	ETHIOPIC SYLLABLE QWI			
075	4B	ETHIOPIC SYLLABLE QWAA			
076	4C	ETHIOPIC SYLLABLE QWEE			
077	4D	ETHIOPIC SYLLABLE QWE			
078	4E	(This position shall not be used)			
079	4F	(This position shall not be used)			
080	50	ETHIOPIC SYLLABLE QHA			
081	51	ETHIOPIC SYLLABLE QHU			
082	52	ETHIOPIC SYLLABLE QHI			
083	53	ETHIOPIC SYLLABLE QHAA			
084	54	ETHIOPIC SYLLABLE QHEE			
085	55	ETHIOPIC SYLLABLE QHE			
086	56	ETHIOPIC SYLLABLE QHO			
087	57	(This position shall not be used)			
088	58	ETHIOPIC SYLLABLE QHWA			

iTech STANDARD (standards.iteh.ai)  
 ISO/IEC 10646-1:1993/Amd 10:1998  
<https://standards.iteh.ai/catalog/standards/sis/48271144-b379-4b5f-99a8-81ee7609b55c/iso-iec-10646-1-1993-amd-10-1998>

TABLE 214 - Row 12: ETHIOPIC

	128	129	12A	12B	12C	12D	12E	12F
0	ገ 128	ነ 144	አ 160	ከዐ 176	ኸዐ 192	ዐ 208	ዠ 224	ዪ 240
1	ጉ 129	ኑ 145	ኡ 161			ዑ 209	ዡ 225	ያ 241
2	ጊ 130	ኒ 146	ኢ 162	ከሩ 178	ኸሩ 194	ዒ 210	ዢ 226	ዣ 242
3	ጋ 131	ና 147	አ 163	ኳ 179	ኹ 195	ዓ 211	ዣ 227	ዥ 243
4	ጌ 132	ኔ 148	ኤ 164	ኴ 180	ኹ 196	ዓ 212	ዣ 228	ዪ 244
5	ግ 133	ን 149	አ 165	ከተ 181	ኸተ 197	ዐ 213	ዠ 229	ዪ 245
6	ግ 134	ዖ 150	አ 166			ዖ 214	ዠ 230	ዪ 246
7		ዘ 151	አ 167				ዠ 231	ዪ 247
8	ጎዐ 136	ኘ 152	ከ 168	ኸ 184	ወ 200	ዘ 216	ዖ 232	ዪ 248
9		ኘ 153	ከ 169	ኸ 185	ወ 201	ዘ 217	ዖ 233	ዪ 249
A	ግሩ 138	ኘ 154	ከ 170	ኸ 186	ወ 202	ዘ 218	ዖ 234	ዪ 250
B	ጋ 139	ኘ 155	ከ 171	ኸ 187	ወ 203	ዘ 219	ዖ 235	ዪ 251
C	ጌ 140	ኘ 156	ከ 172	ኸ 188	ወ 204	ዘ 220	ዖ 236	ዪ 252
D	ጉ 141	ኘ 157	ከ 173	ኸ 189	ወ 205	ዘ 221	ዖ 237	ዪ 253
E		ኘ 158	ከ 174	ኸ 190	ወ 206	ዘ 222	ዖ 238	ዪ 254
F		ኘ 159				ዘ 223		ዪ 255

G = 00  
P = 00

TABLE 214 - Row 12: ETHIOPIC

dec	hex	Name	dec	hex	Name
128	80	ETHIOPIC SYLLABLE XA	217	D9	ETHIOPIC SYLLABLE ZU
129	81	ETHIOPIC SYLLABLE XU	218	DA	ETHIOPIC SYLLABLE ZI
130	82	ETHIOPIC SYLLABLE XI	219	DB	ETHIOPIC SYLLABLE ZAA
131	83	ETHIOPIC SYLLABLE XAA	220	DC	ETHIOPIC SYLLABLE ZEE
132	84	ETHIOPIC SYLLABLE XEE	221	DD	ETHIOPIC SYLLABLE ZE
133	85	ETHIOPIC SYLLABLE XE	222	DE	ETHIOPIC SYLLABLE ZO
134	86	ETHIOPIC SYLLABLE XO	223	DF	ETHIOPIC SYLLABLE ZWA
135	87	(This position shall not be used)	224	E0	ETHIOPIC SYLLABLE ZHA
136	88	ETHIOPIC SYLLABLE XWA	225	E1	ETHIOPIC SYLLABLE ZHU
137	89	(This position shall not be used)	226	E2	ETHIOPIC SYLLABLE ZHI
138	8A	ETHIOPIC SYLLABLE XWI	227	E3	ETHIOPIC SYLLABLE ZHAA
139	8B	ETHIOPIC SYLLABLE XWAA	228	E4	ETHIOPIC SYLLABLE ZHEE
140	8C	ETHIOPIC SYLLABLE XWEE	229	E5	ETHIOPIC SYLLABLE ZHE
141	8D	ETHIOPIC SYLLABLE XWE	230	E6	ETHIOPIC SYLLABLE ZHO
142	8E	(This position shall not be used)	231	E7	ETHIOPIC SYLLABLE ZHWA
143	8F	(This position shall not be used)	232	E8	ETHIOPIC SYLLABLE YA
144	90	ETHIOPIC SYLLABLE NA	233	E9	ETHIOPIC SYLLABLE YU
145	91	ETHIOPIC SYLLABLE NU	234	EA	ETHIOPIC SYLLABLE YI
146	92	ETHIOPIC SYLLABLE NI	235	EB	ETHIOPIC SYLLABLE YAA
147	93	ETHIOPIC SYLLABLE NAA	236	EC	ETHIOPIC SYLLABLE YEE
148	94	ETHIOPIC SYLLABLE NEE	237	ED	ETHIOPIC SYLLABLE YE
149	95	ETHIOPIC SYLLABLE NE	238	EE	ETHIOPIC SYLLABLE YO
150	96	ETHIOPIC SYLLABLE NO	239	EF	(This position shall not be used)
151	97	ETHIOPIC SYLLABLE NWA	240	F0	ETHIOPIC SYLLABLE DA
152	98	ETHIOPIC SYLLABLE NYA	241	F1	ETHIOPIC SYLLABLE DU
153	99	ETHIOPIC SYLLABLE NYU	242	F2	ETHIOPIC SYLLABLE DI
154	9A	ETHIOPIC SYLLABLE NYI	243	F3	ETHIOPIC SYLLABLE DAA
155	9B	ETHIOPIC SYLLABLE NYAA	244	F4	ETHIOPIC SYLLABLE DEE
156	9C	ETHIOPIC SYLLABLE NYEE	245	F5	ETHIOPIC SYLLABLE DE
157	9D	ETHIOPIC SYLLABLE NYE	246	F6	ETHIOPIC SYLLABLE DO
158	9E	ETHIOPIC SYLLABLE NYO	247	F7	ETHIOPIC SYLLABLE DWA
159	9F	ETHIOPIC SYLLABLE NYWA	248	F8	ETHIOPIC SYLLABLE DDA
160	A0	ETHIOPIC SYLLABLE GLOTTAL A	249	F9	ETHIOPIC SYLLABLE DDU
161	A1	ETHIOPIC SYLLABLE GLOTTAL U	250	FA	ETHIOPIC SYLLABLE DDI
162	A2	ETHIOPIC SYLLABLE GLOTTAL I	251	FB	ETHIOPIC SYLLABLE DDAA
163	A3	ETHIOPIC SYLLABLE GLOTTAL AA	252	FC	ETHIOPIC SYLLABLE DDEE
164	A4	ETHIOPIC SYLLABLE GLOTTAL EE	253	FD	ETHIOPIC SYLLABLE DDE
165	A5	ETHIOPIC SYLLABLE GLOTTAL E	254	FE	ETHIOPIC SYLLABLE DDO
166	A6	ETHIOPIC SYLLABLE GLOTTAL O	255	FF	ETHIOPIC SYLLABLE DDWA
167	A7	ETHIOPIC SYLLABLE GLOTTAL WA			
168	A8	ETHIOPIC SYLLABLE KA			
169	A9	ETHIOPIC SYLLABLE KU			
170	AA	ETHIOPIC SYLLABLE KI			
171	AB	ETHIOPIC SYLLABLE KAA			
172	AC	ETHIOPIC SYLLABLE KEE			
173	AD	ETHIOPIC SYLLABLE KE			
174	AE	ETHIOPIC SYLLABLE KO			
175	AF	(This position shall not be used)			
176	B0	ETHIOPIC SYLLABLE KWA			
177	B1	(This position shall not be used)			
178	B2	ETHIOPIC SYLLABLE KWI			
179	B3	ETHIOPIC SYLLABLE KWAA			
180	B4	ETHIOPIC SYLLABLE KWEE			
181	B5	ETHIOPIC SYLLABLE KWE			
182	B6	(This position shall not be used)			
183	B7	(This position shall not be used)			
184	B8	ETHIOPIC SYLLABLE KXA			
185	B9	ETHIOPIC SYLLABLE XXU			
186	BA	ETHIOPIC SYLLABLE KXI			
187	BB	ETHIOPIC SYLLABLE KXAA			
188	BC	ETHIOPIC SYLLABLE KXEE			
189	BD	ETHIOPIC SYLLABLE KXE			
190	BE	ETHIOPIC SYLLABLE KXO			
191	BF	(This position shall not be used)			
192	C0	ETHIOPIC SYLLABLE KXWA			
193	C1	(This position shall not be used)			
194	C2	ETHIOPIC SYLLABLE KXWI			
195	C3	ETHIOPIC SYLLABLE KXWAA			
196	C4	ETHIOPIC SYLLABLE KXWEE			
197	C5	ETHIOPIC SYLLABLE KXWE			
198	C6	(This position shall not be used)			
199	C7	(This position shall not be used)			
200	C8	ETHIOPIC SYLLABLE WA			
201	C9	ETHIOPIC SYLLABLE WU			
202	CA	ETHIOPIC SYLLABLE WI			
203	CB	ETHIOPIC SYLLABLE WAA			
204	CC	ETHIOPIC SYLLABLE WEE			
205	CD	ETHIOPIC SYLLABLE WE			
206	CE	ETHIOPIC SYLLABLE WO			
207	CF	(This position shall not be used)			
208	D0	ETHIOPIC SYLLABLE PHARYNGEAL A			
209	D1	ETHIOPIC SYLLABLE PHARYNGEAL U			
210	D2	ETHIOPIC SYLLABLE PHARYNGEAL I			
211	D3	ETHIOPIC SYLLABLE PHARYNGEAL AA			
212	D4	ETHIOPIC SYLLABLE PHARYNGEAL EE			
213	D5	ETHIOPIC SYLLABLE PHARYNGEAL E			
214	D6	ETHIOPIC SYLLABLE PHARYNGEAL O			
215	D7	(This position shall not be used)			
216	D8	ETHIOPIC SYLLABLE ZA			

TABLE 215 - Row 13: ETHIOPIC

	130	131	132	133	134	135	136	137
0	፩ 000	፪ 016	፫ 032	፬ 048	፭ 064	፮ 080		፯ 112
1	፰ 001		፱ 033	፳ 049	፴ 065	፵ 081	፶ 097	፷ 113
2	፸ 002	፹ 018	፺ 034	፻ 050	፼ 066	፽ 082	፿ 098	፾ 114
3	፿ 003	፻ 019	፺ 035	፻ 051	፻ 067	፻ 083	፻ 099	፻ 115
4	፻ 004	፻ 020	፻ 036	፻ 052	፻ 068	፻ 084	፻ 100	፻ 116
5	፻ 005	፻ 021	፻ 037	፻ 053	፻ 069	፻ 085	፻ 101	፻ 117
6	፻ 006		፻ 038	፻ 054	፻ 070	፻ 086	፻ 102	፻ 118
7	፻ 007		፻ 039	፻ 055		፻ 087	፻ 103	፻ 119
8	፻ 008	፻ 024	፻ 040	፻ 056	፻ 072	፻ 088	፻ 104	፻ 120
9	፻ 009	፻ 025	፻ 041	፻ 057	፻ 073	፻ 089	፻ 105	፻ 121
A	፻ 010	፻ 026	፻ 042	፻ 058	፻ 074	፻ 090	፻ 106	፻ 122
B	፻ 011	፻ 027	፻ 043	፻ 059	፻ 075		፻ 107	፻ 123
C	፻ 012	፻ 028	፻ 044	፻ 060	፻ 076		፻ 108	፻ 124
D	፻ 013	፻ 029	፻ 045	፻ 061	፻ 077		፻ 109	
E	፻ 014	፻ 030	፻ 046	፻ 062	፻ 078		፻ 110	
F			፻ 047	፻ 063	፻ 079		፻ 111	

G = 00  
P = 00



TABLE 215 - Row 13: ETHIOPIC

dec	hex	Name	dec	hex	Name
256	00	ETHIOPIC SYLLABLE JA	345	59	ETHIOPIC SYLLABLE MYA
257	01	ETHIOPIC SYLLABLE JU	346	5A	ETHIOPIC SYLLABLE FYA
258	02	ETHIOPIC SYLLABLE JI	347	5B	(This position shall not be used)
259	03	ETHIOPIC SYLLABLE JAA	348	5C	(This position shall not be used)
260	04	ETHIOPIC SYLLABLE JEE	349	5D	(This position shall not be used)
261	05	ETHIOPIC SYLLABLE JE	350	5E	(This position shall not be used)
262	06	ETHIOPIC SYLLABLE JO	351	5F	(This position shall not be used)
263	07	ETHIOPIC SYLLABLE JWA	352	60	(This position shall not be used)
264	08	ETHIOPIC SYLLABLE GA	353	61	ETHIOPIC WORDSPACE
265	09	ETHIOPIC SYLLABLE GU	354	62	ETHIOPIC FULL STOP
266	0A	ETHIOPIC SYLLABLE GI	355	63	ETHIOPIC COMMA
267	0B	ETHIOPIC SYLLABLE GAA	356	64	ETHIOPIC SEMICOLON
268	0C	ETHIOPIC SYLLABLE GEE	357	65	ETHIOPIC COLON
269	0D	ETHIOPIC SYLLABLE GE	358	66	ETHIOPIC PREFACE COLON
270	0E	ETHIOPIC SYLLABLE GO	359	67	ETHIOPIC QUESTION MARK
271	0F	(This position shall not be used)	360	68	ETHIOPIC PARAGRAPH SEPARATOR
272	10	ETHIOPIC SYLLABLE GWA	361	69	ETHIOPIC DIGIT ONE
273	11	(This position shall not be used)	362	6A	ETHIOPIC DIGIT TWO
274	12	ETHIOPIC SYLLABLE GWI	363	6B	ETHIOPIC DIGIT THREE
275	13	ETHIOPIC SYLLABLE GWAA	364	6C	ETHIOPIC DIGIT FOUR
276	14	ETHIOPIC SYLLABLE GWEE	365	6D	ETHIOPIC DIGIT FIVE
277	15	ETHIOPIC SYLLABLE GWE	366	6E	ETHIOPIC DIGIT SIX
278	16	(This position shall not be used)	367	6F	ETHIOPIC DIGIT SEVEN
279	17	(This position shall not be used)	368	70	ETHIOPIC DIGIT EIGHT
280	18	ETHIOPIC SYLLABLE GGA	369	71	ETHIOPIC DIGIT NINE
281	19	ETHIOPIC SYLLABLE GGU	370	72	ETHIOPIC NUMBER TEN
282	1A	ETHIOPIC SYLLABLE GGI	371	73	ETHIOPIC NUMBER TWENTY
283	1B	ETHIOPIC SYLLABLE GGAA	372	74	ETHIOPIC NUMBER THIRTY
284	1C	ETHIOPIC SYLLABLE GGEE	373	75	ETHIOPIC NUMBER FORTY
285	1D	ETHIOPIC SYLLABLE GGE	374	76	ETHIOPIC NUMBER FIFTY
286	1E	ETHIOPIC SYLLABLE GGO	375	77	ETHIOPIC NUMBER SIXTY
287	1F	(This position shall not be used)	376	78	ETHIOPIC NUMBER SEVENTY
288	20	ETHIOPIC SYLLABLE THA	377	79	ETHIOPIC NUMBER EIGHTY
289	21	ETHIOPIC SYLLABLE THU	378	7A	ETHIOPIC NUMBER NINETY
290	22	ETHIOPIC SYLLABLE THI	379	7B	ETHIOPIC NUMBER HUNDRED
291	23	ETHIOPIC SYLLABLE THAA	380	7C	ETHIOPIC NUMBER TEN THOUSAND
292	24	ETHIOPIC SYLLABLE THEE	381	7D	(This position shall not be used)
293	25	ETHIOPIC SYLLABLE THE	382	7E	(This position shall not be used)
294	26	ETHIOPIC SYLLABLE THO	383	7F	(This position shall not be used)
295	27	ETHIOPIC SYLLABLE THWA			
296	28	ETHIOPIC SYLLABLE CHA			
297	29	ETHIOPIC SYLLABLE CHU			
298	2A	ETHIOPIC SYLLABLE CHI			
299	2B	ETHIOPIC SYLLABLE CHAA			
300	2C	ETHIOPIC SYLLABLE CHEE			
301	2D	ETHIOPIC SYLLABLE CHE			
302	2E	ETHIOPIC SYLLABLE CHO			
303	2F	ETHIOPIC SYLLABLE CHWA			
304	30	ETHIOPIC SYLLABLE PHA			
305	31	ETHIOPIC SYLLABLE PHU			
306	32	ETHIOPIC SYLLABLE PHI			
307	33	ETHIOPIC SYLLABLE PHAA			
308	34	ETHIOPIC SYLLABLE PHEE			
309	35	ETHIOPIC SYLLABLE PHE			
310	36	ETHIOPIC SYLLABLE PHO			
311	37	ETHIOPIC SYLLABLE PHWA			
312	38	ETHIOPIC SYLLABLE TSA			
313	39	ETHIOPIC SYLLABLE TSU			
314	3A	ETHIOPIC SYLLABLE TSI			
315	3B	ETHIOPIC SYLLABLE TSAA			
316	3C	ETHIOPIC SYLLABLE TSEE			
317	3D	ETHIOPIC SYLLABLE TSE			
318	3E	ETHIOPIC SYLLABLE TSO			
319	3F	ETHIOPIC SYLLABLE TSWA			
320	40	ETHIOPIC SYLLABLE TZA			
321	41	ETHIOPIC SYLLABLE TZU			
322	42	ETHIOPIC SYLLABLE TZI			
323	43	ETHIOPIC SYLLABLE TZAA			
324	44	ETHIOPIC SYLLABLE TZEE			
325	45	ETHIOPIC SYLLABLE TZE			
326	46	ETHIOPIC SYLLABLE TZO			
327	47	(This position shall not be used)			
328	48	ETHIOPIC SYLLABLE FA			
329	49	ETHIOPIC SYLLABLE FU			
330	4A	ETHIOPIC SYLLABLE FI			
331	4B	ETHIOPIC SYLLABLE FAA			
332	4C	ETHIOPIC SYLLABLE FEE			
333	4D	ETHIOPIC SYLLABLE FE			
334	4E	ETHIOPIC SYLLABLE FO			
335	4F	ETHIOPIC SYLLABLE FWA			
336	50	ETHIOPIC SYLLABLE PA			
337	51	ETHIOPIC SYLLABLE PU			
338	52	ETHIOPIC SYLLABLE PI			
339	53	ETHIOPIC SYLLABLE PAA			
340	54	ETHIOPIC SYLLABLE PEE			
341	55	ETHIOPIC SYLLABLE PE			
342	56	ETHIOPIC SYLLABLE PO			
343	57	ETHIOPIC SYLLABLE PWA			
344	58	ETHIOPIC SYLLABLE RYA			

Group 00

Plane 00

Row 13