INTERNATIONAL STANDARD

IEC 60335-2-59

Third edition 2002-10

Household and similar electrical appliances – Safety –

Part 2-59:

Particular requirements for insect killers

Appareils électrodomestiques et analogues – Sécurité –

Partie 2-59:

Règles particulières pour les destructeurs d'insectes



Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- IEC Web Site (<u>www.iec.ch</u>)
- Catalogue of IEC publications

The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published

This summary of recently issued publications (http://www.iec.ch/online_news/justpub/ip_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre

of you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: <u>sustserv@rec.ch</u> Tel: +41 22 919 02 11 Eax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60335-2-59

Third edition 2002-10

Household and similar electrical appliances – Safety –

Part 2-59:

Particular requirements for insect killers

Appareils électrodomestiques et analogues – Sécurité –

Partie 2-59:

Règles particulières pour les destructeurs d'insectes

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



PRICE CODE

Р

CONTENTS

mative references initions neral requirement neral conditions for the tests ssification king and instructions tection against access to live parts rting of motor-operated appliances ver input and current ating d kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits 10 lurance 11 lurance 11
neral requirement neral conditions for the tests ssification rking and instructions tection against access to live parts rting of motor-operated appliances ver input and current ating d kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits furance
neral conditions for the tests ssification cking and instructions tection against access to live parts rting of motor-operated appliances ver input and current ating d kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits.
ssification king and instructions tection against access to live parts rting of motor-operated appliances ver input and current ating d kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits 1
tection against access to live parts rting of motor-operated appliances ver input and current ating d kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits 1
tection against access to live parts rting of motor-operated appliances ver input and current ating d kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits furance
ver input and current ating d kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits furance
ver input and current ating d kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits furance
ver input and current ating d kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits furance
kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits flurance
kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits flurance
kage current and electric strength at operating temperature nsient overvoltages sture resistance kage current and electric strength erload protection of transformers and associated circuits flurance
kage current and electric strength
kage current and electric strength
erload protection of transformers and associated circuits
erload protection of transformers and associated circuits
durance
normal operation
bility and mechanical hazards
chanical strength1
nstruction
prinal wining 1
mponents
oply connection and external flexible cords1
minals for external conductors12
vision for earthing1
ews and connections12
arances, creepage distances and solid insulation1
sistance to heat, fire and tracking1
sistance to rusting1
diation, toxicity and similar hazards1
s1

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-59: Particular requirements for insect killers

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition cancels and replaces the second edition published in 1997 and its amendment 1 (2000). It constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
61/2172/FDIS	61/2253/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric insect killers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- · amended.

The following differences exist in the countries indicated below:

- 6.1: Class 0 appliances for indoor use having a rated voltage not exceeding 150 V and class 0I appliances are allowed (Japan).
- 6.1: Class 0 appliances are allowed for indoor use only (NSA)
- 7.1: Additional markings are required (USA)
- 16.101: The test is different (USA)
- Clause 22: The high voltage has to be obtained from an isolating transformer (Canada, Japan and USA).
- Clause 22: Earthing of the secondary circuit of the transformer is not allowed (Japan).
- 24.1.3: Interlock switches are operated 6,000 times (Canada and USA).
- 24.101: The contact separation need not be in accordance with IEC 61058-1 (USA).
- 25.7: Other types of supply cords are allowed (Australia and USA).
- 30.101. The test is not carried out on parts of the enclosure classified as V-2 (USA).
- Clause 31: The test is different (Canada and USA).

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

5-2-59:2002

https://standards.iteh.ai/

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-59: Particular requirements for insect killers

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **insect killers** for household and similar purposes, their **rated voltage** being not more than 250 V.

Appliances not intended for normal household use but that nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 101 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary:
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 102 This standard does not apply to

- appliances that function by emitting vaporized chemicals;
- appliances emitting ultrasonic waves;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

NOTE 103 For appliances provided with discharge lamps or tungsten filament lamps, IEC 60598-1 also applies as far as is reasonable.

2 Normative references

Addition:

IEC 60068-2-52:1996, Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions:

- the output circuit is short-circuited;
- the grids are separated by the maximum distance for maintaining an arc, the appliance being operated in cycles consisting of 1 s of operation followed by a rest period of 2 s;
- a resistive load is connected between the grids and adjusted to obtain the maximum current.

3.101

insect killer

appliance that electrocutes insects by applying a voltage between two or more grids

3.102

effective irradiance

irradiance of electromagnetic radiation weighted according to a specific action curve

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

- 5.101 For each test, the most unfavourable condition specified in 3.1.9 is used.
- 5.102 Insect killers are tested as motor-operated appliances.

6 Classificatiø∕n

This clause of Part 1 is applicable except as follows.

6.1 Modification:

Insect killers shall be class I or class II.

6.2 Addition:

Insect killers intended for outdoor use shall be at least IPX4.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Appliances shall be marked with symbol 5036 of IEC 60417-1 or with the substance of the following:

DANGER: High voltage

Appliances provided with replaceable lamps shall be marked with the type reference of the lamp.

7.6 Addition:

4

[symbol 5036 of IEC 60417-1]

dangerous voltage

7.12 Addition:

The instructions shall state whether the appliance is for indoor use only or suitable for outdoor use.

The instructions for appliances for indoor use only shall state that they are not suitable for use in barns, stables and similar locations.

The instructions for appliances intended for outdoor use shall include the substance of the following:

WARNING:

An electric shock hazard may exist if water from a garden hose is directed at the insect killer.

When using extension cords, keep the socket-outlet away from moisture and avoid damage to the cord.

The instructions shall state the substance of the following:

- the appliance is to be kept out of reach of children;
- the appliance is not to be used in locations where flammable vapour or explosive dust is likely to exist.

The instructions shall give details concerning

- the method and frequency of cleaning, together with the precautions to be taken;
- precautions to be taken when replacing lamps and starters, if applicable.

If symbol 5036 of IEC 60417-1 is used, its meaning shall be explained.

7.14 Addition:

The height of symbol 5036 of IEC 60417-1 shall be at least 10 mm.

The height of the lettering of the warning relating to high voltage shall be at least 3 mm.

Compliance is checked by measurement.

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

8.1.1 *Addition:*

When the grid voltage is obtained from an isolating transformer, the test probe may touch earthed parts of the secondary circuit.