

INTERNATIONAL STANDARD

IEC
60335-2-64

Third edition
2002-11

**Household and similar electrical appliances –
Safety –**

**Part 2-64:
Particular requirements for commercial
electric kitchen machines**

*Appareils électrodomestiques et analogues –
Sécurité –*

*Partie 2-64:
Règles particulières pour les machines de cuisine
électriques à usage collectif*



Reference number
IEC 60335-2-64:2002(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur_fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (http://www.iec.ch/online_news/justpub/jp_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre: +4605-84ad-dbeacdb18a1c/iec-60335-2-64-2002

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60335-2-64

Third edition
2002-11

Household and similar electrical appliances – Safety –

Part 2-64: Particular requirements for commercial electric kitchen machines

*Appareils électrodomestiques et analogues –
Sécurité –*

Partie 2-64:

*Règles particulières pour les machines de cuisine
électriques à usage collectif*

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

U

For price, see current catalogue

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references.....	7
3 Definitions	7
4 General requirement.....	8
5 General conditions for the tests	8
6 Classification	9
7 Marking and instructions	9
8 Protection against access to live parts	11
9 Starting of motor-operated appliances	11
10 Power input and current.....	11
11 Heating.....	11
12 Void	12
13 Leakage current and electric strength at operating temperature	12
14 Transient overvoltages.....	12
15 Moisture resistance.....	12
16 Leakage current and electric strength	14
17 Overload protection of transformers and associated circuits.....	14
18 Endurance	14
19 Abnormal operation.....	14
20 Stability and mechanical hazards.....	14
21 Mechanical strength.....	20
22 Construction	20
23 Internal wiring.....	22
24 Components	23
25 Supply connection and external flexible cords.....	23
26 Terminals for external conductors	24
27 Provision for earthing.....	24
28 Screws and connections	24
29 Clearances, creepage distances and solid insulation	24
30 Resistance to heat and fire	24
31 Resistance to rusting	24
32 Radiation, toxicity and similar hazards	24
Annexes.....	27
Bibliography.....	27
Figure 101 – Splash apparatus.....	25
Figure 102 – Protection devices for slicing machines	26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-64: Particular requirements for commercial
electric kitchen machines**

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC subcommittee 61E: Safety of electrical commercial catering equipment, of IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition cancels and replaces the second edition published in 1997 and its amendment 1 (2000). It constitutes a technical revision.

The text of this part of IEC 60335 is based on the following documents:

FDIS	Report on voting
61E/408/FDIS	61E/420/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for commercial electric kitchen machines.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition of Part 1 concerns an adjective, the adjective and the associated noun are also in bold .

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

The following differences exist in the countries indicated below.

- 6.1: Class 01 appliances are allowed if their rated voltage does not exceed 150 V (Japan).
- 6.2: For appliances intended to be installed in a kitchen, an appropriate degree of protection against harmful ingress of water is required according to their height of installation (France).
- 13.2: Leakage current limits are different (Japan).
- 16.2: Leakage current limits are different (Japan).
- Clause 21: For appliances intended to be installed in a kitchen, different values of impact energy are applicable according to the height of the impact point (France).

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

<https://standards.iteh.ai/standards/iec/60335-2-64:2002>

<https://standards.iteh.ai/standards/iec/60335-2-64:2002>

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-64: Particular requirements for commercial electric kitchen machines

1 Scope

This clause of Part 1 is replaced by the following.

This standard deals with the safety of electrically operated commercial **kitchen machines** not intended for household use, their **rated voltage** being not more than 250 V for single phase appliances connected between one phase and neutral, and 480 V for other appliances.

NOTE 101 These appliances are used for example in restaurants, canteens, hospitals and commercial enterprises such as bakeries, butchers, etc.

NOTE 102 Examples of kitchen machines are

- mixers;
- liquid or food blenders;
- kneaders;
- beaters;
- shredders;
- graters;
- mincers;
- slicers;
- peelers;
- tin openers;
- coffee grinders;
- machines used for washing and/or drying food;
- portioning machines;
- pastry rollers;
- noodle strip cutters;
- food processors;
- beam mixers.

This standard also applies to appliances which, in order to facilitate transport, are supplied in several parts (sub-assemblies) which, when assembled at the place of installation, form a constructional unit without the use of any additional parts.

The electrical part of appliances making use of other forms of energy is also within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by these types of appliances.

NOTE 103 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 104 This standard does not apply to

- appliances designed exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- continuous process appliances for the mass production of food;
- independent conveying equipment, such as food distribution belts.

2 Normative references

This clause of Part 1 is applicable.

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.4 Addition:

NOTE 101 The **rated power input** is the sum of the power inputs of all the individual elements in the appliance that can be on at one time; where there are several such combinations possible, that giving the highest power input is used in determining the **rated power input**.

3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions

The appliance is operated without load at **rated voltage** and with controls intended to be adjusted by the user set at maximum until steady conditions are established. The appliance is then loaded in appropriate steps, the supply voltage being maintained at its original value. For each step, steady conditions have to be established before increasing the load. This operation is repeated until just before an overload release operates, or until the steady condition with the highest temperature has been attained.

NOTE 101 The load may be achieved by using an electrical or mechanical brake.

Where it is not possible or is impractical to apply effectively an electrical or mechanical brake, the load is 115 % of the input measured when the appliance is operated without load at **rated voltage** and normal operating temperature, and with controls intended to be adjusted by the user set at maximum.

NOTE 102 Examples of such appliances are

- liquid blenders;
- slicers;
- peelers;
- coffee grinders;
- machines used for washing and/or drying food;
- portioning machines.

3.101

indicated level

mark on the appliance to indicate the maximum liquid level for correct operation

3.102

installation wall

special fixed construction containing supply facilities for appliances installed in conjunction with it

3.103

guard plate

plate similar to a slice thickness plate, fitted to machines with automatic product feeding

3.104

product holder

support for the product to be sliced. The **product holder** can be equipped with a **pusher** or a **feed carriage** and/or a clamping device

3.105

sliding feed table

device that supports the **product holder** and allows it to move forwards and backwards

3.106

feed carriage

device on which the product is placed and that slides on top of the **product holder** in order to move the product towards the blade

3.107

pusher

device used to move the product along the **product holder** against the thickness plate

3.108

last slice device

plate with which the last portion of the product is fed to the cutting blade

NOTE The plate can be fitted on the **pusher**, clamping device or **feed carriage**.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.6 Addition:

Speed controls are set in accordance with the instructions for use.

5.10 Addition:

*Appliances intended for installation in a bank of other appliances and appliances intended to be fixed to an **installation wall** are enclosed to obtain protection against electric shock and harmful ingress of water equivalent to that when installed in accordance with the instructions provided with the appliance.*

NOTE 101 Appropriate enclosures or additional appliances may be needed for test purposes.

5.101 Appliances are tested as *motor-operated appliances*, even if they incorporate a *heating element*.

5.102 Appliances, when assembled in combination with or incorporating other appliances, are tested in accordance with the requirements of this standard. The other appliances are operated simultaneously in accordance with the requirements of the relevant standards.

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 Replacement:

Hand-held appliances shall be **class II** or **class III** with respect to protection against electric shock. Other appliances shall be **class I**, **class II** or **class III** with respect to protection against electric shock.

Compliance is checked by inspection and by the relevant tests.

6.2 Modification:

Instead of the requirement, the following applies.

Appliances shall be at least IPX1 with respect to protection against harmful ingress of water.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

If the appliance is marked with rated "on" and "off" periods, the marking shall correspond to normal use. The marking of the "on" period shall precede the marking of the "off" period, both markings being separated by an oblique stroke.

In addition, appliances shall be marked with the water pressure or range of pressures, in kilopascals (kPa), for appliances intended to be connected to a water supply, unless this is indicated in the instructions for use.

If the reversal of a motor could cause a hazard, then the direction of rotation should be clearly and visibly indicated on the motor, if the direction of rotation depends on the way the motor is connected to the supply.

7.6 Addition:



[symbol 5021 of IEC 60417-1]

equipotentiality

7.12 Addition:

The instructions for use shall include the operating times and speed settings for accessories, unless this information is marked on the appliance.

The instructions for use shall warn against misuse, and shall state that care is needed when handling cutting blades during cleaning.

The instructions for use shall contain instructions for cleaning of all surfaces coming into contact with food during normal use.