



# SLOVENSKI STANDARD SIST ETS 300 476-1:1999

01-maj-1999

8 [[ ]HJbY]nVc`ýUbYVfYnj fj ] bYHfY\_ca i b]\_UWfYfB97HL!'G\_i db]j a Ygb]\_f7 4!  
DfcZcfa U]nUj Yc`g`UXbcgh]nj YXVYdfcfc\_c`UfD=7 G4!'%'XY.'Ca fYybUd`Ugh  
fBK ?4!'dfYbcgbUfUX]g\_UnU\_`1 ]hYj `fDHL

Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI);  
Protocol Implementation Conformance Statement (PICS) proforma; Part 1: Network  
(NWK) layer - Portable radio Termination (PT)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 476-1:1999  
https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999](https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999)

Ta slovenski standard je istoveten z: **ETS 300 476-1 Edition 1**

### ICS:

33.070.30      Öä äæ) ^/ä à| lzæ) ^      Digital Enhanced Cordless  
à!^: ç|cã} ^/æ |^ \ [ { ~ } ä æä      Telecommunications (DECT)  
ÖÖÖVD


SIST ETS 300 476-1:1999

en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 476-1:1999](#)

<https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999>



**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 476-1**

August 1996

Source: ETSI TC-RES

Reference: DE/RES-03042-1

ICS: 33.020, 33.060.50

**Key words:** DECT, CI, PICS

**Radio Equipment and Systems (RES);  
Digital Enhanced Cordless Telecommunications (DECT);  
Common Interface (CI);  
Protocol Implementation Conformance Statement (PICS)**

<https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993e50c/sist-95d1dacb-f599-4708-aeb8-5627993e50c/proforma-1999>

**Part 1: Network (NWK) layer - Portable radio Termination (PT)**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 476-1:1999](https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999)

<https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999>

## Contents

Foreword .....	11
1 Scope .....	13
2 Normative references .....	13
3 Definitions and abbreviations .....	14
3.1 Definitions .....	14
3.2 Abbreviations .....	15
4 Conformance requirement concerning PICS .....	15
Annex A (normative): NWK PICS Proforma for PT.....	16
A.1 Introduction for completing the PICS proforma .....	16
A.1.1 Purposes and structure.....	16
A.1.2 Instruction for completing the PICS .....	18
A.2 Identification of the implementation.....	18
A.2.1 Date of statement .....	18
A.2.2 Implementation Under Test (IUT) identification.....	19
A.2.3 System Under Test (SUT) identification .....	19
A.2.4 Product supplier .....	19
A.2.5 Client.....	19
A.2.6 Contact person.....	20
A.3 Identification of the protocol .....	20
A.3.1 Defect report numbers and amendments implemented .....	20
A.3.2 Addenda implemented .....	20
A.4 Global statement of conformance .....	21
A.5 Capabilities.....	21
A.5.1 Major capabilities .....	21
A.5.1.1 Entities.....	21
A.5.1.2 CC features .....	21
A.5.1.3 MM features .....	23
A.5.1.4 SS features (services).....	23
A.5.1.5 LCE features .....	25
A.5.1.6 COMS features.....	25
A.5.1.7 Procedures .....	25
A.5.2 Messages.....	30
A.5.2.1 Call control messages .....	30
A.5.2.2 Mobility management messages.....	41
A.5.2.3 Connection-related & connection independent supplement service messages .....	51
A.5.2.4 Connection-oriented message service messages .....	55
A.5.2.5 ConnectionLess message service messages .....	59
A.5.2.6 Link control entity messages .....	60
A.5.3 Information elements .....	61
A.5.3.1 Fixed length information element support .....	61
A.5.3.2 Message headers supported.....	65
A.5.3.3 Variable length information element supported.....	78
A.5.3.4 Escape information elements support.....	117
A.5.3.5 B-Format message structure support .....	119
A.5.4 Protocol error handling.....	121

A.5.5	Protocol parameters.....	122
	A.5.5.1 Timers and constants support.....	122
A.5.6	Multi-layer dependencies.....	123
History.....		124

## Questions

Table A.1: General condition table.....	17
Table A.2: Date of Statement.....	18
Table A.3: IUT identification.....	19
Table A.4: SUT identification.....	19
Table A.5: Product supplier.....	19
Table A.6: Client.....	19
Table A.7: Contact person.....	20
Table A.8: Identification of protocol.....	20
Table A.9: Defect report and amendments number.....	20
Table A.10: Addenda implemented.....	20
Table A.11: Global statement of conformance.....	21
Table A.12: Entity supported.....	21
Table A.13: CC features supported.....	22
Table A.14: MM features supported.....	23
Table A.15: SS features (services) supported.....	24
Table A.16: LCE features supported.....	25
Table A.17: COMS features supported.....	25
Table A.18: CC procedures supported.....	26
Table A.19: MM procedures supported.....	27
Table A.20: SS protocols supported.....	28
Table A.21: COMS procedures supported.....	28
Table A.22: CLMS procedures supported.....	28
Table A.23: LCE procedures supported.....	29
Table A.24: LLME procedures supported.....	29
Table A.25: CC sending (P to F) messages supported.....	30
Table A.26: CC receiving (F to P) messages supported.....	31
Table A.27: CC-SETUP sending (P to F) supported.....	32
Table A.28: CC-SETUP receiving (F to P) supported.....	33
Table A.29: CC-INFO sending (P to F) supported.....	34
Table A.30: CC-INFO receiving (F to P) supported.....	34
Table A.31: CC-SETUP-ACK receiving (F to P) supported.....	35
Table A.32: CC-CALL-PROC receiving (F to P) supported.....	35
Table A.33: CC-ALERTING sending (P to F) supported.....	36
Table A.34: CC-ALERTING receiving (F to P) supported.....	36
Table A.35: CC-CONNECT sending (P to F) supported.....	36
Table A.36: CC-CONNECT receiving (F to P) supported.....	37
Table A.37: CC-CONNECT-ACK receiving (F to P) supported.....	37
Table A.38: CC-RELEASE sending (P to F) supported.....	37
Table A.39: CC-RELEASE receiving (F to P) supported.....	37
Table A.40: CC-RELEASE-COM sending (P to F) supported.....	38
Table A.41: CC-RELEASE-COM receiving (F to P) supported.....	38
Table A.42: CC-SERVICE-CHANGE sending (P to F) supported.....	38
Table A.43: CC-SERVICE-CHANGE receiving (F to P) supported.....	39
Table A.44: CC-SERVICE-ACCEPT sending (P to F) supported.....	39
Table A.45: CC-SERVICE-ACCEPT receiving (F to P) supported.....	39
Table A.46: CC-SERVICE-REJECT sending (P to F) supported.....	39
Table A.47: CC-SERVICE-REJECT receiving (F to P) supported.....	39
Table A.48: CC-NOTIFY receiving (F to P) supported.....	40
Table A.49: IWU-INFO sending (P to F) supported.....	40
Table A.50: IWU-INFO receiving (F to P) supported.....	40
Table A.51: MM message sending (P to F) supported.....	41

Table A.52: MM message receiving (F to P) supported.....	42
Table A.53: ACCESS-RIGHTS-ACCEPT receiving (F to P) supported.....	43
Table A.54: ACCESS-RIGHTS-REJECT receiving (F to P) supported.....	43
Table A.55: ACCESS-RIGHTS-REQUEST sending (P to F) supported.....	43
Table A.56: ACCESS-RIGHTS-TERMINATE-ACCEPT sending (P to F) supported.....	43
Table A.57: ACCESS-RIGHTS-TERMINATE-ACCEPT receiving (F to P) supported.....	44
Table A.58: ACCESS-RIGHTS-TERMINATE-REJECT sending (P to F) supported.....	44
Table A.59: ACCESS-RIGHTS-TERMINATE-REJECT receiving (F to P) supported.....	44
Table A.60: ACCESS-RIGHTS-TERMINATE-REQUEST sending (P to F) supported.....	44
Table A.61: ACCESS-RIGHTS-TERMINATE-REQUEST receiving (F to P) supported.....	44
Table A.62: AUTHENTICATE-REJECT sending (P to F) supported.....	45
Table A.63: AUTHENTICATE-REJECT receiving (F to P) supported.....	45
Table A.64: AUTHENTICATE-REPLY sending (P to F) supported.....	45
Table A.65: AUTHENTICATE-REPLY receiving (F to P) supported.....	46
Table A.66: AUTHENTICATE-REQUEST sending (P to F) supported.....	46
Table A.67: AUTHENTICATE-REQUEST receiving (F to P) supported.....	46
Table A.68: CIPHER-REJECT sending (P to F) supported.....	46
Table A.69: CIPHER-REJECT receiving (F to P) supported.....	47
Table A.70: CIPHER-REQUEST receiving (F to P) supported.....	47
Table A.71: CIPHER-SUGGEST sending (P to F) supported.....	47
Table A.72: DETACH sending (P to F) supported.....	47
Table A.73: IDENTITY-REPLY sending (P to F) supported.....	48
Table A.74: IDENTITY-REQUEST receiving (F to P) supported.....	48
Table A.75: KEY-ALLOCATE receiving (F to P) supported.....	48
Table A.76: LOCATE-ACCEPT receiving (F to P) supported.....	49
Table A.77: LOCATE-REJECT receiving (F to P) supported.....	49
Table A.78: LOCATE-REQUEST sending (P to F) supported.....	49
Table A.79: MM-INFO-ACCEPT receiving (F to P) supported.....	49
Table A.80: MM-INFO-REJECT receiving (F to P) supported.....	50
Table A.81: MM-INFO-REQUEST sending (P to F) supported.....	50
Table A.82: MM-INFO-SUGGEST receiving (F to P) supported.....	50
Table A.83: TEMPORARY-IDENTITY-ASSIGN receiving (F to P) supported.....	50
Table A.84: TEMPORARY-IDENTITY-ASSIGN-ACK sending (P to F) supported.....	50
Table A.85: TEMPORARY-IDENTITY-ASSIGN-REJECT sending (P to F) supported.....	51
Table A.86: CRSS & CISS messages sending (P to F) supported.....	51
Table A.87: CRSS & CISS messages receiving (F to P) supported.....	51
Table A.88: FACILITY-ciss sending (P to F) supported.....	52
Table A.89: FACILITY-ciss receiving (F to P) supported.....	52
Table A.90: HOLD sending (P to F) supported.....	52
Table A.91: HOLD receiving (F to P) supported.....	52
Table A.92: HOLD-ACK sending (P to F) supported.....	52
Table A.93: HOLD-ACK receiving (F to P) supported.....	53
Table A.94: HOLD-REJECT sending (P to F) supported.....	53
Table A.95: HOLD-REJECT receiving (F to P) supported.....	53
Table A.96: RETRIEVE sending (P to F) supported.....	53
Table A.97: RETRIEVE receiving (F to P) supported.....	53
Table A.98: RETRIEVE-ACK sending (P to F) supported.....	53
Table A.99: RETRIEVE-ACK receiving (F to P) supported.....	54
Table A.100: RETRIEVE-REJECT sending (P to F) supported.....	54
Table A.101: RETRIEVE-REJECT receiving (F to P) supported.....	54
Table A.102: CISS-REGISTER sending (P to F) supported.....	54
Table A.103: CISS-REGISTER receiving (F to P) supported.....	54
Table A.104: CISS-RELEASE-COM sending (P to F) supported.....	55
Table A.105: CISS-RELEASE-COM receiving (F to P) supported.....	55
Table A.106: COMS message sending (P to F) supported.....	55
Table A.107: COMS message receiving (F to P) supported.....	56
Table A.108: COMS-SETUP sending (P to F) supported.....	56
Table A.109: COMS-SETUP receiving (F to P) supported.....	56
Table A.110: COMS-INFO sending (P to F) supported.....	57
Table A.111: COMS-INFO receiving (F to P) supported.....	57
Table A.112: COMS-ACK sending (P to F) supported.....	57
Table A.113: COMS-ACK receiving (F to P) supported.....	57
Table A.114: COMS-CONNECT sending (P to F) supported.....	57



Table A.115: COMS-CONNECT receiving (F to P) supported .....	58
Table A.116: COMS-RELEASE sending (P to F) supported .....	58
Table A.117: COMS-RELEASE receiving (F to P) supported .....	58
Table A.118: COMS-RELEASE-COM sending (P to F) supported .....	58
Table A.119: COMS-RELEASE-COM receiving (F to P) supported .....	58
Table A.120: CLMS message sending (P to F) supported .....	59
Table A.121: CLMS message receiving (F to P) supported .....	59
Table A.122: CLMS-VARIABLE sending (P to F) supported .....	59
Table A.123: CLMS-VARIABLE receiving (F to P) supported .....	59
Table A.124: CLMS-FIXED long receiving (F to P) supported .....	60
Table A.125: CLMS-FIXED extended receiving (F to P) supported .....	60
Table A.126: LCE message sending (P to F) supported .....	60
Table A.127: LCE message receiving (F to P) supported .....	60
Table A.128: LCE-PAGE-RESPONSE sending (P to F) supported .....	61
Table A.129: LCE-PAGE-REJECT receiving (F to P) supported .....	61
Table A.130: LCE-REQUEST-PAGE short receiving (F to P) supported .....	61
Table A.131: LCE-REQUEST-PAGE long receiving (F to P) supported .....	61
Table A.132: Sending complete supported .....	61
Table A.133: Delimiter request supported .....	62
Table A.134: Repeat indicator (non prioritised list) supported .....	62
Table A.135: Repeat indicator (prioritised list) supported .....	62
Table A.136: Type of service class in basic service supported .....	62
Table A.137: Basic service - Normal call set-up supported .....	62
Table A.138: Basic service - Internal call set-up supported .....	63
Table A.139: Basic service - Emergency call set-up supported .....	63
Table A.140: Basic service - Service call set-up supported .....	63
Table A.141: Basic service - External handover call set-up supported .....	63
Table A.142: Single display supported .....	63
Table A.143: Single-keypad supported .....	64
Table A.144: Release-reason supported .....	64
Table A.145: Signal supported .....	64
Table A.146: Timer restart supported .....	64
Table A.147: Test hook control supported .....	64
Table A.148: Message header CC-ALERTING supported .....	65
Table A.149: Message header CC-CALL-PROC supported .....	65
Table A.150: Message header CC-SETUP supported .....	65
Table A.151: Message header CC-CONNECT supported .....	66
Table A.152: Message header CC-SETUP-ACK supported .....	66
Table A.153: Message header CC-CONNECT-ACK supported .....	66
Table A.154: Message header CC-SERVICE-CHANGE supported .....	67
Table A.155: Message header CC-SERVICE-ACCEPT supported .....	67
Table A.156: Message header CC-SERVICE-REJECT supported .....	67
Table A.157: Message header CC-RELEASE supported .....	68
Table A.158: Message header CC-RELEASE-COM supported .....	68
Table A.159: Message header IWU-INFO supported .....	68
Table A.160: Message header CC-NOTIFY supported .....	68
Table A.161: Message header CC-INFO supported .....	69
Table A.162: Message header HOLD supported .....	69
Table A.163: Message header HOLD-ACK supported .....	69
Table A.164: Message header HOLD-REJECT supported .....	69
Table A.165: Message header RETRIEVE supported .....	70
Table A.166: Message header RETRIEVE-ACK supported .....	70
Table A.167: Message header RETRIEVE-REJECT supported .....	70
Table A.168: Message header AUTHENTICATE-REQUEST supported .....	70
Table A.169: Message header AUTHENTICATE-REPLY supported .....	71
Table A.170: Message header KEY-ALLOCATE supported .....	71
Table A.171: Message header AUTHENTICATE-REJECT supported .....	71
Table A.172: Message header ACCESS-RIGHTS-REQUEST supported .....	71
Table A.173: Message header ACCESS-RIGHTS-ACCEPT supported .....	71
Table A.174: Message header ACCESS-RIGHTS-REJECT supported .....	72
Table A.175: Message header ACCESS-RIGHTS-TERMINATE-REQUEST supported .....	72
Table A.176: Message header ACCESS-RIGHTS-TERMINATE-ACCEPT supported .....	72
Table A.177: Message header ACCESS-RIGHTS-TERMINATE-REJECT supported .....	72



Table A.178: Message header CIPHER-REQUEST supported.....	72
Table A.179: Message header CIPHER-SUGGEST supported.....	73
Table A.180: Message header CIPHER-REJECT supported.....	73
Table A.181: Message header MM-INFO-REQUEST supported.....	73
Table A.182: Message header MM-INFO-ACCEPT supported.....	73
Table A.183: Message header MM-INFO-SUGGEST supported.....	73
Table A.184: Message header MM-INFO-REJECT supported.....	74
Table A.185: Message header LOCATE-REQUEST supported.....	74
Table A.186: Message header LOCATE-ACCEPT supported.....	74
Table A.187: Message header DETACH supported.....	74
Table A.188: Message header LOCATE-REJECT supported.....	74
Table A.189: Message header IDENTITY-REQUEST supported.....	75
Table A.190: Message header IDENTITY-REPLY supported.....	75
Table A.191: Message header TEMPORARY-IDENTITY-ASSIGN supported.....	75
Table A.192: Message header TEMPORARY-IDENTITY-ASSIGN-ACK supported.....	75
Table A.193: Message header TEMPORARY-IDENTITY-ASSIGN-REJECT supported.....	75
Table A.194: Message header CISS-RELEASE-COM supported.....	76
Table A.195: Message header FACILITY supported.....	76
Table A.196: Message header CISS-REGISTER supported.....	76
Table A.197: Message header COMS-SETUP supported.....	76
Table A.198: Message header COMS-CONNECT supported.....	76
Table A.199: Message header COMS-RELEASE supported.....	77
Table A.200: Message header COMS-RELEASE-COM supported.....	77
Table A.201: Message header COMS-INFO supported.....	77
Table A.202: Message header COMS-ACK supported.....	77
Table A.203: Message header CLMS-VARIABLE supported.....	77
Table A.204: Message header LCE-PAGE-RESPONSE supported.....	78
Table A.205: Message header LCE-PAGE-REJECT supported.....	78
Table A.206: Allocation type supported.....	78
Table A.207: Alphanumeric supported.....	78
Table A.208: Auth-type supported.....	79
Table A.209: Call attributes supported.....	80
Table A.210: Call identity supported.....	81
Table A.211: Called party number supported.....	81
Table A.212: Called party subaddress supported.....	81
Table A.213: Calling party number supported.....	82
Table A.214: Cipher info supported.....	82
Table A.215: Type connection attributes supported.....	82
Table A.216: Connection attributes (symmetric) supported.....	83
Table A.217: Connection attributes (asymmetric) supported.....	84
Table A.218: Connection identity supported.....	85
Table A.219: Duration supported.....	85
Table A.220: End-to-end compatibility supported.....	86
Table A.221: Facility supported.....	86
Table A.222: Type of feature activate/indicate supported.....	87
Table A.223: Feature activate register recall supported.....	87
Table A.224: Feature activate external handover switch supported.....	87
Table A.225: Feature activate queue entry request supported.....	87
Table A.226: Feature activate indication of subscriber number supported.....	88
Table A.227: Feature activate feature key supported.....	88
Table A.228: Feature activate specific line selection supported.....	88
Table A.229: Feature activate specific trunk carrier selection supported.....	88
Table A.230: Feature activate control of echo control functions supported.....	89
Table A.231: Feature activate cost information supported.....	89
Table A.232: Feature indicate register recall supported.....	89
Table A.233: Feature indicate external handover switch supported.....	90
Table A.234: Feature indicate queue entry request supported.....	90
Table A.235: Feature indicate indication of subscriber number supported.....	91
Table A.236: Feature indicate feature key supported.....	91
Table A.237: Feature indicate specific line selection supported.....	91
Table A.238: Feature indicate specific trunk carrier selection supported.....	92
Table A.239: Feature indicate control of echo control functions supported.....	92
Table A.240: Feature indicate cost information supported.....	93

Table A.241: Class Fixed identity supported.....	93
Table A.242: Fixed identity ARI Class A or PARK Class A supported.....	94
Table A.243: Fixed identity ARI Class B or PARK Class B supported.....	94
Table A.244: Fixed identity ARI Class C or PARK Class C supported.....	95
Table A.245: Fixed identity ARI Class D or PARK Class D supported.....	95
Table A.246: Fixed identity ARI+RPN Class A supported.....	96
Table A.247: Fixed identity ARI+RPN Class B supported.....	96
Table A.248: Fixed identity ARI+RPN Class C supported.....	97
Table A.249: Fixed identity ARI+RPN Class D supported.....	97
Table A.250: Identity type supported.....	97
Table A.251: Identity type Portable identity supported.....	98
Table A.252: Identity type NWK assigned identity supported.....	98
Table A.253: Identity type Fixed identity supported.....	98
Table A.254: Identity type Proprietary supported.....	99
Table A.255: Info type supported.....	99
Table A.256: IWU attributes supported.....	100
Table A.257: IWU packet supported.....	102
Table A.258: IWU-to-IWU supported.....	103
Table A.259: Key supported.....	103
Table A.260: Location area info types supported.....	103
Table A.261: Location area.....	104
Table A.262: Location area with ELI no GSM info included supported.....	104
Table A.263: Location area With ELI GSM info included supported.....	104
Table A.264: Multi-display supported.....	105
Table A.265: Multi-keypad supported.....	105
Table A.266: Type NWK assigned identity supported.....	105
Table A.267: Network assigned identity GSM-TMSI supported.....	105
Table A.268: Network assigned identity Proprietary supported.....	106
Table A.269: Type NWK parameter supported.....	106
Table A.270: Network parameter GSM supported.....	106
Table A.271: Network parameter Proprietary supported.....	106
Table A.272: Type of portable identity supported.....	107
Table A.273: Portable identity IPUI-N or IPEI supported.....	107
Table A.274: Portable identity - type of IPUI-o supported.....	107
Table A.275: Portable identity - type of IPUI-P supported.....	108
Table A.276: Portable identity - type IPUI-Q supported.....	108
Table A.277: Portable identity - type of IPUI-R supported.....	108
Table A.278: Portable identity - type IPUI-S supported.....	109
Table A.279: Portable identity - type of IPUI-T supported.....	109
Table A.280: Portable identity - type IPUI-U supported.....	109
Table A.281: Portable identity - type default individual TPUI supported.....	110
Table A.282: Portable identity - type assigned individual TPUI supported.....	110
Table A.283: Portable identity - type connectionless group TPUI supported.....	110
Table A.284: Portable identity - type call group TPUI supported.....	111
Table A.285: Progress indicator supported.....	111
Table A.286: Rand supported.....	111
Table A.287: Type rate parameters supported.....	111
Table A.288: Rate parameters.....	112
Table A.289: Rate parameters.....	113
Table A.290: Reject reason supported.....	113
Table A.291: RES supported.....	114
Table A.292: RS supported.....	114
Table A.293: Segmented info supported.....	114
Table A.294: Service change info supported.....	114
Table A.295: Service class supported.....	115
Table A.296: Setup capability supported.....	115
Table A.297: Terminal capability supported.....	116
Table A.298: Transit delay supported.....	117
Table A.299: Window size supported.....	117
Table A.300: ZAP supported.....	117
Table A.301: Escape information elements sending (P to F) supported.....	117
Table A.302: Escape information elements receiving (F to P) supported.....	118
Table A.303: Escape supported.....	118

Table A.304: Escape to proprietary supported .....	118
Table A.305: Escape for extension supported .....	118
Table A.306: Codeset shift supported .....	118
Table A.307: Short TPUI address of LCE-request paging message supported .....	119
Table A.308: Long TPUI address of LCE-request paging message supported .....	119
Table A.309: Long IPUUI address of LCE-request paging message supported .....	119
Table A.310: Single section of CLMS-fixed long format message .....	120
Table A.311: Address section of CLMS-fixed extended format message .....	120
Table A.312: Data section of CLMS-fixed extended format message supported .....	120
Table A.313: Error & exception handling procedures supported .....	121
Table A.314: Timers and constants supported .....	122
Table A.315: Multi-layer dependencies .....	123

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 476-1:1999](https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999)

<https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999>

Blank page

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 476-1:1999](https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999)

<https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999>

## Foreword

This European Telecommunication Standard (ETS) has been produced by the Radio Equipment and Systems (RES), Technical Committee of the European Telecommunications Standards Institute (ETSI).

The DECT Common interface Protocol Implementation Conformance Statement (PICS) proforma standard comprises seven parts as follows:

- Part 1:** "Network (NWK) layer - Portable radio Termination (PT)";
- Part 2: "Data Link Control (DLC) layer - Portable radio Termination (PT)";
- Part 3: "Medium Access Control (MAC) layer - Portable radio Termination (PT)";
- Part 4: "Network (NWK) layer - Fixed radio Termination (FT)";
- Part 5: "Data Link Control (DLC) layer - Fixed radio Termination (FT)";
- Part 6: "Medium Access Control (MAC) layer - Fixed radio Termination (FT)";
- Part 7: "Physical layer".

Annex A contains the PICS proforma for the PT network layer.

<b>Transposition dates</b>	
Date of adoption of this ETS:	16 August 1996
Date of latest announcement of this ETS (doa):	30 November 1996
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 May 1997
Date of withdrawal of any conflicting National Standard (dow):	31 May 1997

Blank page

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 476-1:1999](https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999)

<https://standards.iteh.ai/catalog/standards/sist/95d1dacb-f599-4708-aeb8-5627993ef50c/sist-ets-300-476-1-1999>

## 1 Scope

This European Telecommunication Standard (ETS) provides the Protocol Implementation Conformance Statement (PICS) proforma for the Digital Enhanced Cordless Telecommunications Network layer at the Portable Termination as defined in ETS 300 175 Part 5 [5] in compliance with the relevant requirements and in accordance with the relevant guidance given in ISO/IEC 9646-7 [14].

The supplier of an implementation which is claimed to conform to ETS 300 175 Part 5 [5] is required to complete a copy of the PICS proforma provided in the Annex A of this standard.

## 2 Normative references

This ETS incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 175-1: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common Interface (CI); Part 1: Overview".
- [2] ETS 300 175-2: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common Interface (CI); Part 2: Physical Layer".
- [3] ETS 300 175-3: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common Interface (CI); Part 3: Medium Access Control (MAC) layer".
- [4] ETS 300 175-4: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common Interface (CI); Part 4: Data Link Control (DLC) layer".
- [5] ETS 300 175-5: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common Interface (CI); Part 5: Network (NWK) layer".
- [6] ETS 300 175-6: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common Interface (CI); Part 6: Identities and addressing".
- [7] ETS 300 175-7: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common Interface (CI); Part 7: Security features".
- [8] ETS 300 175-8: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common Interface (CI); Part 8: Speech coding and transmission".
- [9] ETS 300 175-9: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common Interface (CI); Part 9: Public Access Profile (PAP)".
- [10] ETS 300 406 (1995): "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
- [11] ISO/IEC 9646-1 (1995): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework -Part 1: General concepts".