



SLOVENSKI STANDARD

DSIST ETS 300 474-1:1999

01-jUbi Uf-1999

8 [[]HJbY]nVc`yUbYvfYnj fj] bYhY_ca i b]_UMY'fB 97 HL!'DfcZ` [YbYf] bY[U
XcghcdUf! 5 DL!'GYnbUa `nU hYj `nUdfcZ`]b`h\ b] bY'gdYWZ_UMY'dfcZ`UdfcZ:fa U
]n^Uj Y'c`g`_UXbcgh`]nj YXVY'f7 GL!'%'XY.'DfYbcgbUfUX]g_U nU`'1]hYj`fDHL

Digital Enhanced Cordless Telecommunications (DECT); Generic Access Profile (GAP);
Profile requirement list and profile specific Implementation Conformance Statement (ICS)
proforma; Part 1: Portable radio Termination (PT)

Ta slovenski standard je istoveten z: ETS 300 474-1 E1.% - *!\$,

ICS:

33.070.30 Öä äæ) ^/ä à] |zæ) ^ Digital Enhanced Cordless
à!^: ç!çã } ^A |^ \ [{ ~ } ä æä Telecommunications (DECT)
ÖÖÖVD

DSIST ETS 300 474-1:1999

en



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 474-1

August 1996

Source: ETSI TC-RES

Reference: DE/RES-03043-1

ICS: 33.020, 33.060.50

Key words: DECT, GAP, ICS

**Radio Equipment and Systems (RES);
Digital Enhanced Cordless Telecommunications (DECT);
Generic Access Profile (GAP);
Profile requirement list and profile-specific
Implementation Conformance Statement (ICS) proforma;
Part 1: Portable radio Termination (PT)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Contents

Foreword	5
1 Scope	7
2 Normative references	7
3 Definitions abbreviations	8
3.1 Definitions	8
3.2 Abbreviations	8
4 Conformance requirement concerning profile ICS	8
Annex A (normative): Requirement lists for DECT PT	9
A.1 General	9
A.1.1 Profile Requirement List (profile RL)	9
A.1.2 General conditions	10
A.2 Network (NWK) layer - PT: profile Requirement List (profile RL)	10
A.2.1 Major capabilities	10
A.2.1.1 Entities	10
A.2.1.2 CC features	10
A.2.1.3 MM features	12
A.2.1.4 SS features (services)	13
A.2.1.5 LCE features	14
A.2.1.6 Procedures	14
A.2.2 Messages	16
A.2.2.1 Call control messages	16
A.2.2.2 MM messages	22
A.2.2.3 CRSS and CISS messages	27
A.2.2.4 Link Control Entity (LCE) messages	27
A.2.3 Information elements	28
A.2.3.1 Fixed length information element support	28
A.2.3.2 Variable length information element supported	29
A.2.3.3 Escape information elements support	34
A.2.4 Protocol error handling	34
A.3 Data Link Control (DLC) layer - PT: profile ICS	34
A.3.1 Capabilities	34
A.3.3.1 Services	34
A.3.3.1.1 C-plane services	34
A.3.3.1.2 U-plane services	35
A.3.3.1.2 Management services	35
A.3.3.2 Procedures	35
A.3.3.2.1 Generic signalling procedures	35
A.3.3.2.2 Class A procedures	36
A.3.3.2.3 Broadcast procedures	36
A.3.3.2.4 LU1 procedures	36
A.3.3.2.5 Management procedures	37
A.3.3.3 Parameters	37
A.3.3.3.1 LU1 parameters	37
A.3.3.4 Messages	37
A.3.3.4.1 C-plane PDUs	37
A.4 Medium Access Control (MAC) layer - PT: profile ICS	38
A.4.1 Major Capabilities	38

A.4.1.1	Services	38
A.4.3.1.1	Connection oriented control services.....	38
A.4.1.1.2	Broadcast control services.....	39
A.4.1.1.3	Multiplexing services.....	39
A.4.1.1.4	Management services.....	40
A.4.1.2	Procedures	40
A.4.1.2.1	Connection setup procedures.....	40
A.4.1.2.2	Connection data transfer procedures.....	41
A.4.1.2.3	Connection handover procedures.....	41
A.4.1.2.4	Connection release procedures.....	41
A.4.1.2.5	Broadcast procedures.....	41
A.4.1.2.6	CSF multiplexing procedures.....	41
A.4.1.2.7	Layer management procedures.....	42
A.4.1.3	Other capabilities	42
A.4.2	Messages.....	42
A.4.2.1	A - Field	43
A.4.2.1.1	A - field header - B-field identification	43
A.4.2.2	A - Field Messages.....	43
A.4.2.2.1	Paging tail messages supported.....	43
A.4.2.2.2	PT messages information type	44
A.4.2.2.3	MAC control messages supported.....	44
A.4.2.2.4	Broadcast and connectionless (BCL) messages.....	45
A.5	Physical (PHL) layer - PT: profile ICS.....	45
A.5.1	Physical layer procedures	45
Annex B (normative):	GAP profile-specific ICS proforma for PT.....	46
B.1	Introduction for completing the profile-specific ICS proforma.....	46
B.1.1	Purposes and structure	46
B.1.3	Instructions for completing the profile-specific ICS proforma	48
B.2	Identification of the implementation	48
B.2.1	Date of statement.....	48
B.2.2	Implementation Under Test (IUT) identification	48
B.2.3	System Under Test (SUT) identification.....	48
B.2.4	Product supplier	49
B.2.5	Client identification	49
B.2.6	Contact person identification.....	49
B.3	Identification of the protocol.....	50
B.3.1	Defect report numbers and amendments implemented.....	50
B.3.2	Addenda implemented	50
B.4	Global statement of conformance	50
B.5	Capabilities	51
B.5.1	NWK profile-specific ICS proforma for PT	51
B.5.1.1	General requirements.....	51
B.5.1.2	Application features	51
B.5.1.3	Application Procedures.....	51
B.5.1.4	Management procedures.....	51
B.5.2	DLC profile-specific ICS proforma for PT.....	52
B.5.3	MAC profile-specific ICS proforma for PT.....	52
B.5.3.1	Services	52
B.5.3.1.2	Extended frequency allocation service.....	52
B.5.4	PH profile-specific ICS proforma for PT.....	52
B.5.4.1	Requirements	52
History		53

Foreword

This European Telecommunication Standard (ETS) has been produced by the Radio Equipment and Systems (RES) Technical Committee of the European Telecommunications Standards Institute (ETSI).

The DECT Generic Access Profile (GAP) profile requirement list and profile-specific Implementation Conformance Statement (ICS) proforma standard comprises two parts as follows:

Part 1: "Portable radio Termination (PT)".

Part 2: "Fixed radio Termination (FT)".

Annex A contains the requirement lists for the Portable radio Termination (PT) Generic Access Profile.

Annex B contains the profile-specific ICS proforma for the PT Generic Access Profile.

Transposition dates	
Date of adoption of this ETS:	16 August 1996
Date of latest announcement of this ETS (doa):	30 November 1996
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 May 1997
Date of withdrawal of any conflicting National Standard (dow):	31 May 1997

Blank page