



SLOVENSKI STANDARD
SIST ETS 300 133-3:1998

01-oktober-1998

9`Y_Hfca U[bYhbUnXfi ý`íj cghifØ A7Ł]b`nUXYj Yždcj YnUbYn'fUX]g_]a 'gdY_Hfca
fØFAŁ!`-nVc`'ýUb]g]ghÝa 'nUfUX]g_c`gdcfc Ub'YfØFA9GŁ!' "XY.'Ca fYyb]j]X]]

ElectroMagnetic Compatibility and Radio Spectrum Matters (ERM); Enhanced Radio
MEssage System (ERMES); Part 3: Network aspects

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: [SIST ETS 300 133-3:1998](https://standards.iteh.ai/catalog/standards/sist/affeb40f-1d26-4871-b9db-bd9e7df0b3b/sist-ets-300-133-3-1998) **ETS 300 133-3 Edition 2**
<https://standards.iteh.ai/catalog/standards/sist/affeb40f-1d26-4871-b9db-bd9e7df0b3b/sist-ets-300-133-3-1998>

ICS:


33.070.20 Sistem za osebni klic Paging systems

SIST ETS 300 133-3:1998 en

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST ETS 300 133-3:1998](#)

<https://standards.iteh.ai/catalog/standards/sist/affeb40f-1d26-4871-b9db-bd9e7df0bf3b/sist-ets-300-133-3-1998>



**EUROPEAN
TELECOMMUNICATION
STANDARD**

ETS 300 133-3

November 1997

Second Edition

Source: ERM

Reference: RE/ERM-RP04-007-3

ICS: 33.020

Key words: ERMES, paging, radio, network

iTel ~~STANDARD PREVIEW~~
**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Enhanced Radio M^Essage System (ERMES);
<https://standards.iteh.ai/catalog/standards/sist/affeb40f-1d26-4871-b9db-bc9241fb6c/sist-ets-300-133-3>**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 133-3:1998](#)

<https://standards.iteh.ai/catalog/standards/sist/affeb40f-1d26-4871-b9db-bd9e7df0bf3b/sist-ets-300-133-3-1998>

Contents

Foreword	15
Intellectual Property Rights.....	15
1 Scope	17
2 Normative references.....	17
3 Definitions and abbreviations	18
3.1 Definitions	18
3.2 Abbreviations	21
4 System architecture.....	23
4.1 General	23
4.2 Telecommunication Network (TN) part.....	23
4.2.1 Functional description of PNC	24
4.2.2 Functional description of PAC	24
4.2.3 Functional description of BS.....	24
4.3 General description of network interfaces	24
4.3.1 I6 interface.....	24
4.3.2 I5 interface.....	24
4.3.3 I4 interface.....	25
4.3.4 I3 interface.....	25
4.3.5 I2 interface	25
4.3.6 I1 interface.....	25
4.4 Operation & maintenance network part	25
4.5 General description of O&M interfaces	25
https://standards.iteh.ai/catalog/standards/sist/afceb40f-1d26-4871-b9db-bd9c7df0b43b/sist-ets-300-133-3-1998	
5 Numbering, addressing and identification.....	29
5.1 General	29
5.2 Addressing and numbering.....	30
5.2.1 Mobile subscriber	30
5.2.1.1 Individual.....	30
5.2.1.1.1 One-stage selection	30
5.2.1.1.2 Two-stage selection	30
5.2.1.2 Group.....	31
5.2.2 Fixed subscribers	31
5.3 Identification of network functional blocks	31
5.4 Service access.....	32
5.4.1 Service numbers	32
5.4.2 Supplementary service identification codes	32
6 Call processing.....	33
6.1 Call processing for page input	33
6.1.1 General principles	33
6.1.1.1 PNC-I processing	35
6.1.1.2 PNC-H processing	36
6.1.1.3 PNC-T processing	37
6.1.2 Supplementary services	37
6.1.2.1 General principle	37
6.1.2.2 Choice of destination	37
6.1.2.3 Repetition	37
6.1.2.4 Prioritization	37
6.1.2.5 Multi-address	38
6.1.2.6 Urgent message indication	38
6.1.2.7 Deferred delivery	38
6.1.2.8 Standard texts	38

	6.1.2.9	Reverse charging	38	
6.1.3	Subscriber features.....	38		
	6.1.3.1	General principle	38	
	6.1.3.2	Diversion	38	
	6.1.3.3	Repetition	39	
	6.1.3.4	Message storing.....	39	
	6.1.3.5	Prioritization	39	
	6.1.3.6	Reverse charging.....	39	
	6.1.3.7	Temporary barring	39	
	6.1.3.8	Deferred delivery	40	
	6.1.3.9	Encryption	40	
	6.1.3.10	Roaming.....	40	
	6.1.3.11	Group call.....	40	
	6.1.3.12	Automatic retransmission of the last message number	41	
	6.1.3.13	Legitimisation of all calls	41	
6.2	Call processing for access to subscriber features	41		
6.2.1	General principles.....	41		
6.2.2	Available to all calling parties.....	42		
6.2.2.1	Subscriber directory	42		
6.2.3	Available to fixed subscribers	42		
	6.2.3.1	Address list management	42	
	6.2.3.2	Editing of standard text	42	
	6.2.3.3	Advice of accumulated call charges.....	42	
	6.2.3.4	Password management	42	
	6.2.3.5	Legitimisation code management	43	
6.2.4	Available to mobile subscribers	43		
	6.2.4.1	Roaming.....	43	
	6.2.4.1.1	General principles	43	
	6.2.4.1.2	PNC-I processing	43	
	6.2.4.1.3	PNC-H processing	45	
	6.2.4.2	Temporary barring	46	
	6.2.4.3	Deferred delivery	47	
	6.2.4.4	Call diversion.....	48	
	6.2.4.5	Message retrieval.....	49	
	6.2.4.6	>Password management	49	
	6.2.4.7	bd9e/d00f3b/sist-ets-300-133-3-1998 Legitimisation code management	50	
	6.2.4.8	All features reset	50	
6.3	Call processing transaction time limits	50		
7	Access methods	52		
7.1	General.....	52		
	7.1.1	Generic protocol for non-interactive access mode	53	
	7.1.2	Generic protocol for interactive access mode - two-stage selection	53	
	7.1.2.1	Functional description of the protocol	54	
		7.1.2.1.1	Common elements (for both service numbers)	54
		7.1.2.1.2	Protocol via Service Number 1 (SN1) ..	54
		7.1.2.1.3	Protocol via Service Number 2 (SN2) ..	55
	7.1.2.2	System responses and acknowledgement	55	
		7.1.2.2.1	General system messages.....	56
		7.1.2.2.2	Input prompts	56
		7.1.2.2.3	Input acknowledgements	57
		7.1.2.2.4	Help and guidance messages.....	57
	7.1.2.3	Input editing and typing error correction.....	57	
		7.1.2.3.1	The Escape command	57
		7.1.2.3.2	Other editing commands - terminals other than DTMF telephones	58
	7.1.2.4	Guidance to the calling party	58	
		7.1.2.4.1	Help command	58
		7.1.2.4.2	Incomplete or interrupted input	58
		7.1.2.4.3	No input - time-out.....	58
		7.1.2.4.4	Invalid input	58
7.1.3	Generic protocol for interactive access mode - one-stage selection	58		

iTeh STANDARD REVIEW
(standards.iteh.ai)

SIST ETS 300 133-3:1998
<https://standards.iteh.ai/catalog/standards/sisvalneb40f-1d26-4871-b9db-bd9e/d00f3b/sist-ets-300-133-3-1998>

	7.1.3.1	Functional description of the protocol.....	58
	7.1.3.1.1	Common elements	59
	7.1.3.1.2	The protocol.....	59
	7.1.3.2	System responses and acknowledgements	59
	7.1.3.2.1	General system message	59
	7.1.3.2.2	Input prompts.....	60
	7.1.3.2.3	Input acknowledgements	60
	7.1.3.2.4	Help and guidance messages	61
	7.1.3.3	Input editing and typing error correction	61
	7.1.3.3.1	The Escape command.....	61
	7.1.3.3.2	Other editing commands - terminals other than DTMF telephones	61
	7.1.3.4	Guidance to the calling party	61
	7.1.3.4.1	Help command.....	61
	7.1.3.4.2	Incomplete or interrupted input	62
	7.1.3.4.3	No input - time-out	62
	7.1.3.4.4	Invalid input.....	62
	7.1.4	Character conversion	62
	7.1.5	Use of special characters.....	63
7.2		Access methods applicable to each service	63
	7.2.1	Basic services	63
	7.2.2	Supplementary Services (SSs)	64
	7.2.2.1	Page input related SSs	64
	7.2.2.2	Subscriber features	64
	7.2.2.2.1	Subscriber directory	64
	7.2.2.2.2	Fixed subscribers.....	64
	7.2.2.2.3	Mobile subscribers.....	65
7.3		Telephonic access methods	65
	7.3.1	Teh STANDARD PREVIEW (standards.ithan) General.....	65
	7.3.1.1	Input editing and typing error correction	65
	7.3.1.2	Invoking the characters in the numeric service	66
	7.3.1.3	Invoking the characters in the alphanumeric service.....	66
	7.3.1.4	Guidance to the calling party	67
	7.3.2	SIST ETS 300 133-3:1998 https://standards.ithan.ae/catalog/standards/sist/af40f-1d26-4871-b9db-ba9c7df0bf3b/sist-ets-300-133-3-1998	68
	7.3.2.1	Tone-only message input	68
	7.3.2.1.1	Functional description of the protocol ...	68
	7.3.2.2	Numeric message input.....	68
	7.3.2.2.1	Functional description of the protocol ...	68
	7.3.2.2.2	System responses and acknowledgements	68
	7.3.2.3	Alphanumeric service	68
	7.3.2.3.1	Functional description of the protocol ...	68
	7.3.2.3.2	System responses and acknowledgements	69
	7.3.2.4	Message input with Supplementary Services (SSs)	69
	7.3.2.4.1	Functional description of the protocol ...	69
	7.3.2.4.2	System responses and acknowledgements	69
	7.3.2.4.3	Supplementary Service (SS) sequences	69
	7.3.3	Two-stage selection method	70
	7.3.3.1	Tone-only message input	70
	7.3.3.1.1	Functional description of the protocol ...	70
	7.3.3.1.2	System responses and acknowledgements	71
	7.3.3.2	Numeric message input.....	71
	7.3.3.2.1	Functional description of the protocol ...	71
	7.3.3.2.2	System responses and acknowledgements	71
	7.3.3.3	Alphanumeric message input	72
	7.3.3.3.1	Functional description of the protocol ...	72
	7.3.3.3.2	System responses and acknowledgements	72

7.3.3.4	Call input with supplementary services	72
7.3.3.4.1	Functional description of the protocol ..	72
7.3.3.4.2	System responses and acknowledgements	73
7.3.3.4.3	Supplementary service sequences	73
7.3.3.5	Subscriber features for fixed subscribers	74
7.3.3.5.1	Functional description of the protocol ..	74
7.3.3.6	Subscriber features for mobile subscribers	74
7.3.3.6.1	Functional description of the protocol ..	74
7.3.3.6.2	System responses and acknowledgements	75
7.3.3.6.3	Subscriber feature control sequences..	75
7.4	Alphanumeric terminal access methods	76
7.5	Telex access	77
7.5.1	One-stage selection	77
7.5.1.1	General	77
7.5.1.2	Interactive mode	77
7.5.1.2.1	Functional description of the protocol ..	77
7.5.1.3	Non-interactive mode	77
7.5.1.3.1	Functional description of the protocol ..	77
7.5.2	Two-stage selection - interactive	77
7.5.2.1	General	77
7.5.2.1.1	System responses and acknowledgements	77
7.5.2.1.2	Input editing and typing error correction	77
7.5.2.1.3	Guidance to the calling party	77
7.5.2.2	The protocol via SN1	78
7.5.2.2.1	Interactive mode	78
7.5.2.2.2	Fast interactive mode	78
7.5.2.2.3	Call input related supplementary services	78
7.5.2.3	The protocol via SN2	79
7.5.2.3.1	Roaming interactive mode	79
7.5.2.3.2	Roaming fast interactive mode	79
7.5.3	Two-stage selection - non-interactive	80
7.5.3.1	General	80
7.5.3.2	The protocol via SN1	80
7.5.3.2.1	Call input	80
7.5.3.2.2	Call input related supplementary services	80
7.5.3.3	The protocol via SN2	80
7.6	Message handling system access	80
7.6.1	General	80
7.6.2	ERMES access unit	81
7.6.3	Structure of IP-message	81
7.6.4	One-stage selection	81
7.6.4.1	Operational procedures	81
7.6.4.2	Call input	82
7.6.5	Two-stage selection	82
7.6.5.1	Operational procedures	82
7.6.5.2	Call input	82
7.6.5.3	Call input with supplementary services	83
7.6.5.4	Access to subscriber features	83
7.7	Bureau access	83
7.8	Videotex access method	83
7.8.1	General	83
7.8.2	Message page input	83
7.9	ISDN Access	84
7.9.1	General	84
7.9.2	One-stage selection	84
7.9.2.1	One-stage selection for tone-only service via ISDN	84
7.9.2.2	One-stage selection for numeric service via ISDN (UUS3)	85

iTeh STANDARD PREVIEW
(standards.iteh.si)

SIST ETS 300 133-3:1998

<https://standards.iteh.si/catalog/standards/sist/itehb401-q26-4871-b9db-bd9e7d0b13b/sist-ets-300-133-3-1998>

	7.9.2.3	One-stage selection for alphanumeric service via ISDN (UUS3).....	89
	7.9.2.4	One-stage selection for numeric service via ISDN (UUS1).....	89
	7.9.2.5	One-stage selection for alphanumeric service via ISDN (UUS1).....	91
	7.9.3	Two-stage selection access type	91
	7.9.3.1	Two-stage selection for tone-only service via ISDN (UUS3).....	91
	7.9.3.2	Two-stage selection for numeric service via ISDN (UUS3).....	94
	7.9.3.3	Two-stage selection for alphanumeric service via ISDN (UUS3).....	99
	7.9.3.4	Two-stage selection for numeric service via ISDN (UUS1).....	99
	7.9.3.5	Two-stage selection for alphanumeric service via ISDN (UUS1).....	101
8	I5 interface.....		101
8.1	General		101
8.2	Universal computer protocol		101
	8.2.1	Introduction.....	101
	8.2.2	Operation and result.....	101
	8.2.3	Data transaction sequence.....	102
	8.2.4	Description of message format	102
	8.2.4.1	General	102
	8.2.4.2	Header	103
	8.2.4.3	Data field.....	103
	8.2.4.4	Checksum.....	104
	8.2.4.5	UCP version number negotiation:.....	104
	8.2.4.5.1	PNC-I supporting version 01.01 only ..	104
	8.2.4.5.2	PNC-I supporting only lower versions than the version proposed by calling party	104
	8.2.4.5.3	PNC-I supporting the same version number.....	105
	8.2.4.5.4	SIST ETS 300 133-3:1998 https://standards.iteh.ai/catalog/standards/sist/affeb40f-1d26-4871-b9db- bd9e7df0fb3b/sist-ets-300-133-3-1998	105
	8.2.5	Operations provided by the Universal Computer Interface	105
	8.2.5.1	Enquiry operation.....	106
	8.2.5.1.1	Enquiry operation (positive result)	106
	8.2.5.1.2	Enquiry operation (negative result)	106
	8.2.5.2	Call input operation.....	106
	8.2.5.2.1	Call input operation (positive result)....	107
	8.2.5.2.2	Call input operation (negative result) ..	107
	8.2.5.3	Multiple address call input operation	107
	8.2.5.3.1	Multiple address call input operation (positive result).....	108
	8.2.5.3.2	Multiple address call input operation (negative result)	109
	8.2.5.4	Call input with supplementary services operation.....	109
	8.2.5.4.1	Call input with supplementary service operation (positive result).....	110
	8.2.5.4.2	Call input with supplementary information (negative result)	110
	8.2.5.5	Address list information operation	110
	8.2.5.5.1	Address list information operation (positive result).....	111
	8.2.5.5.2	Address list information operation (negative result)	111
	8.2.5.6	Change address list operation.....	111
	8.2.5.6.1	Change address list operation (positive result).....	111
	8.2.5.6.2	Change address list operation (negative result)	111
	8.2.5.7	Advice of accumulated charges operation.....	111

	8.2.5.7.1	Advice of accumulated charges operation (positive result)	112
	8.2.5.7.2	Advice of accumulated charges operation (negative result).....	112
8.2.5.8		Password management operation	112
	8.2.5.8.1	Password management operation (positive result).....	112
	8.2.5.8.2	Password management operation (negative result).....	112
8.2.5.9		Legitimisation code management operation	112
	8.2.5.9.1	Legitimisation code management operation (positive result).....	113
	8.2.5.9.2	Legitimisation code management operation (negative result).....	113
8.2.5.10		Standard text information operation	113
	8.2.5.10.1	Standard text information operation (positive result).....	113
	8.2.5.10.2	Standard text information operation (negative result).....	114
8.2.5.11		Change standard text operation.....	114
	8.2.5.11.1	Change standard text operation (positive result)	114
	8.2.5.11.2	Change standard text operation (negative result).....	114
8.2.5.12		Request roaming information operation.....	114
	8.2.5.12.1	Request roaming information operation (positive result)	114
	8.2.5.12.2	Request roaming information operation (negative result).....	115
8.2.5.13		Change roaming operation	115
	8.2.5.13.1	Change roaming operation (positive result)	115
	8.2.5.13.2	Change roaming operation (negative result).....	115
8.2.5.14		Roaming reset operation	116
	8.2.5.14.1	Roaming reset operation (positive result)	116
	8.2.5.14.2	Roaming reset operation (negative result)	116
8.2.5.15		Message retrieval operation.....	116
	8.2.5.15.1	Message retrieval operation (positive result)	117
	8.2.5.15.2	Message retrieval operation (negative result)	117
8.2.5.16		Request call barring operation	118
	8.2.5.16.1	Request call barring operation (positive result)	118
	8.2.5.16.2	Request call barring operation (negative result).....	118
8.2.5.17		Cancel call barring operation	118
	8.2.5.17.1	Cancel call barring operation (positive result)	118
	8.2.5.17.2	Cancel call barring operation (negative result)	118
8.2.5.18		Request call diversion operation	118
	8.2.5.18.1	Request call diversion operation (positive result)	119
	8.2.5.18.2	Request call diversion operation (negative result).....	119
8.2.5.19		Cancel call diversion operation	119
	8.2.5.19.1	Cancel call diversion operation (positive result)	119

	8.2.5.19.2	Cancel call diversion operation (negative result)	119
8.2.5.20	Request deferred delivery.....	119	
	8.2.5.20.1	Request deferred delivery (positive result).....	119
	8.2.5.20.2	Request deferred delivery (negative result).....	119
8.2.5.21	Cancel deferred delivery.....	119	
	8.2.5.21.1	Cancel deferred delivery (positive result).....	120
	8.2.5.21.2	Cancel deferred delivery (negative result).....	120
8.2.5.22	All features reset operation.....	120	
	8.2.5.22.1	All features reset operation (positive result)	120
	8.2.5.22.2	All features reset operation (negative result)	120
8.2.5.23	Call input operation with additional character set	120	
	8.2.5.23.1	Call input operation with specific character set (positive result).....	120
	8.2.5.23.2	Call input operation with specific character set (negative result)	121
8.2.5.24	UCP Version status request (OT = 23).....	121	
	8.2.5.24.1	UCP Version status request (positive result)	121
	8.2.5.24.2	UCP Version status request (negative result)	121
8.2.5.25	Mobile subscriber feature status request.....	121	
	8.2.5.25.1	Mobile subscriber feature status request (positive result)	122
	8.2.5.25.2	Mobile subscriber feature status request (negative result)	123
8.2.6	Error codes.....	123	
8.2.7	Error codes applicable to each operation.....	124	
iTeh STANDARD PREVIEW (standards.iteh.ai)			
9	Network interworking (I4 interface)	124	
9.1	General	124	
9.2	Protocol stack for the I4 interface	125	
	9.2.1 Physical, link and network layers.....	125	
	9.2.2 Transport layer	125	
	9.2.3 Session layer.....	125	
	9.2.4 Presentation layer.....	125	
	9.2.4.1 Presentation contexts	125	
	9.2.5 Application layer	125	
	9.2.5.1 ACSE	126	
	9.2.5.2 ROSE.....	126	
	9.2.5.3 Other application entities	126	
9.3	PNC operations.....	126	
9.3.1	Introduction.....	126	
9.3.2	Description of operations.....	126	
	9.3.2.1 General	126	
	9.3.2.2 Pager information	126	
	9.3.2.3 Page request	126	
	9.3.2.4 Transmit.....	127	
	9.3.2.5 Choice of destination	127	
	9.3.2.6 Roaming validation	127	
	9.3.2.7 Roaming reset	127	
	9.3.2.8 Roaming information	127	
	9.3.2.9 Change roaming	127	
	9.3.2.10 Confirm change of roaming	127	
	9.3.2.11 Call diversion start	127	
	9.3.2.12 Call diversion stop	127	
9.3.3	Use of operations	127	

9.4	Use of ACSE	129
9.5	Use of ROSE.....	130
9.6	PNC addressing	132
9.6.1	PNC network address.....	132
9.6.2	PNC layer 4, 5, 6 and application addresses.....	132
9.7	Interoperability of version 1 and version 2 systems	132
9.7.1	Protocol negotiation between adjacent PNC's.....	132
10	I3 interface	133
10.1	General description	133
10.2	Functional description	133
10.2.1	List of functional messages	133
10.2.1.1	Paging data transfer, individual call	133
10.2.1.2	Paging data transfer, group call	133
10.2.1.3	Operation and maintenance messages	134
11	PAC to BS Interface (I2 interface)	134
11.1	General aspects and principles	134
11.2	Layer 1	134
11.3	Layer 2	134
11.4	Layer 3	135
11.5	Layer 4 (fragmentation)	135
11.5.1	General	135
11.5.2	Fragmentation header	135
11.5.3	Description	135
11.6	Layer 7 (application)	136
11.6.1	General	136
11.6.2	Data processing	136
11.6.3	Application header	136
11.6.4	Transaction data	138
11.6.4.1	General	138
11.6.4.2	Page request transaction	138
11.6.4.2.1	Page request operation	138
11.6.4.2.2	Page request result	140
11.6.4.3	BS time reference transaction	141
11.6.4.3.1	BS time reference operation	141
11.6.4.3.2	BS time reference result	141
11.6.4.4	Status request transaction	142
11.6.4.4.1	Status request operation	142
11.6.4.4.2	Status request result	142
11.6.4.5	Control command transaction	143
11.6.4.5.1	Control command operation	144
11.6.4.5.2	Control command result	146
11.6.4.6	Poll request transaction	147
11.6.4.6.1	Poll request operation	147
11.6.4.6.2	Poll request result	147
11.6.4.7	Report request transaction	148
11.6.4.7.1	Report request operation	148
11.6.4.7.2	Report request result	150
12	Paging network controller specification	152
12.1	PNC functional description	152
12.2	Database specifications	152
12.2.1	Mobile Subscriber (MS) AdC-records database	153
12.2.2	Mobile Subscriber (MS) RIC-message database	154
12.2.3	Fixed subscriber records database	154
12.2.4	Group database for group calls	155
12.2.5	Closed User Group (CUG) database	155
12.2.6	System addressing database	155
12.2.6.1	PNC/PNC addressing	156
12.2.6.2	PNC/OMC addressing	156
12.2.6.3	PNC/PAC addressing	156
12.2.7	System configuration database	156

12.2.8	System status database	156
12.2.9	Geographical area database	157
12.3	Management of the I5 interface	157
12.3.1	Configuration	157
12.3.2	Processing of fault situations.....	157
12.3.3	Processing of O&M data	157
12.4	Management of the I4 interface	157
12.4.1	Control of I4 passwords.....	157
12.5	Management of the I3 interface	158
12.6	Call acceptance principles and calculation	158
12.6.1	General principles	158
12.6.2	Definition of terms	159
12.6.3	State detection and parameter calculation	161
12.6.4	Availability and delay evaluation	162
12.6.4.1	Availability evaluation involving only paging areas	162
12.6.4.2	Availability evaluation involving only geographical areas...	162
12.6.4.3	Availability evaluation involving paging and geographical areas.....	163
12.6.4.4	Delay evaluation involving only paging areas	163
12.6.4.5	Delay evaluation involving only geographical areas	163
	Delay evaluation involving both paging and geographical areas.....	164
12.7	Universal time reference.....	164
12.8	Translation of national character sets to the ERMES character set	164
12.9	Encryption	164
12.10	Transparent data calls	165
12.11	Call queuing	165
13	Paging area controller.....	165
13.1	General description.....	165
13.2	PAC architecture.....	166
13.2.1	Management of the paging area in a time division environment.....	166
13.3	Input section (I3 interface).....	167
13.4	Output section (I2 interface).....	167
13.5	Control section	168
13.5.1	Functional implementation	169
13.5.2	Input control.....	170
13.5.3	Output control	171
13.5.4	Allocation process	171
13.5.5	Example of call processing	172
13.5.5.1	Control parameters.....	173
13.5.5.2	Queuing procedure	174
13.6	Database.....	175
13.6.1	PAC traffic database in the control section	175
Annex A (normative): Incompatible combinations of supplementary services		178
Annex B (normative): SDL diagrams for call processing and I4 operations.....		180
B.1	General.....	180
B.2	Call processing for page input.....	180
B.3	Call processing for roaming	200
B.4	Call processing for call diversion.....	210
Annex C (informative): List of access methods.....		211
Annex D (normative): SDL diagrams for interactive access mode.....		212
D.1	General.....	212

D.2	For page input.....	212
D.3	For subscriber features.....	212
	Annex E (normative): PNC I4 ROSE operations	241
E.1	General	241
E.1.1	Pager information operation	241
E.1.1.1	Pager information operation - positive result	241
E.1.1.2	Pager information operation - negative result parameters	243
E.1.2	Choice of destination operation.....	243
E.1.2.1	Choice of destination operation (positive result).....	244
E.1.2.2	Choice of destination operation (negative result)	244
E.1.3	Page request operation	244
E.1.3.1	Page request operation (positive result)	245
E.1.3.2	Page request operation (negative result).....	245
E.1.4	Transmit operation	246
E.1.4.1	Transmit operation (positive result)	247
E.1.4.2	Transmit operation (negative result).....	247
E.1.5	Roaming validation operation.....	247
E.1.5.1	Roaming validation operation (positive result)	248
E.1.5.2	Roaming validation operation (negative result)	248
E.1.6	Roaming reset operation.....	248
E.1.6.1	Roaming reset operation (positive result)	248
E.1.6.2	Roaming reset operation (negative result).....	248
E.1.7	Roaming information operation	248
E.1.7.1	Roaming information operation (positive result)	249
E.1.7.2	Roaming information operation (negative result)	249
E.1.8	Change roaming operation.....	249
E.1.8.1	Change roaming operation (positive result)	250
E.1.8.2	Change roaming operation (negative result)	250
E.1.9	Confirm change of roaming operation.....	251
E.1.9.1	Confirm change of roaming operation (positive result)	251
E.1.9.2	Confirm change of roaming operation (negative result)	251
E.1.10	Call diversion start operation	252
E.1.10.1	Call diversion start operation (positive result)	252
E.1.10.2	Call diversion start operation (negative result)	252
E.1.11	Call Diversion stop operation	252
E.1.11.1	Call diversion stop operation (positive result)	253
E.1.11.2	Call diversion stop operation (negative result).....	253
E.2	Negative result parameters common to all operations	253
E.3	Use and presentation of I4 parameters	253
E.3.1	General.....	253
E.3.2	Description of parameters	254
E.3.2.1	Pager information operation	254
E.3.2.2	Choice of destination operation	255
E.3.2.3	Page request operation	256
E.3.2.4	Transmit operation.....	257
E.3.2.5	Roaming validation operation	258
E.3.2.6	Roaming reset operation	258
E.3.2.7	Roaming information operation	258
E.3.2.8	Change roaming operation	259
E.3.2.9	Confirm change roaming operation	259
E.3.2.10	Call diversion start operation	259
E.3.2.11	Call diversion stop operation	259

Annex F (normative): PNC I4 ROSE ASN.1 transcription.....	260
F.1 General.....	260
F.2 Operation types ASN.1 specification.....	260
Annex G (informative): Typical I6 dialogues for the input of calls.....	268
History.....	277

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 133-3:1998](#)
<https://standards.iteh.ai/catalog/standards/sist/affeb40f-1d26-4871-b9db-bd9e7df0bf3b/sist-ets-300-133-3-1998>