INTERNATIONAL STANDARD

ISO/IEC 8859-14

First edition 1998-11-15

Information technology — 8-bit single-byte coded graphic character sets —

Part 14:

Latin alphabet No. 8 (Celtic)

Technologies de l'information — Jeux de caractères graphiques codés sur un seul octet —

Partie 14: Alphabet latin nº 8 (celte)

ISO/IEC 8859-14:1998 https://standards.iteh.ai/catalog/standards/sist/4a6f8915-a73f-4652-8451-f78c65accfb8/iso-iec-8859-14-1998



Contents

Page	
Forewordiii	
Introduction iv	
Scope 1	
Conformance1	
Normative references	
Definitions	
Notation, code table and names2	
Specification of the coded character set	
Identification of the character set 6	
ex A Coverage of languages by parts 1 to 10 and	
13 to 15 of ISO/IEC 8859 T. A. ND A.R.D. PR.F.	ÆW
ex B Bibliography (standards.iteh.ai)	
	Introduction iv Scope

ISO/IEC 8859-14:1998 https://standards.iteh.ai/catalog/standards/sist/4a6f8915-a73f-4652-8451-f78c65accfb8/iso-iec-8859-14-1998

© ISO/IEC 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and nongovernmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC1. Draft International Standards adopted by the joint technical committee are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the national bodies casting a vote.

International Standard ISO/IEC 8859-14 was prepared by Joint Technical Committee ISO/IEC JTC1, *Information technology*, Subcommittee SC2, *Coded character sets*.

iTeh STANDARD PREVIEW

ISO/IEC 8859 consists of the following parts, under the general title Information technology 8-bit single-byte coded graphic character sets:

```
- Part 1: Latin alphabet No. 1
https://standards.itch.apart 2:/standards.itch.apart 2:/standards.itch.apart 2:/standards.itch.apart 2:/standards.itch.apart 2:/standards.itch.apart 2:/standards.itch.apart 2:/standards.itch.apart 3: Latin alphabet No. 3
- Part 4: Latin alphabet No. 4
- Part 5: Latin/Cyrillic alphabet
- Part 6: Latin/Arabic alphabet
- Part 7: Latin/Greek alphabet
- Part 8: Latin/Hebrew alphabet
- Part 9: Latin alphabet No. 5
- Part 10: Latin alphabet No. 6
- Part 11: Latin/Thai alphabet
- Part 12: (unassigned)
- Part 13: Latin alphabet No. 7 (Baltic Rim)
- Part 14: Latin alphabet No. 8 (Celtic)
- Part 15: Latin alphabet No. 9
```

Annexes A and B of this part of ISO/IEC 8859 are for information only.

Introduction

ISO/IEC 8859 consists of several parts. Each part specifies a set of up to 191 graphic characters and the coded representation of these characters by means of a single 8-bit byte. Each set is intended for use for a particular group of languages.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 8859-14:1998 https://standards.iteh.ai/catalog/standards/sist/4a6f8915-a73f-4652-8451-f78c65accfb8/iso-iec-8859-14-1998

Information technology — 8-bit single-byte coded graphic character sets

Part 14: Latin alphabet No. 8 (Celtic)

1 Scope

This part of ISO/IEC 8859 specifies a set of 191 coded graphic characters identified as Latin alphabet No. 8 (Celtic).

This set of coded graphic characters is intended for use in data and text processing applications and also for information interchange.

The set contains graphic characters used for general purpose applications in typical office environments in at least the following languages:

Albanian, Basque, Breton, Catalan, Cornish, Danish, Dutch, English, French (with restrictions, see Annex A.1, Notes), Frisian, Galician, German, Greenlandic, Irish Gaelic (old and new orthographies), Italian, Latin, Luxemburgish, Manx Gaelic, Norwegian, Portuguese, Rhaeto-Romanic, Scottish Gaelic, Spanish, Swedish, and Welsh Cal

This set of coded graphic characters may be regarded as a version of an 8-bit code according to 885 ISO/IEC 2022 or ISO/IEC 4873 at level 1.ai/catalog/standar

This part of ISO/IEC 8859 may not be used in conjunction with any other parts of ISO/IEC 8859. If coded characters from more than one part are to be used together, by means of code extension techniques, the equivalent coded character sets from ISO/IEC 10367 should be used instead within a version of ISO/IEC 4873 at level 2 or level 3.

The coded characters in this set may be used in conjunction with coded control functions selected from ISO/IEC 6429. However, control functions are not used to create composite graphic symbols from two or more graphic characters (see clause 6).

NOTE – ISO/IEC 8859 is not intended for use with Telematic services defined by ITU-T. If information coded according to ISO/IEC 8859 is to be transferred to such services, it will have to conform to the requirements of those services at the access-point.

2 Conformance

2.1 Conformance of information interchange

A coded-character-data-element (CC-dataelement) within coded information for interchange is in conformance with this part of ISO/IEC 8859 if all the coded representations of graphic characters within that CC-data-element conform to the requirements of clause 6.

2.2 Conformance of devices

A device is in conformance with this part of ISO/IEC 8859 if it conforms to the requirements of 2.2.1, and either or both of 2.2.2 and 2.2.3. A claim of conformance shall identify the document which contains the description specified in 2.2.1.

2.2.1 Device description

A device that conforms to this part of ISO/IEC 8859 shall be the subject of a description that identifies the means by which the user may supply characters to the device, or may recognize them when they are made available to him, as specified respectively in 2.2.2 and 2.2.3.

2.2.2 Originating devices

An originating device shall allow its user to supply any sequence of characters from those specified in clause 6, and shall be capable of transmitting their coded representations within a CC-data-element.

2.2.3 Receiving devices

A receiving device shall be capable of receiving and interpreting any coded representations of characters that are within a CC-data-element, and that conform to clause 6, and shall make the corresponding characters available to its user in such a way that the user can identify them from among those specified there, and can distinguish them from each other.

3 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 8859. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO/IEC 8859 are encouraged to investigate the possibility of applying the most recent editions of the standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO/IEC 2022:1994, Information technology – Character code structure and extension techniques.

ISO/IEC 4873:1991, Information technology – ISO 8-bit code for information interchange – Structure and rules for implementation.

ISO/IEC 8824-1:1995, Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.

4 Definitions

For the purposes of this part of ISO/IEC 8859 the following definitions apply.

- **4.1 bit combination:** An ordered set of bits used for the representation of characters.
- **4.2 byte:** A bit string that is operated upon as a unit.
- **4.3 character:** A member of a set of elements used for the organization, control, or representation of data.
- **4.4 code table:** A table showing the characters allocated to each bit combination in a code.
- 4.5 coded character set, code: A set of unambiguous rules that establishes a character set and the one-to-one relationship between the characters of the set and their bit combinations.
- 4.6 coded-character_data_element (CC_data_andard element): An element of interchanged_information_iso_iec that is specified to consist of a sequence of coded representations of characters, in accordance with one or more identified standards for coded character sets.
- **4.7 graphic character:** A character, other than a control function, that has a visual representation normally handwritten, printed or displayed, and that has a coded representation consisting of one or more bit combinations.

NOTE – In ISO/IEC 8859 a single bit combination is used to represent each character.

- **4.8 graphic symbol:** A visual representation of a graphic character or of a control function.
- **4.9 position:** That part of a code table identified by its column and row coordinates.

5 Notation, code table and names

5.1 Notation

The bits of the bit combinations of the 8-bit code are identified by b_8 , b_7 , b_6 , b_5 , b_4 , b_3 , b_2 , and b_1 , where b_8 is the highest-order, or most-significant bit and b_1 is the lowest-order, or least-significant bit.

The bit combinations may be interpreted to represent numbers in binary notation by attributing the following weights to the individual bits:

Bit	b ₈	b ₇	b ₆	b ₅	b ₄	b ₃	b ₂	b ₁
Weight	128	64	32	16	8	4	2	1

Using these weights, the bit combinations are identified by notations of the form xx/yy, where xx and yy are numbers in the range 00 to 15. The correspondence between the notations of the form xx/yy and the bit combinations consisting of the bits b_8 to b_1 is as follows:

- xx is the number represented by b₈, b₇, b₆ and b₅ where these bits are given the weights 8, 4, 2, and 1 respectively.
- yy is the number represented by b₄, b₃, b₂ and b₁ where these bits are given the weights 8, 4, 2, and 1 respectively.

The bit combinations are also identified by notations of the form hk, where h and k are numbers in the range 0 to F in hexadecimal notation. The number h is the same as the number xx described above, and the number k is the same as the number yy described above.

5.2 Layout of the code table

An 8-bit code table consists of 256 positions arranged in 16 columns and 16 rows. The columns and the rows are numbered 00 to 15. In hexadecimal notation the columns and the rows are numbered 0 to F.

The code table positions are identified by notations of the form xx/yy, where xx is the column number and yy is the row number. The column and row numbers are shown at the top and left edges of the table respectively. The code table positions are also identified by notations of the form hk, where h is the column number and k is the row number in hexadecimal notation. The column and row numbers are shown at the bottom and right edges of the table respectively.

The positions of the code table are in one-to-one correspondence with the bit combinations of the code. The notation of a code table position, of the form xx/yy, or of the form hk, is the same as that of the corresponding bit combination.

5.3 Names and meanings

This part of ISO/IEC 8859 assigns a unique name and a unique identifier to each graphic character. These names and identifiers have been taken from ISO/IEC 10646-1 (E). This part of ISO/IEC 8859

also specifies an acronym for each of the characters SPACE, NO-BREAK SPACE and SOFT HYPHEN. For acronyms only Latin capital letters A to Z are used. It is intended that the acronyms be retained in all translations of the text.

Except for SPACE (SP), NO-BREAK SPACE (NBSP) and SOFT HYPHEN (SHY), this part of ISO/IEC 8859 does not define and does not restrict the meanings of graphic characters.

This part of ISO/IEC 8859 specifies a graphic symbol for each graphic character. This symbol is shown in the corresponding position of the code table. However, this part, or any other part, of ISO/IEC 8859 does not specify a particular style or font design for imaging graphic characters. Annex B of ISO/IEC 10367 gives further information on this subject.

5.3.1 **SPACE (SP)**

A graphic character the visual representation of which consists of the absence of a graphic symbol.

5.3.2 NO-BREAK SPACE (NBSP)

A graphic character the visual representation of which consists of the absence of a graphic symbol, for use when a line break is to be prevented in the retext as presented.

5.3.3 SOFT HYPHEN (SHY)

A graphic character that is imaged by a graphic symbol identical with, or similar to, that representing HYPHEN, for use when a line break has been established within a word.

6 Specification of the coded character set

This part of ISO/IEC 8859 specifies 191 characters allocated to the bit combinations of the code table (table 2). None of these characters are combining characters.

NOTE – Combining characters are described in ISO/IEC 2022:1994 subclause 6.3.3.

Control functions, such as BACKSPACE or CARRIAGE RETURN, shall not be used to create composite graphic symbols, which are made up from the graphic representations of two or more characters.

6.1 Characters of the set and their coded representation

See table 1.

Table 1 – Character set, coded representation

Bit			
combi-	Hex	Identifier	Name
nation			
02/00	20	U+0020	SPACE EVOLAMATION MARK
02/01 02/02	21 22	U+0021 U+0022	EXCLAMATION MARK QUOTATION MARK
02/02	23	U+0022	NUMBER SIGN
02/04	24	U+0024	DOLLAR SIGN
02/05	25	U+0025	PERCENT SIGN
02/06	26	U+0026	AMPERSAND
02/07	27	U+0027	APOSTROPHE
02/08	28	U+0028	LEFT PARENTHESIS
02/09	29	U+0029	RIGHT PARENTHESIS
02/10 02/11	2A 2B	U+002A U+002B	ASTERISK PLUS SIGN
02/11	2C	U+002D	COMMA
02/13	2D	U+002D	HYPHEN-MINUS
02/14	2E	U+002E	FULL STOP
02/15	2F	U+002F	SOLIDUS
03/00	30	U+0030	DIGIT ZERO
03/01	31	U+0031	DIGIT ONE
03/02	32	U+0032	DIGIT TWO
03/03	33	U+0033	DIGIT THREE
03/04 03/05	34 35	U+0034 U+0035	DIGIT FOUR DIGIT FIVE
03/05	36	U+0036	DIGIT SIX
03/07	37	U+0037	DIGIT SEVEN
03/08	38	U+0038	DIGIT EIGHT
03/09	39	U+0039	DIGIT NINE/
03/10	3A	U+003A	COLON
03/11	3B	U+003B	SEMICOLON
03/12	3C 3D	U+003C	LESS-THAN SIGN EQUALS SIGN
03/14	3E	U+003E	GREATER-THAN SIGN
03/154:1	<u>358</u>	U+003F	QUESTION MARK
104/00ist	4061	W+b540 7	COMMERCIALIAT
Q4/Q185)41 4	<u>Ų+004</u> 1	LATIN CAPITAL LETTER A
04/02	42	U+0042	LATIN CAPITAL LETTER B
04/03	43	U+0043	LATIN CAPITAL LETTER C
04/04	44	U+0044	LATIN CAPITAL LETTER D
04/05 04/06	45 46	U+0045 U+0046	LATIN CAPITAL LETTER E LATIN CAPITAL LETTER F
04/07	47	U+0047	LATIN CAPITAL LETTER G
04/08	48	U+0048	LATIN CAPITAL LETTER H
04/09	49	U+0049	LATIN CAPITAL LETTER I
04/10	4A	U+004A	LATIN CAPITAL LETTER J
04/11	4B	U+004B	LATIN CAPITAL LETTER K
04/12	4C	U+004C	LATIN CAPITAL LETTER L
04/13	4D	U+004D	LATIN CAPITAL LETTER M
04/14 04/15	4E 4F	U+004E U+004R	LATIN CAPITAL LETTER N LATIN CAPITAL LETTER O
05/00	4F 50	U+004R	LATIN CAPITAL LETTER O
05/01	51	U+0051	LATIN CAPITAL LETTER Q
05/02	52	U+0052	LATIN CAPITAL LETTER R
05/03	53	U+0053	LATIN CAPITAL LETTER S
05/04	54	U+0054	LATIN CAPITAL LETTER T
05/05	55	U+0055	LATIN CAPITAL LETTER U
05/06	56	U+0056	LATIN CAPITAL LETTER V
05/07	57 59	U+0057	LATIN CAPITAL LETTER W LATIN CAPITAL LETTER X
05/08 05/09	58 59	U+0058 U+0059	LATIN CAPITAL LETTER X LATIN CAPITAL LETTER Y
05/09	5A	U+0059	LATIN CAPITAL LETTER 7
05/11	5B	U+005B	LEFT SQUARE BRACKET
05/12	5C	U+005C	REVERSE SOLIDUS
05/13	5D	U+005D	RIGHT SQUARE BRACKET
05/14	5E	U+005E	CIRCUMFLEX ACCENT
05/15	5F	U+005F	LOW LINE

Table 1 (continued)

Table 1 (concluded)

Bit combi- nation	Hex	Identifier	Name		Bit combi- nation	Hex	Identifier	Name
06/00	60	U+0060	GRAVE ACCENT		12/00	C0	U+00C0	LATIN CAPITAL LETTER A WITH GRAVE
06/01	61	U+0061	LATIN SMALL LETTER A		12/01	C1	U+00C1	LATIN CAPITAL LETTER A WITH ACUTE
06/02	62	U+0062	LATIN SMALL LETTER B		12/02	C2		LATIN CAPITAL LETTER A WITH CIRCUMFLEX
06/03	63	U+0063	LATIN SMALL LETTER C		12/03	C3		LATIN CAPITAL LETTER A WITH TILDE
06/04	64	U+0064	LATIN SMALL LETTER D		12/04	C4	U+00C4	LATIN CAPITAL LETTER A WITH DIAERESIS
06/05	65	U+0065	LATIN SMALL LETTER E		12/05	C5	U+00C5	LATIN CAPITAL LETTER A WITH RING ABOVE
06/06	66		LATIN SMALL LETTER F		12/06	C6		LATIN CAPITAL LETTER AE
06/07	67	U+0067	LATIN SMALL LETTER G		12/07	C7		LATIN CAPITAL LETTER C WITH CEDILLA
06/08	68	U+0068	LATIN SMALL LETTER H		12/08	C8		LATIN CAPITAL LETTER E WITH GRAVE
06/09	69		LATIN SMALL LETTER I		12/09	C9		LATIN CAPITAL LETTER E WITH ACUTE
06/10	6A	U+006A	LATIN SMALL LETTER J		12/10	CA		LATIN CAPITAL LETTER E WITH CIRCUMFLEX
06/11	6B		LATIN SMALL LETTER K		12/11	СВ		LATIN CAPITAL LETTER E WITH DIAERESIS
06/12	6C	U+006C	LATIN SMALL LETTER L		12/12	CC		LATIN CAPITAL LETTER I WITH GRAVE
06/13	6D		LATIN SMALL LETTER M		12/13	CD		LATIN CAPITAL LETTER I WITH ACUTE
06/14	6E 6F		LATIN SMALL LETTER O		12/14	CE CF		LATIN CAPITAL LETTER I WITH CIRCUMFLEX
06/15 07/00	70		LATIN SMALL LETTER O LATIN SMALL LETTER P		12/15	D0		LATIN CAPITAL LETTER I WITH DIAERESIS
07/00	71	U+0070	LATIN SMALL LETTER P		13/00 13/01	D1		LATIN CAPITAL LETTER W WITH CIRCUMFLEX LATIN CAPITAL LETTER N WITH TILDE
07/01	72		LATIN SMALL LETTER Q LATIN SMALL LETTER R		13/01	D2		LATIN CAPITAL LETTER N WITH TILDE
07/02	73	U+0073	LATIN SMALL LETTER S		13/02	D3		LATIN CAPITAL LETTER O WITH ACUTE
07/04	74		LATIN SMALL LETTER T		13/04	D4		LATIN CAPITAL LETTER O WITH CIRCUMFLEX
07/05	75		LATIN SMALL LETTER U		13/05	D5		LATIN CAPITAL LETTER O WITH TILDE
07/06	76		LATIN SMALL LETTER V		13/06	D6		LATIN CAPITAL LETTER O WITH DIAERESIS
07/07	77		LATIN SMALL LETTER W		13/07	D7		LATIN CAPITAL LETTER T WITH DOT ABOVE
07/08	78	11.0070	LATIN CMALL LETTED V		13/08	D8		LATIN CAPITAL LETTER O WITH STROKE
07/09	79	U+0079	LATIN SMALL LETTER X LATIN SMALL LETTER Y STAND	A	13/09	D9	U+00D9	LATIN CAPITAL LETTER U WITH GRAVE
07/10	7A	U+007A	LATIN SMALL LETTER Z		13/10	DA		LATIN CAPITAL LETTER U WITH ACUTE
07/11	7B	U+007B	LEFT CURLY BRACKET	700	13/11	DB	U+00DB	LATIN CAPITAL LETTER U WITH CIRCUMFLEX
07/12	7C	U+007C	VERTICAL LINE (Standa	r	13/12	DC	U+00DC	LATIN CAPITAL LETTER U WITH DIAERESIS
07/13	7D	U+007D	RIGHT CURLY BRACKET		13/13	DD	U+00DD	LATIN CAPITAL LETTER Y WITH ACUTE
07/14	7E	U+007E	TILDE ISO/IEO	900	13/14	DE		LATIN CAPITAL LETTER Y WITH CIRCUMFLEX
					13/15			LATIN SMALL LETTER SHARP S (German)
10/00	A0	U+00A0	NO-BREAK SPACE/standards.iteh.ai/catalog/st	anda	1			LATIN SMALD LETTER A WITH GRAVE
10/01	A1		LATIN CAPITAL LETTER B WITH POT ABOVE 68/	SO-	14/885	9E14	1///	LATIN SMALL LETTER A WITH ACUTE
10/02	A2		LATIN SMALL LETTER B WITH DOT ABOVE		14/02	E2 E3		LATIN SMALL LETTER A WITH CIRCUMFLEX
10/03 10/04	A3 A4		POUND SIGN LATIN CAPITAL LETTER C WITH DOT ABOVE		14/03 14/04	E4		LATIN SMALL LETTER A WITH TILDE LATIN SMALL LETTER A WITH DIAERESIS
10/04	A5		LATIN SMALL LETTER C WITH DOT ABOVE		14/05	E5		LATIN SMALL LETTER A WITH BIACKESIS LATIN SMALL LETTER A WITH RING ABOVE
10/03	A6		LATIN CAPITAL LETTER D WITH DOT ABOVE		14/05	E6		LATIN SMALL LETTER AE
10/07	A7		SECTION SIGN		14/07	E7		LATIN SMALL LETTER C WITH CEDILLA
10/08	A8		LATIN CAPITAL LETTER W WITH GRAVE		14/08	E8		LATIN SMALL LETTER E WITH GRAVE
10/09	A9		COPYRIGHT SIGN		14/09	E9		LATIN SMALL LETTER E WITH ACUTE
10/10			LATIN CAPITAL LETTER W WITH ACUTE		14/10			LATIN SMALL LETTER E WITH CIRCUMFLEX
10/11	АВ	U+1E0B	LATIN SMALL LETTER D WITH DOT ABOVE		14/11	EB	U+00EB	LATIN SMALL LETTER E WITH DIAERESIS
10/12	AC	U+1EF2	LATIN CAPITAL LETTER Y WITH GRAVE		14/12	EC	U+00EC	LATIN SMALL LETTER I WITH GRAVE
10/13	AD	U+00AD	SOFT HYPHEN		14/13	ED	U+00ED	LATIN SMALL LETTER I WITH ACUTE
10/14	AE	U+00AE	REGISTERED SIGN		14/14	EE	U+00EE	LATIN SMALL LETTER I WITH CIRCUMFLEX
10/15	AF	U+0178	LATIN CAPITAL LETTER Y WITH DIAERESIS		14/15	EF	U+00EF	LATIN SMALL LETTER I WITH DIAERESIS
11/00	B0		LATIN CAPITAL LETTER F WITH DOT ABOVE		15/00	F0		LATIN SMALL LETTER W WITH CIRCUMFLEX
11/01	B1		LATIN SMALL LETTER F WITH DOT ABOVE		15/01	F1		LATIN SMALL LETTER N WITH TILDE
11/02	B2		LATIN CAPITAL LETTER G WITH DOT ABOVE		15/02	F2	U+00F2	
11/03	B3		LATIN SMALL LETTER G WITH DOT ABOVE		15/03	F3		LATIN SMALL LETTER O WITH ACUTE
11/04	B4		LATIN CAPITAL LETTER M WITH DOT ABOVE		15/04	F4		LATIN SMALL LETTER O WITH CIRCUMFLEX
11/05	B5		LATIN SMALL LETTER M WITH DOT ABOVE		15/05	F5		LATIN SMALL LETTER O WITH TILDE
11/06 11/07	B6 B7		PILCROW SIGN LATIN CAPITAL LETTER P WITH DOT ABOVE		15/06 15/07	F6 F7		LATIN SMALL LETTER O WITH DIAERESIS LATIN SMALL LETTER T WITH DOT ABOVE
11/07	В8		LATIN SMALL LETTER W WITH GRAVE		15/07	F8		LATIN SMALL LETTER T WITH DOT ABOVE LATIN SMALL LETTER O WITH STROKE
11/09	В9		LATIN SMALL LETTER W WITH GRAVE LATIN SMALL LETTER P WITH DOT ABOVE		15/09	F9		LATIN SMALL LETTER U WITH STROKE
11/10	BA		LATIN SMALL LETTER W WITH ACUTE		15/10	FA		LATIN SMALL LETTER U WITH ACUTE
11/11	BB		LATIN CAPITAL LETTER S WITH DOT ABOVE		15/11	FB		LATIN SMALL LETTER U WITH CIRCUMFLEX
11/12	BC		LATIN SMALL LETTER Y WITH GRAVE		15/12	FC		LATIN SMALL LETTER U WITH DIAERESIS
11/13	BD		LATIN CAPITAL LETTER W WITH DIAERESIS		15/13	FD		LATIN SMALL LETTER Y WITH ACUTE
11/14	BE		LATIN SMALL LETTER W WITH DIAERESIS		15/14	FE	U+0177	LATIN SMALL LETTER Y WITH CIRCUMFLEX
11/15	BF		LATIN SMALL LETTER S WITH DOT ABOVE		15/15	FF	U+00FF	LATIN SMALL LETTER Y WITH DIAERESIS
				1				

6.2 Code table

For each character in the set the code table (table 2) shows a graphic symbol at the position in the code table corresponding to the bit combination specified in table 1.

The shaded positions in the code table correspond to bit combinations that do not represent graphic characters. Their use is outside the scope of ISO/IEC 8859; it is specified in other International Standards, for example ISO/IEC 6429.

Table 2 – Code table of Latin alphabet No. 8 (Celtic)

				b ₈	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	
				b ₆	0	<u>0</u> 1	1 0	<u>1</u> 1	0	<u>0</u> 1	1 0	<u>1</u> 1	0	<u>0</u> 1	1 0	1 1	0	<u>0</u> 1	1 0	1	
b ₄	b ₃	b ₂	b ₁		00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	
0	0	0	0	00			SP	0	a	Р	`	р			NBSP	Ė	À	Ŵ	à	ŵ	0
0	0	0	1	01			!	1	Α	Q	а	q			B	f	Á	Ñ	á	ñ	1
0	0	1	0	02			"	2	В	R	b	r			ä	Ġ	Â	Ò	â	ò	2
0	0	1	1	03			#	3	С	S	С	S			£	ġ	Ã	Ó	ã	ó	3
0	1	0	0	04		i	[\$]	145	TDA	MI	d	RŧD	P	RE	ΚΊ	Ņ	VÄ	Ô	ä	ô	4
0	1	0	1	05			%	5(s t a	nd	a e (lsi	teh	.ai)ċ	ṁ	Ã	õ	å	õ	5
0	1	1	0	06			&	6	F	<u>isV/i</u>	EC 88	59 ⊻ 14	:1998		Ď	П	Æ	Ö	æ	ö	6
0	1	1	1	07		https:/	/stand	ar də .it	eh g i/c f78c6:	atalog 5accfb	standa 8/ 9 0-1	ırds/si ec-88	st/4a61 59-14	8915- -1998	a7 3 f-4	16 5 2-8	⁸⁴ Ç 1-	Ť	Ç	ť	7
1	0	0	0	80			(8	Н	Х	h	Х			Ŵ	Ŵ	È	Ø	è	ø	8
1	0	0	1	09)	9	Ι	Υ	i	У			0	þ	É	Ù	é	ù	9
1	0	1	0	10			*	:	J	Z	j	Z			Ŵ	Ŵ	Ê	Ú	ê	ú	Α
1	0	1	1	11			+	;	Κ	Г	k	{			ä	Ś	Ë	Û	ë	û	В
1	1	0	0	12			,	<	L	\	ι				Ý	ý	Ì	Ü	ì	ü	С
1	1	0	1	13			-	=	M]	m	}			SHY	Ü	Í	Ý	í	ý	D
1	1	1	0	14			•	>	N	^	n	2			®	Ü	Î	Ŷ	î	ŷ	Е
1	1	1	1	15			/	?	0		0				Ÿ	Ġ	Ϊ	ß	ï	ÿ	F
					0	1	2	3	4	5	6	7	8	9	Α	В	С	D	Ε	F	30+