

Edition 2.2 2009-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Safety – Part 2-75: Particular requirements for commercial dispensing appliances and vending machines

Appareils électrodomestiques et analogues – Sécurité –
Partie 2-75: Règles particulières pour les distributeurs commerciaux avec ou sans moyen de paiement



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IFC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

IEC Just Published: www.iec.ch/online news/justpub/

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivarent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

■ Customer Service Sentre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 60

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'èlectricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 2.2 2009-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Appareils électrodomestiques et analogues – Sécurité –
Partie 2-75: Règles particulières pour les distributeurs commerciaux avec ou sans moyen de paiement

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 55.230 ISBN 2-8318-9978-8

CONTENTS

	REWORD	
IN	FRODUCTION	5
1	Scope	6
2	Normative references	7
3	Definitions	7
4	General requirement	9
5	General conditions for the tests	9
6	Classification	
7	Marking and instructions	
8	Protection against access to live parts	13
9	Starting of motor-operated appliances	
10	Power input and current	
11	Heating	13
12	Void	14
13	Leakage current and electric strength at operating temperature	14
14	Transient overvoltages	
15	Moisture resistance	1
16	Leakage current and electric strength	18
17	Overload protection of transformers and associated circuits	1
18	Endurance	1:
19	Abnormal operation	18
20	Stability and mechanical hazards 133 2-75 2002	2
::// <u>2</u> 1	Mechanical strength	335-2
	Construction	2
23	Internal wiring	
24		
	Supply connection and external flexible cords	2:
26	Terminals for external conductors	
27	Provision for earthing	
28	Screws and connections	
29	Clearances, creepage distances and solid insulation	
30	Resistance to heat and fire	
31	Resistance to rusting	
32	Radiation, toxicity and similar hazards	
02	radiation, toxiony and offinial nazardo	2
An	nexes	2
An	nex AA (normative) Aging test for elastomeric parts	28
Bib	oliography	30

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-75: Particular requirements for commercial dispensing appliances and vending machines

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with canditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC publication.
- 6) All users should ensure that they have the latest edition of this publication. 56be8a1dc3dd/iec-60335-2-75-2002
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-75 consists of the second edition (2002) [documents 61/2224/FDIS and 61/2299/RVD], its amendment 1 (2004) [documents 61/2743/FDIS and 61/2795/RVD] and its amendment 2 (2008) [documents 61/3643/FDIS and 61/3683/RVD].

The technical content is therefore identical to the base edition and its amendments and has been prepared for user convenience.

It bears the edition number 2.2.

A vertical line in the margin shows where the base publication has been modified by amendments 1 and 2.

The French version of this standard has not been voted upon.

-4 -

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric commercial dispensing appliances and vending machines.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below

- 6.1: Class 0I is allowed for appliances used indoors having a rated voltage not exceeding 150 V (Japan).
- 11.7: The number of vending cycles is specified to determine the duration of the test (USA).
- 13.2: The leakage current limits are different (Japan).
- 16.2: The leakage current limits are different (Japan)
- 20.1: The test is different (USA).
- Clause 21: Metal englosures are not subjected to the test (USA).
- 22.7: A pressure relief device shall operate before the rated pressure of the vessel has been exceeded (USA).
- 22.7: The test pressure is five times rated pressure (USA).
- 24.103: Self-resetting thermal cut-outs are allowed if they have been evaluated for reliability (USA).
- 25.7: Ordinary polywhyl chloride speathed supply cords are allowed (Australia and New Zealand).
- 25.7: Lighter supply cords are allowed (USA).
- 27.2: The addition is not applicable (USA).
- Annex AA: Elastomeric parts are evaluated differently (USA).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.
- NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of the amendment 2 be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-75: Particular requirements for commercial dispensing appliances and vending machines

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric commercial dispensing appliances and vending machines for preparation or delivery of food, drinks and consumer products, their rated voltage being not more than 250 V for single-phase appliances and 480 V for other appliances.

NOTE 101 Examples of appliances that are within the scope of this standard are

- bulk tea or coffee brewing machines;
- cigarette vending machines;
- coffee grinders
- commercial liquid heaters;
- espresso coffee appliances;
- hot and cold beverage vending machines;
- hot water dispensers;
- ice cream and whipped cream dispensers;
- ice dispensers;
- newspaper, audio or video tape or disc vending machines;
- packaged food and drink vending machines;
- refrigerated merchandisers

Appliances may have more than one function.

NOTE 102 Other standards may be applicable for some functions such as

- refrigeration (IEC 60335 2-24)
- heating by microwaves (IEC 60335-2-25);
- coffee grinding (IEC 60335-2-64).

This standard also deals with the hygiene aspects of appliances.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by users and **maintenance persons**. However, in general, it does not take into account young children playing with the appliance.

NOTE 103 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements for appliances incorporating pressure vessels are specified;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 104 This standard does not apply to

- appliances intended to be used exclusively for household purposes;
- appliances intended to be used exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);

60335-2-75 © IEC:2002+A1:2004 - 7 - +A2:2008

- commercial electric boiling pans (IEC 60335-2-47);
- commercial electric bains-marie (IEC 60335-2-50);
- amusement machines and personal service machines (IEC 60335-2-82);
- appliances solely used for dispensing money;
- display cabinets;
- appliances incorporating electrode-type water heaters.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60335-2-34, Safety of household and similar electrical appliances. Part 2-34: Particular requirements for motor-compressors

ISO 1817:1999, Rubber, vulcanized – Determination of the effect of liquids

3 Definitions

This clause of Part 1 is applicable except as follows:

3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions

The appliance is operated in the **standby mode** potal steady conditions are established and then under the most unfavourable dispensing procedure. The appliance is refilled when necessary in accordance with the instructions for use, or the **instructions for maintenance**, and the next operating period started as soon as possible.

Lids and covers of appliances of the professional type and of appliances of the supervised type are placed in their intended positions.

3.6.2 Replacement:

detachable part

part that can be removed without the aid of a **tool**, a part that is removed in accordance with the instructions for use or the **instructions for maintenance**, even if a **tool** or **access key** is needed for removal, or a part that does not fulfill the test of 22.11

NOTE 101 If a part has to be removed for installation purposes, this part is not considered to be detachable even if the instructions state that it is to be removed.

NOTE 102 A part that can be opened is considered to be a part that can be removed.

3.7.3 Replacement:

thermal cut-out

device that during abnormal operation limits the temperature of the controlled part by automatically opening the circuit, or reducing the current, and is constructed so that its setting cannot be altered by the user or the **maintenance person**

3.8.5 Replacement:

maintenance operation

operation performed in the **maintenance area** or **user area**, such as preparing the appliance for new products or new operating methods, cleaning, price changing, replenishing, coin collecting and setting of controls or similar operations

NOTE 101 Maintenance operation does not include operations performed in the service area.

3.101

rated pressure

pressure assigned to the pressurized parts of the appliance by the manufacturer

3.102

standby mode

appliance filled as intended with ingredients or products, energized and ready for use, cash boxes and overflow containers being empty

3.103

access key

key or other means that gives access to the maintenance area but does not give access to the service area

NOTE "Other means" includes a **tool** or operation by codes or signals produced by optical or electromagnetic sources.

3.104

override key

key or other means that is used to render an interlock inoperative

3.105

dispensing appliance

appliance intended to deliver or make available food, drinks or other consumer products

NOTE 1 The appliance may also prepare the products.

NOTE 2 The dispensing operation may be initiated manually or by means such as coins or credit cards.

3.106

vending machine

dispensing appliance that is operated by coins, credit cards or other means of payment

3.107

instructions for maintenance

instructions explaining how to carry out cleaning, replenishing, coin collecting, setting of controls and similar operations

3.108

maintenance person

person who maintains the appliance in accordance with the instructions for maintenance

3.109

user area

area where access is gained without the use of an access key or a tool

NOTE 1 The user area of appliances of the supervised type is determined with detachable parts and other movable parts, such as doors and lids, in position as in normal use.

NOTE 2 Appliances of the professional type have no user area.

3.110

maintenance area

area where access can only be gained by the use of an access key

3.111

service area

area where access cannot be gained by the use of an access key alone

3.112

appliance of the professional type

dispensing appliance that is only intended to be used by trained personnel such as kitchen or bar staff

3.113

appliance of the supervised type

dispensing appliance that is intended to be maintained by trained personnel but may be used by other persons in a location where its use is overseen

NOTE Dining rooms in restaurants are examples of such locations.

3.114

potentially hazardous food

food which includes natural or synthetic ingredients that are capable of supporting rapid and progressive growth of pathogenic or toxin producing micro-organisms

NOTE 1 Examples of **potentially hazardous food** are milk, eggs, meat, poultry, smellfish, crustacean, and their products, either raw or heat treated, as well as food of plant origin that is ready for consumption without the need for any further preparation or processing.

NOTE 2 Food may become **potentially hazardous food** during processing, for example when powdered ingredients are mixed with water or when food is stored at incorrect temperature.

NOTE 3 Potentially hazardous food does not include:

- candy, nuts, gum and similar confectionery;
- cookies, crackers and similar bakery products;
- instant-coffee, chocolate, cocoa and sugar;
- food having a pH level of not greater than 4,6 or a water activity (Aw) value not greater than 0,85 at 25 °C;
- food maintained at a temperature not exceeding 5 °C for periods specified by the producer, but for not more than 5 days;
- food maintained at a temperatures above 65 °C or below -18 °C;
- food in hermetically sealed containers;
- food that has been processed to prevent spoilage.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

NOTE 101 If the test of 15.102 has to be carried out, three additional samples are required.

5.6 Replacement:

Controls or switching devices in the user area are adjusted to the most unfavourable setting.

Controls, switching devices or other parts in the **maintenance area** are adjusted to the most unfavourable setting within limits stated in the **instructions for maintenance**.

NOTE 101 Controls or switching devices in the service area are not adjusted.

5.9 Addition:

When alternative software is made available by the appliance manufacturer, the appliance is tested with the software that gives the most unfavourable results.

5.10 Addition:

NOTE 101 Access keys and override keys may be supplied separately from the appliance.

Appliances are installed in accordance with the instructions provided with the appliance before testing.

If the instructions state that the appliance may be installed together with other appliances, the effect of this combination is taken into account.

5.101 Appliances intended to be connected to the water mains are supplied with water having a temperature of 15 °C \pm 5 °C and the most unfavourable pressure specified in the instructions. For appliances that are manually filled with water, the temperature of the water is 15 °C \pm 5 °C.

For appliances intended to cool water, the temperature of the water is 25, °C ± 5 °C.

- 5.102 The requirements of this standard for the maintenance are applicable when the instructions for maintenance are being followed. If an access key is provided for access to the maintenance area, it is used before a test is carried out if this is more unfavourable.
 - **5.103** When reference is made to the application of test probe B, test probe 18 of IEC 61032 is also applied in the **user area**.
 - 5.104 Appliances of the professional type and appliances of the supervised type are tested as heating appliances even if they incorporate a motor.

NOTE If these appliances to not contain heating elements, they are tested as motor-operated appliances.

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 Modification:

Appliances shall be class I, class II or class III.

6.2 Addition:

Appliances intended for outdoor use shall be at least IPX4.

Appliances that may be cleaned by water jets, or installed where water jets are liable to be used, shall be at least IPX5.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Appliance shall be marked with

- their rated pressure, in megapascals, if applicable;
- the maximum permissible water pressure, in megapascals, for appliances intended to be connected to the water mains.

Appliances intended to be filled by hand shall have means that indicate when the required level for correct operation has been reached.

NOTE 101 A level mark or an audible or visual signal are suitable means.

For appliances incorporating a socket outlet, the voltage, nature of the supply and current or power output shall be marked in the vicinity of the socket outlet.

Appliances intended to be partially immersed in water for cleaning shall be marked with the maximum level of immersion and with the substance of the following:

Do not immerse beyond this level.

7.3 Addition:

The requirement also applies when the adjustment has to be made by the maintenance person.

2

7.8 Addition:

2 Terminals for equipotential bonding shall be indicated by symbol IEC 60417-5021 (2002-10).

This symbol shall not be placed on screws, removable washers or other parts that can be removed when conductors are being connected.

7.12.1 Addition:

The installation instructions for appliances intended to be connected to the water mains shall specify the means of connection and draw attention to any national rules that may be applicable.

The installation instructions shall state if the appliance is suitable for outdoor use.

The installation instructions shall state the maximum and minimum ambient temperatures for correct operation.

For appliances that are not at least IPX5, the instructions shall state that the appliance is not suitable for installation in an area where a water jet could be used.

The installation instructions shall state the maximum tilt of the appliance for safe operation.

NOTE 101 $\,$ A tilt of less than 2° need not be stated. An instruction such as "the appliance has to be placed in a horizontal position" is sufficient.

The installation instructions for **appliances of the professional type** shall state that the appliance is only to be installed in locations where its use and maintenance is restricted to trained personnel.

The installation instructions for **appliances of the supervised type** shall state that the appliance is only to be installed in locations where it can be overseen by trained personnel.

The installation instructions for class I appliances of the professional type that are intended to be permanently connected to fixed wiring, and have a leakage current that may exceed 10 mA, shall state that the installation of a residual current device (RCD) having a rated residual operating current not exceeding 30 mA is advisable.

7.12.101 If it is necessary to take special precautions during **maintenance operations**, details of these shall be supplied. The **instructions for maintenance** shall state how to gain access to the **maintenance area** including how to use the **access key** and the **override key**. They shall not include instructions on how to gain access to a **service area**.

Compliance is checked by inspection.

7.12.101.1 The **instructions for maintenance** shall specify the method and frequency of cleaning. They shall include details for descaling, disinfecting, flushing and removal of any residual cleaners, sterilizers or descalers from the appliance, if applicable. Recommended cleaning or disinfecting agents shall be specified.

NOTE 101 The agents may be identified by their chemical denomination.

If the appliance is not at least IPX5, the **instructions** for maintenance shall state that the appliance must not be cleaned by a water jet.

The instructions for maintenance for appliances incorporating an appliance inlet, and intended to be partially or completely immersed in water for cleaning, shall state that the connector must be removed before the appliance is cleaned and that the appliance inlet must be dried before the appliance is used again.

Compliance is checked by inspection.

7.12.101.2 If the use of an override key allows access to moving parts, a suitable warning shall be given in the instructions for maintenance.

Compliance is checked by inspection.

7.12.101.3 The instructions for maintenance shall list any accessories that may be used with the appliance.

Compliance is checked by inspection.

7.12.101.4 The **instructions for maintenance** shall state the maximum and minimum ambient temperatures for correct operation.

For appliances using water, the **instructions for maintenance** shall give details concerning the prevention of freezing or how to ensure safe operation if freezing occurs.

Compliance is checked by inspection.

7.12.101.5 The **instructions for maintenance** for appliances containing pressurized gas shall give details on the safe handling of the pressurized containers and of the gas.

Compliance is checked by inspection.