

ETSI TS 129 199-2 V8.0.0 (2009-02)

Technical Specification

**Universal Mobile Telecommunications System (UMTS);
LTE;
Open Service Access (OSA);
Parlay X web services;
Part 2: Third party call
(3GPP TS 29.199-02 version 8.0.0 Release 8)**



iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/c4a3dae1-f11a-43d1-bc52-1bc162f28aeb/etsi-ts-129-199-2-v8.0.0-2009-02>



Reference

RTS/TSGC-0029199-02v800

Keywords

LTE, UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

ETSI STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/c4a3f0e1-f11a-43d1-bc52-1bc162f28aeb/etsi-ts-129-199-2-v8.0.0-2009-02>

Contents

Intellectual Property Rights	2
Foreword.....	2
Foreword.....	5
Introduction	5
1 Scope	6
2 References	6
3 Definitions and abbreviations.....	6
3.1 Definitions	6
3.2 Abbreviations	7
4 Detailed service description	7
5 Namespaces.....	9
6 Sequence diagrams	9
6.1 'Click to Dial' call setup.....	9
6.2 Third party call with announcement between broker and customer	10
7 XML Schema data type definition	10
8 Web Service interface definition	11
8.1 Interface: ThirdPartyCall.....	11
8.1.1 Operation: MakeCallSession	11
8.1.1.1 Input message: MakeCallSessionRequest	11
8.1.1.2 Output message : MakeCallSessionResponse	12
8.1.1.3 Referenced faults.....	12
8.1.1a Operation: AddCallParticipant.....	12
8.1.1a.1 Input Message : AddCallParticipantRequest.....	12
8.1.1a.2 Output message : AddCallParticipantResponse	12
8.1.1a.3 Referenced faults.....	12
8.1.1b Operation: TransferCallParticipant.....	13
8.1.1b.1 Input Message : TransferCallParticipantRequest	13
8.1.1b.2 Output message : TransferCallParticipantResponse	13
8.1.1b.3 Referenced faults.....	13
8.1.2 Operation: GetCallParticipantInformation.....	14
8.1.2.1 Input message: GetCallParticipantInformationRequest	14
8.1.2.2 Output message : GetCallParticipantInformationResponse	14
8.1.2.3 Referenced faults.....	14
8.1.3 Void	14
8.1.4 Void	14
8.1.5 Operation: GetCallSessionInformation.....	14
8.1.5.1 Input message: GetCallSessionInformationRequest	14
8.1.5.2 Output message : GetCallSessionInformationResponse	15
8.1.5.3 Referenced faults.....	15
8.1.6 Operation: DeleteCallParticipant	15
8.1.6.1 Input message: DeleteCallParticipantRequest.....	15
8.1.6.2 Output message: DeleteCallParticipantResponse.....	15
8.1.6.3 Referenced faults.....	15
8.1.7 Operation: EndCallSession	16
8.1.7.1 Input message: EndCallSessionRequest.....	16
8.1.7.2 Output message: EndCallSessionResponse.....	16
8.1.7.3 Referenced faults.....	16
9 Fault definitions.....	17
9.1 ServiceException.....	17
9.1.1 SVC0260: Void	17

9.1.2 SVC0261: Call Session already terminated17

10 Service policies17

Annex A (normative): WSDL for Third Party Call.....18

Annex B (informative): Description of Parlay X Web Services Part 2: Third party call for 3GPP2 cdma2000 networks19

B.1 General Exceptions.....19

B.2 Specific Exceptions19

B.2.1 Clause 1: Scope19

B.2.2 Clause 2: References19

B.2.3 Clause 3: Definitions and abbreviations19

B.2.4 Clause 4: Detailed service description.....19

B.2.5 Clause 5: Namespaces19

B.2.6 Clause 6: Sequence diagrams20

B.2.7 Clause 7: XML Schema data type definition.....20

B.2.8 Clause 8: Web Service interface definition20

B.2.9 Clause 9: Fault definitions.....20

B.2.10 Clause 10: Service policies.....20

B.2.11 Annex A (normative): WSDL for Third Party Call.....20

Annex C (informative): Change history21

History22

ITeH STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/c4a2daef-f11a-43d1-bc52-1bc162f28aeb/etsi-ts-129-199-2-v8.0.0-2009-02>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

3GPP acknowledges the contribution of the Parlay X Web Services specifications from The Parlay Group. The Parlay Group is pleased to see 3GPP acknowledge and publish the present document, and the Parlay Group looks forward to working with the 3GPP community to improve future versions of the present document.

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part 2 of a multi-part deliverable covering the 3rd Generation Partnership Project; Technical Specification Group Core Network and Terminals; Open Service Access (OSA); Parlay X Web Services, as identified below:

- Part 1: "Common"
- Part 2: "Third party call"**
- Part 3: "Call Notification"
- Part 4: "Short Messaging"
- Part 5: "Multimedia Messaging"
- Part 6: "Payment"
- Part 7: "Account management"
- Part 8: "Terminal Status"
- Part 9: "Terminal location"
- Part 10: "Call handling"
- Part 11: "Audio call"
- Part 12: "Multimedia conference"
- Part 13: "Address list management"
- Part 14: "Presence"
- Part 15: "Message Broadcast"
- Part 16: "Geocoding"
- Part 17: "Application driven Quality of Service (QoS)"
- Part 18: "Device Capabilities and Configuration"
- Part 19: "Multimedia streaming control"
- Part 20: "Multimedia multicast session management"

1 Scope

The present document is Part 2 of the Stage 3 Parlay X Web Services specification for Open Service Access (OSA).

The OSA specifications define an architecture that enables application developers to make use of network functionality through an open standardized interface, i.e. the OSA APIs. The concepts and the functional architecture for the OSA are contained in 3GPP TS 23.127 [3]. The requirements for OSA are contained in 3GPP TS 22.127 [2].

The present document specifies the Third Party Call Web Service aspects of the interface. All aspects of the Third Party Call Web Service are defined here, these being:

- Name spaces.
- Sequence diagrams.
- Data definitions.
- Interface specification plus detailed method descriptions.
- Fault definitions.
- Service Policies.
- WSDL Description of the interfaces.

The present document has been defined jointly between 3GPP TSG CT WG5, ETSI TISPAN and The Parlay Group.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
 - [2] 3GPP TS 22.127: "Service Requirement for the Open Services Access (OSA); Stage 1".
 - [3] 3GPP TS 23.127: "Virtual Home Environment (VHE) / Open Service Access (OSA); Stage 2".
 - [4] 3GPP TS 22.101: "Service aspects; Service principles".
 - [5] W3C Recommendation (2 May 2001): "XML Schema Part 2: Datatypes".
<http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>.
 - [6] 3GPP TS 29.199-1: "Open Service Access (OSA); Parlay X Web Services; Part 1: Common".
 - [7] 3GPP TS 29.199-12: "Open Service Access (OSA); Parlay X Web Services; Part 12: Multimedia conference".
-

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TS 29.199-1 [6] apply.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TS 29.199-1 [6] apply.

4 Detailed service description

Currently, in order to perform a third party call in telecommunication networks we have to write applications using specific protocols to access Call Control functions provided by network elements (specifically operations to initiate a call from applications). This approach requires a high degree of network expertise. We can also use the OSA gateway approach, invoking standard interfaces to gain access to call control capabilities, but these interfaces are usually perceived to be quite complex by application IT developers. Developers must have advanced telecommunication skills to use Call Control OSA interfaces.

In this subclause we describe a Parlay X Web Service, Third Party Call, for creating and managing a call initiated by an application (third party call). The overall scope of this Web Service is to provide functions to application developers to create a call in a simple way. Using the Third Party Call Web Service, application developers can invoke call handling functions without detailed telecommunication knowledge.

The underlying model of the service is based on the following entities:

- **Call Session:** a call (uniquely identified) to which participants can be added/removed.
- **Call Participant:** each of the call parties (uniquely identified) involved in the call session.
- **Media:** the call can utilize multiple media types to support the participants' communication. In particular both audio and video streams are available, including the specific stream direction (i.e. incoming, outgoing, bidirectional).

NOTE 1: Call participants in a Call Session are anticipated to be uniquely identifiable using their URI address.

An application setting up a call session must initially invoke the **makeCallSession**. The result of such invocation is the creation of a "context" that represents a call session with usually two participants, or at a minimum one participant connected, a unique identifier is assigned to the just-created call session. Subsequently the application may wish to add, remove, park or transfer call participants. In order to do so the operations **addCallParticipant**, **transferCallParticipant**, **deleteCallParticipant** can be used. Furthermore the call session or call participant status including the media details can be read. In order to do so the operations **getCallParticipantInformation**, and **getCallSessionInformation** can be used. It is also possible to retrieve the media details on its own using the **getMediaForParticipant** or **getMediaForCall** operations of the Audio Call web service.

The application can also force the call session and all its participants to be terminated with the operation **endCallSession**.

NOTE 2: A call session allows the application to avail of other web service features that can add value to the created call session. For example the Audio Call web service can provide multimedia message delivery to call participants in the call session (playXXXMessage operation) and furthermore control of the media types for the call participants thus enabling conversational multimedia communication including voice, video, chat, and data. Media can be added/removed for each participant.

Figure 4.1 shows a scenario using the Third Party Call Web Service to handle third party call functions. The application invokes a Web Service to retrieve stock quotes and a Parlay X Interface to initiate a third party call between a broker and his client.

In the scenario, whenever a particular stock quote reaches a threshold value (1) and (2), the client application invokes a third party call between one or more brokers and their corresponding customers to decide actions to be taken. After invocation (3) by the application, the Third Party Call Web Service invokes a Parlay API operation (4) using the Parlay/OSA SCS-CC (Call control) interface. This SCS handles the invocation and sends a message (5) to an MSC to set-up a call between user A and user B.

In an alternative scenario, the Parlay API interaction involving steps (4) and (5) could be replaced with a direct interaction between the Third Party Call Web Service and the Mobile network




Figure 4.1: Third party call scenario

ITeh STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/c4a3dae1-f11a-43d1-bc52-1bc162f28aeb/etsi-ts-129-199-2-v8.0.0-2009-02>

5 Namespaces

The ThirdPartyCall interface uses the namespace:

`http://www.csapi.org/wsd/parlayx/third_party_call/v3_4`

The 'xsd' namespace is used in the present document to refer to the XML Schema data types defined in XML Schema [5]. The use of the name 'xsd' is not semantically significant.

6 Sequence diagrams

6.1 'Click to Dial' call setup

A common convergence application is Click to Dial, where a self service portal provides a web page that can initiate a call between two phones. This sequence shows a basic call setup, and ending the call through the portal.

