

### SLOVENSKI STANDARD SIST ISO 281:2001/AMD1:2001

01-julij-2001

?clUb]`YÿUJ'!'8]bUa] bYbcg]bcglj']b'fU i bg\_U'ÿ]j`'Yb'g\_UXcVU!'8cdc'b]'c'%

Rolling bearings — Dynamic load ratings and rating life AMENDMENT 1

### iTeh STANDARD PREVIEW

Ta slovenski standard je istoveten z: ISO 281:1990/Amd 1:2000

SIST ISO 281:2001/AMD1:2001

https://standards.iteh.ai/catalog/standards/sist/2da0ac0b-fdb5-4a03-a8e8-168877515a74/sist-iso-281-2001-amd1-2001

ICS:

21.100.20 Kotalni ležaji Rolling bearings

SIST ISO 281:2001/AMD1:2001 en

SIST ISO 281:2001/AMD1:2001

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 281:2001/AMD1:2001 https://standards.iteh.ai/catalog/standards/sist/2da0ac0b-fdb5-4a03-a8e8-168877515a74/sist-iso-281-2001-amd1-2001

SIST ISO 281:2001/AMD1:2001

# INTERNATIONAL STANDARD

ISO 281

First edition 1990-12-01 **AMENDMENT 1** 2000-02-15

# Rolling bearings — Dynamic load ratings and rating life

**AMENDMENT 1** 

Roulements — Charges dynamiques de base et durée nominale iTeh Same de PREVIEW (standards.iteh.ai)

<u>SIST ISO 281:2001/AMD1:2001</u> https://standards.iteh.ai/catalog/standards/sist/2da0ac0b-fdb5-4a03-a8e8-168877515a74/sist-iso-281-2001-amd1-2001



Reference number ISO 281:1990/Amd.1:2000(E)

ISO 281:1990/Amd.1:2000(E)

#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 281:2001/AMD1:2001</u> https://standards.iteh.ai/catalog/standards/sist/2da0ac0b-fdb5-4a03-a8e8-168877515a74/sist-iso-281-2001-amd1-2001

#### © ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

ISO 281:1990/Amd.1:2000(E)

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this Amendment may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to International Standard ISO 281:1990 was prepared by Technical Committee ISO/TC 4, *Rolling bearings*, Subcommittee SC 8, *Load ratings and life*.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST ISO 281:2001/AMD1:2001</u> https://standards.iteh.ai/catalog/standards/sist/2da0ac0b-fdb5-4a03-a8e8-168877515a74/sist-iso-281-2001-amd1-2001

© ISO 2000 – All rights reserved iii

SIST ISO 281:2001/AMD1:2001

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 281:2001/AMD1:2001 https://standards.iteh.ai/catalog/standards/sist/2da0ac0b-fdb5-4a03-a8e8-168877515a74/sist-iso-281-2001-amd1-2001

ISO 281:1990/Amd.1:2000(E)

### Rolling bearings — Dynamic load ratings and rating life

#### **AMENDMENT 1**

Page 1, Scope

To comply with the changed wording for the designation of factor  $b_{\rm m}$ , the first and the second paragraph of clause 1 (Scope) on page 1 of ISO 281 are slightly changed. The new wording is:

This International Standard specifies methods of calculating the basic dynamic load rating of rolling bearings within the size ranges shown in the relevant ISO publications, manufactured from contemporary, commonly used, high quality, hardened bearing steel in accordance with good manufacturing practice and basically of conventional design as regards the shape of rolling contact surfaces.

This International Standard also specifies methods of calculating the basic rating life, which is the life associated with 90 % reliability, with commonly used high quality material, good manufacturing quality, and with conventional operating conditions. In addition, it specifies methods of calculating adjusted rating life, in which various reliabilities, special bearing properties and specific operating conditions are taken into account by means of life adjustment factors.

(standards.iteh.ai)

Page 2, Symbols

Change the wording of the definition of the factor by to read: https://standards.iteh.avcatalog/standards/sist/2da0ac0b-fdb5-4a03-a8e8-

 $b_{\rm m}$  = rating factor for contemporary, commonly used, high quality, hardened bearing steel in accordance with good manufacturing practices, the value of which varies with bearing type and design.

Page 3, Table 1

Change the value of the factor  $b_{\rm m}$  from 1 to 1,3 for insert bearings.

© ISO 2000 – All rights reserved