

SLOVENSKI STANDARD

SIST EN 3660-022:2008

01-julij-2008

Aeronavtika - Dodatki za okrogle in pravokotne električne in optične konektorje - 022. del: Kabelska spojka, tip A, ravna, sestavljena, netesnjena, z drgalom za spojko - Standard za proizvod

Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 022: Cable outlet, style A, straight, composite, unsealed, with cable tie strain relief - Product standard

Luft- und Raumfahrt - Endgehäuse für elektrische und optische Rund- und Rechtecksteckverbinder - Teil 022: Endgehäuse, Bauform A, gerade, Composite, nicht abgedichtet, mit Arm für Kabelbinder - Produktnorm

[SIST EN 3660-022:2008](https://standards.iteh.ai/catalog/standards/sist/202323a8-8dda-4de3-b132-3a4010212008/en/3660-022:2008)

Série aérospatiale - Accessoires arrière pour connecteurs circulaires et rectangulaires électriques et optiques - Partie 022 : Raccord, type A, droit, composite, non étanche, avec tenue du câble par frettage - Norme de produit

Ta slovenski standard je istoveten z: EN 3660-022:2008

ICS:

49.060

Letalska in vesoljska
električna oprema in sistemi

Aerospace electric
equipment and systems

SIST EN 3660-022:2008

en

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

SIST EN 3660-022:2008

<https://standards.iteh.ai/catalog/standards/sist/202323a8-8dda-4de3-b132-5dd4016bcf10/sist-en-3660-022-2008>

English Version

Aerospace series - Cable outlet accessories for circular and rectangular electrical and optical connectors - Part 022: Cable outlet, style A, straight, composite, unsealed, with cable tie strain relief - Product standard

Série aéronautique - Accessoires arrière pour connecteurs circulaires et rectangulaires électriques et optiques - Partie 022 : Raccord, type A, droit, composite, non étanche, avec tenue du câble par frettage - Norme de produit

Luft- und Raumfahrt - Endgehäuse für elektrische und optische Rund- und Rechtecksteckverbinder - Teil 022: Endgehäuse, Bauform A, gerade, Composite, nicht abgedichtet, mit Arm für Kabelbinder - Produktnorm

This European Standard was approved by CEN on 12 January 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

[SIST EN 3660-022:2008](https://standards.iteh.ai/catalog/standards/sist/202323e8-8dda-4de3-b132-81f401b01819/iec-en-en-3660-022-2008)

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents		Page
Foreword.....		3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Characteristics	4
5	Designation	9
6	Marking	10
7	Technical specification	10

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 3660-022:2008
<https://standards.iteh.ai/catalog/standards/sist/202323a8-8dda-4de3-b132-5dd4016bcf10/sist-en-3660-022-2008>

Foreword

This document (EN 3660-022:2008) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2008, and conflicting national standards shall be withdrawn at the latest by October 2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 3660-022:2008

<https://standards.iteh.ai/catalog/standards/sist/202323a8-8dda-4de3-b132-5dd4016bcf10/sist-en-3660-022-2008>

1 Scope

This product standard defines a range of cable outlets, straight, composite, style A, for use under the following conditions:

Associated electrical connector(s) : EN 3660-002
Temperature range, Class P : – 55 °C to 200 °C

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2591-*, *Aerospace series — Elements of electrical and optical connection — Test methods.*

EN 3660-001, *Aerospace series — Cable outlet accessories for circular and rectangular electrical and optical connectors — Part 001: Technical specification.*

EN 3660-002, *Aerospace series — Cable outlet accessories for circular and rectangular electrical and optical connectors — Part 002: Index of product standards.*

AS85049, *Connector accessories, electrical general specification for.*¹⁾

STANDARD PREVIEW
(standards.iteh.ai)

3 Terms and definitions

[SIST EN 3660-022:2008](#)

<https://standards.iteh.ai/catalog/standards/sist/202323a8-8dda-4de3-b132-3dd40108c110/sist-en-3660-022-2008>

For the purposes of this document, the terms and definitions given in EN 3660-001 apply.

4 Characteristics

4.1 Dimensions and mass


For dimensions and mass, see Figure 1, Figure 2 and Table 1.

For interface dimensions, see 4.2.

* All its parts quoted.

1) Published by: Society of Automotive Engineers, Inc. (SAE), 400 Commonwealth Drive, Warrendale, PA 15096-0001.

All dimensions in millimetres



Key

- 1 Thread *A*
- 2 Shell size relief marked this area
- 3 Cable tie or lacing cord
- 4 Teeth *N* (see Table 2)
- 5 Straight knurl
- 6 Marking (see Clause 6)

Key

- 1 *F* Radius

Figure 1

Figure 2

SIST EN 3660-022:2008
<https://standards.iteh.ai/catalog/standards/sist/202323a8-8dda-4de3-b132-5d14016bc110/sist-en-3660-022-2008>
 Table 1

Shell size	<i>A</i> Thread Class 2B inches	Ø <i>B</i> max. mm	Ø <i>C</i> max. mm	<i>D</i> max. mm	<i>E</i> ^a 0 – 0,56 mm	<i>F</i> Radius max. mm	Mass max. g
08	0.500-20UNEF	15,55	6,80	28,20	7,75	2,23	3,1
10	0.625-24UNEF	18,52	9,49			3,03	3,7
12	0.750-20UNEF	21,67	12,87	29,65		3,93	4,4
14	0.875-20UNEF	24,87	14,72	32,25		4,93	5,3
16	1.000-20UNEF	28,13	18,03			5,83	6,2
18	1.0625-18UNEF	30,30	19,90	36,05		7,26	6,9
20	1.1875-18UNEF	33,48	23,08	39,35		7,23	8,0
22	1.3125-18UNEF	36,65	26,31	42,35		8,07	9,0
24	1.4375-18UNEF	39,83	29,22	45,65		9,03	9,8
a “E” dimension is taken when the coupling nut is pulled in forward position.							

4.2 Interface dimensions

4.2.1 Associated connectors

See EN 3660-002.

4.2.2 Standard AS85049 interface

See Figure 3, Figure 4 and Table 2.

All dimensions in millimetres




Figure 3

Figure 4

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Table 2

Shell size	$\varnothing G$ 0 - 0,38 mm	$\varnothing H$ 0 - 0,38 mm	$\varnothing I$ 0 - 0,25 mm	N Number of teeth
08	11,02	9,10	6,86	12
10	14,35	12,50	9,53	15
12	17,19	15,50	12,98	21
14	20,45	18,70	14,86	24
16	23,67	21,80	18,03	30
18	25,37	23,30	20,04	33
20	28,37	26,40	23,22	36
22	31,75	29,60	26,39	39
24	34,70	32,80	29,31	42

4.3 Material and finish

Material Class P : Composite, natural colour, unplated

4.4 Assembly torque

These torque values are intended for installation use only, see Table 3.

Table 3

Shell size	Torque Nm max.
08	2,2
10	2,8
12	3,4
14	
16	3,9
18	5,0
20	
22	9,0
24	

iTeh STANDARD PREVIEW

4.5 Coupling thread strength torques

(standards.iteh.ai)

These torque values are for test purposes, see EN 2591-420 and Table 4.

[SIST EN 3660-022:2008](https://standards.iteh.ai/catalog/standards/sist/202323a8-8dda-4de3-b132-5dd4016bcf10/sist-en-3660-022-2008)

<https://standards.iteh.ai/catalog/standards/sist/202323a8-8dda-4de3-b132-5dd4016bcf10/sist-en-3660-022-2008>

Table 4

Shell size	Torque Nm max.
08	3,0
10	
12	4,0
14	
16	
18	5,0
20	
22	9,0
24	