

Edition 2.2 2013-12

CONSOLIDATED VERSION





Household and similar electrical appliances – Safety – Part 2-84: Particular requirements for toilet appliances

Appareils électrodomestiques et analogues – Sécurité – Partie 2-84: Exigences particulières pour les appareils de toilettes



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications beleased. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



Edition 2.2 2013-12

CONSOLIDATED VERSION

VERSION CONSOLIDÉE



Household and similar electrical appliances - Safety - Part 2-84: Particular requirements for toilet appliances

Appareils électrodoméstiques et analogues - Sécurité - Partie 2-84: Exigences particulières pour les appareils de toilettes

ls.iteh.ai/\viax/\tandaxls/\rc/fc\t29465-17f2-49fa-bd50-7341db694f77/iec-60335-2-84-20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 91.140.70 ISBN 978-2-8322-1307-0

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.





Edition 2.2 2013-12

REDLINE VERSION

VERSION REDLINE

Household and similar electrical appliances – Safety – Part 2-84: Particular requirements for toilet appliances

Appareils électrodomestiques et analogues – Sécurité – Partie 2-84: Exigences particulières pour les appareils de toilettes

CONTENTS

FOREWORD4			
INTRODUCTION6			
1	Scope	7	
2	Normative references	7	
3	Terms and Definitions	8	
4	General requirement	9	
5	General conditions for the tests	9	
6	Classification	9	
7	Marking and instructions	9	
8	Protection against access to live parts		
9	Starting of motor-operated appliances	10	
10	Power input and current	10	
11	Heating	10	
12	Void	11	
13	Leakage current and electric strength at operating temperature	11	
14	Transient overvoltages	11	
15	Moisture resistance	12	
16	Leakage current and electric strength	12	
17	Overload protection of transformers and associated circuits		
18	Endurance	12	
19	Abnormal operation		
20	Stability and mechanical hazards	13	
21	Mechanical strength	13	
22	Construction	14	
23	Internal wiring.	15	
24	Components	16	
25	Supply connection and external flexible cords	16	
26	Terminals for external conductors	16	
27	Provision for earthing	16	
28	Screws and connections	16	
29	Clearances, creepage distances and solid insulation	16	
30	Resistance to heat and fire	17	
31	Resistance to rusting	17	
32	Radiation, toxicity and similar hazards	18	
Annexes19			
· · · · · · · · · · · · · · · · · · ·			
Bib	liography	19	

Figure 101 – Diagram for leakage current measurement for water heaters having bare heating elements	18
Table 101 – Maximum normal temperature rises	
Table 102 – Maximum abnormal temperature rises	



INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-84: Particular requirements for toilets appliances

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispersable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This Consolidated version of IEC 60335-2-84 bears the edition number 2.2. It consists of the second edition (2002) [documents 61/2227/FDIS and 61/2302/RVD], its corrigendum 1 (2003), its amendment 1 (2008) [documents 61/3350/CDV and 61/3464/RVC] and its amendment 2 (2013) [documents 61/4661/FDIS and 61/4681/RVD]. The technical content is identical to the base edition and its amendments.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions and deletions are displayed in red, with deletions being struck through. A separate Final version with all changes accepted is available in this publication.

This publication has been prepared for user convenience.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The French version of this standard has not been voted upon.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric toilets.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below.

- 3.1.9: Normal operation is different (USA).
- https://-ta6.1:: Appliances incorporating water heaters having bare heating elements are not allowed (Greece).0335-2-84-2002
 - 6.2: IPX3 heated seats are allowed (Japan)
 - 22.103: The test is different (USA).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.jec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

-2002

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-84: Particular requirements for toilets appliances

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric toilets appliances having a rated voltage being not more than 250 V, in which excrement is stored, dried or destructed, their rated voltage being not more than 250 V or which wash or dry parts of the human body.

NOTE 101 Electric toilets may Examples of such electric toilets are the following and they can be used to process garbage such as paper and food waste.

- mouldering toilets;
- package toilets;
- freezing toilets;
- vacuum toilets.

This standard also applies to electric equipment for use with conventional toilets.

NOTE 102 Examples of such electric equipment are

- automatic seat covering devices;
- chopping units;
- heated seats;
- pumping units;
- water heaters for shower units spray seats

https://wanspray seats.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account young children playing with the appliance.

NOTE 103 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 104 This standard does not apply to

- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- chemical toilets;
- toilets in which excrement is destructed by combustion.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-52:1996, Environmental testing – Part 2-52: Tests-methods – Test Kb: Salt mist, cyclic (sodium chloride solution)

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions

Appliances are operated in cycles, each cycle being initiated every 10 min, bowl covers being open or closed whichever is more unfavourable. If the cycle is not automatically terminated, the appliance is operated for 15 s, or for the period specified in the instructions, whichever is longer.

For **spray seats**, if the cycle is not automatically terminated, the appliance is operated for 30 s. If the cycle is automatically terminated, the appliance is operated for 30 s or automatic operation time, whichever is shorter.

If warm air is provided for drying and if the cycle is not automatically terminated, the appliance is operated for 1 min. If the cycle is automatically terminated, the appliance is operated for 1 min or automatically terminating time, whichever is shorter.

If warm air is provided for drying, the drying cycle is initiated immediately after the end of the showering cycle, unless the sequence is automatic.

The excrement tank of **mouldering toilets** is empty or tilled with peat, whichever is more unfavourable.

Package toilets are provided with bags.

For **freezing toilets**, 0,3 of water having a temperature of 37 °C is added each cycle, controls being adjusted to the lowest temperature. They are also operated without water.

Shower units Spray seats are supplied with water at the most unfavourable pressure that provides an effective spray.

3.101

mouldering toilet

appliance in which excrement is processed by drying

3.102

package toilet

appliance in which excrement is packed in bags and stored in a tank

3.103

freezing toilet

appliance in which excrement is frozen and stored in a tank

3.104

vacuum toilet

appliance in which excrement is evacuated to a storage tank by negative pressure

3.105

shower unit spray seat

device incorporated in the appliance that sprays water for cleaning parts of the human body

NOTE 1 Shower units may subsequently supply warm air for drying. The units may be incorporated in the seat or bowl. Spray seats can have functions such as heating the seat, drying, deodorizing or automatically opening/closing the seat and the bowl cover.

NOTE 2 Spray seats can be integrated with a toilet.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

The tests of 31.101 are not carried out on a separate appliance.

5.3 Addition:

The tests of 31.101 are carried out before the test of Clause 8.

5.7 Addition:

The temperature of the water used for the tests is 15 $^{\circ}$ C \pm 5 $^{\circ}$ C

6 Classification

This clause of Part 1 is applicable except as follows:

6.1 Modification:

Appliances incorporating water heaters having bare heating elements shall be class I or class III.

Spray seats shall be class I, class II, or class III.

6.2 Addition:

Toilets, spray seats and heated seats shall be at least IPX4.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.12 Addition:

The instructions shall state how to empty and clean the toilet safely. They shall include details about the final disposal of the excrement or its residue, unless the toilet is connected to the sewage system.

Modification:

The instructions concerning persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge and children playing with the appliance are not applicable.

7.12.1 Addition:

The installation instructions for class 01 appliances and class 1 appliances shall state that they have to be earthed.

The installation instructions for appliances incorporating water heaters having bare heating elements shall state the substance of the following:

- the resistivity of the water supply must not be less than Ω cm;
- the appliance must be permanently connected to fixed wiring.

The installation instructions shall state

- the maximum permissible inlet water pressure, in megapascals, for appliances intended to be connected to the water mains;
- the minimum permissible inlet water pressure, in megapascals, if this is necessary for the correct operation of the appliance.

The installation instructions shall state that the label concerning growing cigarettes is to be fixed in a conspicuous place beside the toilet (except flushing toilets).

7.101 Toilets, except flushing toilets, shall be provided with a label stating that glowing cigarettes and other burning materials must not be thrown into the toilet.

The label shall be suitable for permanent fixing.

NOTE The label may be fixed on the appliance if it is visible before using the toilet.

Compliance is checked by inspection

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

8.1.1 *Addition:*

Test probe 18 of 150 61032 is also applied, as specified for test probe B.

8.2 Addition:

Test probe 18 of VEC 61032 is also applied, as specified for test probe B.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.