INTERNATIONAL STANDARD

ISO 10303-519

First edition 2000-03-01

Industrial automation systems and integration — Product data representation and exchange —

Part 519:

Application interpreted construct: Geometric tolerances

Systèmes d'automatisation industrielle et intégration — Représentation et échange de données de produits —

Partie 519: Construction interprétée d'application: Tolérances géométriques

ISO 10303-519:2000

033-519-2000/https://standards.iteh.ai/catalog/standards/iso/ebc972bf-e604-4f3c-bb1b-4e1a1a0f28bc/iso



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO 10303-519:2000

https://standards.iteh.ai/catalog/standards/iso/ehc972hf-e604-4f3c-bh1h-4e1a1a0f28hc/iso-10303-519-2000

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

C	contents	Pag€
1	Scope	1
2	Normative references	2
3	Terms, definitions, and abbreviations	
	3.1 Terms defined in ISO 10303-1	
	3.2 Terms defined in ISO 10303–202	
	3.3 Terms defined in ISO 5459	4
	3.4 Terms defined in ISO/TS 17450	4
	3.5 Other definitions	
	3.6 Abbreviations	5
4	EXPRESS short listing	5
_	4.1 Fundamental concepts and assumptions	
	4.2 aic_geometric_tolerances entity definitions	
	4.2.1 angularity_tolerance	8
	$\begin{array}{llllllllllllllllllllllllllllllllllll$	9
	4.2.4 common_datum	
	4.2.5 concentricity_tolerance 03.5.19.2000	11
		2011
	4.2.7 flatness_tolerance	12
	$4.2.8$ line_profile_tolerance	
	4.2.9 parallelism_tolerance	
	4.2.10 perpendicularity_tolerance	
	4.2.11 position_tolerance	
	4.2.12 roundness_tolerance	
	4.2.13 straightness_tolerance	
	4.2.14 surface_profile_tolerance	
	4.2.15 symmetry_tolerance	
	$4.2.16$ total_runout_tolerance	
Aı	nnex A (normative) Short names of entities	20
Αı	nnex B (normative) Information object registration	21
	B.1 Document identification	

© ISO 2000 – All rights reserved iii

ISO 10303-519:2000(E)

B.2 S	chema identification	21
Annex C (in	nformative) EXPRESS-G diagrams	22
Annex D (in	nformative) Computer interpretable listings	28
Index		29
Figures		
Figure C.1	AIC expanded listing diagram in EXPRESS-G: 1 of 5	23
Figure C.2	AIC expanded listing diagram in EXPRESS-G: 2 of 5	24
Figure C.3	AIC expanded listing diagram in EXPRESS-G: 3 of 5	25
Figure C.4	AIC expanded listing diagram in EXPRESS-G: 4 of 5	26
Figure C.5	AIC expanded listing diagram in EXPRESS-G: 5 of 5	27
Tables		
Table A.1	Short names of entities	20

ISO 10303-519:2000

https://standards.iteh.ai/catalog/standards/iso/ebc972bf-e604-4f3c-bb1b-4e1a1a0f28bc/iso-10303-519-2000

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

International Standard ISO 10303-519 was prepared by Technical Committee ISO/TC 184, Industrial automation systems and integration, Subcommittee SC4, Industrial data.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303-1.

A complete list of parts of ISO 10303 is available from the internet:

http://www.nist.gov/sc4/editing/step/titles/

Annexes A and B form an integral part of this part of ISO 10303. Annexes C and D are for information only.

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation and exchange of product data. The objective is to provide a neutral mechanism capable of describing product data throughout the life cycle of a product independent from any particular system. The nature of this description makes it suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and archiving.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 10303 fall into one of the following series: description methods, integrated resources, application interpreted constructs, application protocols, abstract test suites, implementation methods, and conformance testing. The series are described in ISO 10303–1. This part of ISO 10303 is a member of the application interpreted constructs series.

An application interpreted construct (AIC) provides a logical grouping of interpreted constructs that supports a specific functionality for the usage of product data across multiple application contexts. An interpreted construct is a common interpretation of the integrated resources that supports shared information requirements among application protocols.

This document specifies the application interpreted construct for the description of allowable deviation of physical characteristics of a product's shape according to ISO 1101:1999.

(https://standards.iteh.ai)
Document Preview

ISO 10303-519:2000

https://standards.iteh.ai/catalog/standards/iso/ebc972bf-e604-4f3c-bb1b-4e1a1a0f28bc/iso-10303-519-2000

Industrial automation systems and integration — Product data representation and exchange — Part 519: Application interpreted construct: Geometric tolerances

1 Scope

This part of ISO 10303 specifies the interpretation of the integrated resources to satisfy requirements for the representation of the allowable deviation of physical characteristics of a product's shape according to ISO 1101.

The following are within the scope of this part of ISO 10303:

- tolerances as constraints on shape aspects of a product;
- the specification of tolerances of the shape of a product;
- the representation of geometrical tolerances;
- the representation of tolerance values; The VIEV
- the specification of datums and datum references;
- the identification of derived shape elements such as centre lines and intersections.

The following are outside the scope of this part of ISO 10303:

- the representation of plus-minus tolerances and limits and fits;
- the definition of the fundamental principles, concepts, and terminology of tolerancing and dimensioning;
- the mathematical definition of tolerances and datums;
- the description of dimensioning or tolerancing practices;
- the specification of dimensional inspection methods;
- the synthesis and analysis of tolerances;
- the tolerancing of product characteristics other than shape;

- the presentation of tolerances on engineering drawings;
- the representation of the product's shape;
- the representation of dimensions.

NOTE - This part of ISO 10303 provides the interpretation of the integrated resources in the area of product data indicated above, whereas the application of industrial requirements is a task to be fulfilled by application protocols (APs). Parts of ISO 10303 that make use of the elements defined in this part are strongly advised to check the ISO standards that deal with the application of tolerances available at the time of the development.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 10303. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 10303 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 1101¹⁾, Geometrical Product Specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out (Revision of ISO 1101:1983).

ISO 5459:1981, Technical drawings – Geometrical tolerancing – Datums and datum-systems for geometrical tolerances.

ISO 8824-1:1995, Information Technology - Open Systems Interconnection - Abstract Syntax Notation one (ASN.1) - Part 1: Specification of Basic Notation.

ISO 10303-1:1994, Industrial automation systems and integration – Product data representation and exchange – Part 1: Overview and fundamental principles.

ISO 10303-11:1994, Industrial automation systems and integration – Product data representation and exchange – Part 11: Description methods: The EXPRESS language reference manual.

ISO 10303-41:1994, Industrial automation systems and integration – Product data representation and exchange – Part 41: Integrated generic resources: Fundamentals of product description and support.

ISO 10303-47:1997, Industrial automation systems and integration – Product data representation and exchange – Part 47: Integrated generic resources: Shape variation tolerances.

¹⁾ To be published.

ISO 10303-202:1996, Industrial automation systems and integration - Product data representation and exchange - Part 202: Application protocol: Associative draughting.

 ${\rm ISO/TS~17450^{1)}},~Geometrical~product~specification~(GPS)$ – Model for geometric specification and verification.

3 Terms, definitions, and abbreviations

3.1 Terms defined in ISO 10303-1

For	the 1	nurna	ose of	this	nart o	f ISO	10303	the	follox	wing	terms	defined	lin	ISO	10303 - 1	lannly	, .
LOI	0110	pui p	OPC OI	011110	μαιι υ	\mathbf{L}	10000,	0110	TOTTO	wing	(CI III)	denned	1 111	100	10000	ιαρριγ	•

abstract test suite (ATS);
application;
application context;
application protocol (AP); Teh Standards
implementation method; s./standards.iteh.ai)
information;
integrated resource;
integrated resource;
interpretation; talog/standards/iso/ebc972bf-e604-4Bc-bb1b-4e1a1a0f28bc/iso-10303-519-2000
model;
product;

3.2 Terms defined in ISO 10303–202

For the purpose of this part of ISO 10303, the following terms defined in ISO 10303–202 apply:

3.2.1

product data.

application interpreted construct

a logical grouping of interpreted constructs that supports a specific function for the usage of product data across multiple application contexts

[ISO 10303-202:1996, definition 3.7.1]

© ISO 2000 – All rights reserved

3.3 Terms defined in ISO 5459

For the purpose of this part of ISO 10303, the following terms defined in ISO 5459 apply:

— datum system

3.4 Terms defined in ISO/TS 17450

For the purpose of this part of ISO 10303, the following terms defined in ISO/TS 17450 apply:

3.4.1

ideal feature

perfect shape feature defined by a type and characterisitcs

[ISO/TS 17450, definition 3.11]

3.4.2

invariance class

a group of ideal features defined by the same invariance degree

[ISO/TS 17450, definition 3.13]

3.4.3 Document Preview

invariance degree of an ideal feature

displacement(s) of the ideal feature for which the feature is kept identical in the space

/standards.iteh ai/catalog/standards/iso/ebc9/2bl-e604-4f3c-bbfb-4efafa0f28bc/iso-10303-5f9-2000 [ISO/TS 17450, definition 3.14]

3.4.4

skin model

model of the physical interface of the workpiece with its environment

[ISO/TS 17450, definition 3.24]

3.5 Other definitions

For the purpose of this part of ISO 10303, the following definitions apply:

3.5.1

revolute surface feature

surface of invariance class revolute, helical, cylindrical, or spherical

3.6 Abbreviations

For the purpose of this part of ISO 10303, the following abbreviations apply:

AIC application interpreted construct

AP application protocol

ATS abstract test suite

4 EXPRESS short listing

This clause specifies the EXPRESS schema that uses elements from the integrated resources and contains the types, entity specializations, and functions that are specific to this part of ISO 10303.

NOTE 1 - There may be subtypes and items of select lists that appear in the integrated resources that are not imported into the AIC. Constructs are eliminated from the subtype tree or select list through the use of the implicit interface rules of ISO 10303-11. References to eliminated constructs are outside the scope of the AIC. In some cases, all items of the select list are eliminated. Because AICs are intended to be implemented in the context of an application protocol, the items of the select list will be defined by the scope of the application protocol.

Document Preview

EXPRESS specification:

<u> 180 10303-519:2000</u>

*)andards.iteh.ai/catalog/standards/iso/ebc972bf-e604-4f3c-bb1b-4e1a1a0f28bc/iso-10303-519-2000 SCHEMA aic_geometric_tolerances;

```
--ISO 10303-41
USE FROM measure_schema
 (derived_unit,
 named_unit);
USE FROM shape_aspect_definition_schema
                                                      -- ISO 10303-47
 (apex,
 centre_of_symmetry,
 composite_shape_aspect,
 datum,
 datum_feature,
 datum_reference,
 datum_target,
 derived_shape_aspect,
 extension,
 geometric_alignment,
 geometric_intersection,
 parallel_offset,
 perpendicular_to,
```

© ISO 2000 – All rights reserved 5

```
referenced_modified_datum,
 shape_aspect_deriving_relationship,
 symmetric_shape_aspect,
 tangent);
                                                      -- ISO 10303-47
USE FROM shape_tolerance_schema
  (dimension_related_tolerance_zone_element,
 geometric_tolerance,
 geometric_tolerance_relationship,
 geometric_tolerance_with_datum_reference,
 geometric_tolerance_with_defined_unit,
 modified_geometric_tolerance,
 projected_zone_definition,
 runout_zone_definition,
 runout_zone_orientation_reference_direction,
 tolerance_zone,
 tolerance_zone_definition);
(*
    NOTE 2 - The schemas referenced above can be found in the following parts of ISO 10303:
                                                    ISO 10303-41
    measure_schema
    shape_aspect_definition_schema
                                                    ISO 10303-47
    shape\_tolerance\_schema
                                                    ISO 10303-47
```

4.1 Fundamental concepts and assumptions

The following entities are intended to be independently instantiated in the application protocol schemas that use this AIC:

- angularity_tolerance;
- circular_runout_tolerance;
- coaxiality_tolerance;
- common_datum;
- concentricity_tolerance;
- cylindricity_tolerance;
- flatness_tolerance;
- line_profile_tolerance;