



SLOVENSKI STANDARD SIST ETS 300 497-6 E1:2003

01-december-2003

F U X] ' g _ U c d f Y a U] b ' g] g h Y a] ' f F 9 G L È 8] [] H U b Y] n V c ` ý U b Y v f Y n j f j] b Y
h Y Y _ c a i b] _ U M Y ' f B 9 7 H L È G _ i d b] j a Y g b] _ ' f F 4 È ? b 1 ý b] W U d f Y g _ i ý U b] \ ' d f] a Y f c j
f H 7 @ L È * " X Y . N] f U X V U d f Y g _ i ý U b Y [U b] n U f H G G L] b ' b U a Y b] d f Y g _ i ý U b ' U f H D L È
C a f Y ý b U d ` U g h f B K ? L È D f Y b c g b U f U X] ' g _ U n U _ ` 1] h j ' f D H L

Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 6: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Portable radio Termination (PT)

ITeH STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-244c2e8898e1/sist-ets-300-497-6-e1-2003>

Ta slovenski standard je istoveten z: ETS 300 497-6 Edition 1

ICS:

33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.070.30	Öä ää) ^ Ä à lzä ^ à! ^: ç i çã } ^ Ä ^ \ [{ ~ } ä ää ÖÖÖVD	Digital Enhanced Cordless Telecommunications (DECT)

SIST ETS 300 497-6 E1:2003 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 497-6 E1:2003](https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-244c2e8898e1/sist-ets-300-497-6-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-244c2e8898e1/sist-ets-300-497-6-e1-2003>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 497-6

August 1996

Source: ETSI TC-RES

Reference: DE/RES-03026-6

ICS: 33.020, 33.060.50

Key words: DECT, TCL, TSS, TP

**Radio Equipment and Systems (RES);
Digital Enhanced Cordless Telecommunications (DECT);
Common Interface (CI) Test Case Library (TCL);
Part 6: Test Suite Structure (TSS) and Test Purposes (TP) -
Network (NWK) Layer - Portable radio Termination (PT)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 497-6 E1:2003](https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-244c2e8898e1/sist-ets-300-497-6-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-244c2e8898e1/sist-ets-300-497-6-e1-2003>

Contents

Foreword	5
1 Scope	7
2 Normative references	7
3 Definitions and abbreviations	10
3.1 DECT definitions	10
3.2 DECT abbreviations	10
3.3 ISO 9646 definitions	11
3.4 ISO 9646 abbreviations	11
4 Test Suite Structure (TSS)	12
4.1 TSS overview	12
4.2 Test groups	13
4.2.1 Protocol groups	13
4.2.1.1 Call Control (CC)	13
4.2.1.2 Mobility Management (MM)	13
4.2.1.3 Lower Layer Management Entity (LLME)	13
4.2.1.4 Link Control (LC)	13
4.2.1.5 Call Independent Supplementary Services (CISS)	13
4.2.1.6 Connection Oriented Message Services (COMS)	13
4.2.1.7 ConnectionLess Message Services (CLMS)	13
4.2.2 Main test groups	13
4.2.2.1 Basic InTerconnection tests (IT)	13
4.2.2.2 CApability tests (CA)	13
4.2.2.3 Valid Behaviour tests (BV)	13
4.2.2.4 Invalid Behaviour tests (BI)	14
4.2.2.5 InOpportune Behaviour tests (BO)	14
4.2.2.6 TImmer expiry and counter mismatch tests (TI)	14
5 Test Purposes (TPs)	14
5.1 Introduction	14
5.1.1 TP definition conventions	14
5.1.2 References	15
5.1.3 TP naming conventions	15
5.2 CC	16
5.2.1 CC/IT	16
5.2.2 CC/CA	16
5.2.3 CC/BV	16
5.2.3.1 CC/BV/OC	17
5.2.3.2 CC/BV/IC	18
5.2.3.3 CC/BV/CI	19
5.2.3.4 CC/BV/CR	21
5.2.3.5 CC/BV/SC	22
5.2.3.6 CC/BV/PM	22
5.2.3.7 CC/BV/RS	23
5.2.4 CC/BO	24
5.2.5 CC/BI	24
5.2.6 CC/BI	25
5.3 MM	26
5.3.1 MM/IT	26
5.3.2 MM/CA	26
5.3.3 MM/BV	26
5.3.3.1 MM/BV/ID	27
5.3.3.2 MM/BV/AU	28
5.3.3.3 MM/BV/LO	29

	5.3.3.4	MM/BV/AR	31
	5.3.3.5	MM/BV/KA.....	32
	5.3.3.6	MM/BV/PR	32
	5.3.3.7	MM/BV/CH	33
	5.3.4	MM/BO.....	34
	5.3.5	MM/BI	34
	5.3.6	MM/TI.....	35
5.4	ME		36
	5.4.1	ME/BV.....	36
	5.4.2	ME/BO	37
5.5	LC.....		37
	5.5.1	LC/BV	37
		5.5.1.1 LC/BV/LE	38
		5.5.1.2 LC/BV/LR	38
		5.5.1.3 LC/BV/LS	39
		5.5.1.4 LC/BV/LL.....	39
	5.5.2	LC/BI.....	39
	5.5.3	LC/TI	40
5.6	IS.....		40
	5.6.1	IS/BV.....	40
5.7	MO.....		41
5.8	CL.....		41
	5.8.1	CL/BV	41
Annex A (informative):	Bibliography		42
History			43

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 497-6 E1:2003](https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-244c2e8898e1/sist-ets-300-497-6-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-244c2e8898e1/sist-ets-300-497-6-e1-2003>

Foreword

This European Telecommunication Standard (ETS) has been produced by the Radio Equipment and Systems (RES) Technical Committee of the European Telecommunications Standards Institute (ETSI).

The DECT Test Specification multipart ETS comprises nine parts, as follows:

- Part 1: "Part 1: Test Suite Structure (TSS) and Test Purposes (TP) for Medium Access Control (MAC) layer".
- Part 2: "Part 2: Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Portable radio Termination (PT)".
- Part 3: "Part 3: Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Fixed radio Termination (FT)".
- Part 4: "Part 4: Test Suite Structure (TSS) and Test Purposes (TP) - Data Link Control (DLC) layer".
- Part 5: "Part 5: Abstract Test Suite (ATS) - Data Link Control (DLC) layer".
- Part 6: "Part 6: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Portable radio Termination (PT)".**
- Part 7: "Part 7: Abstract Test Suite (ATS) for Network (NWK) layer - Portable radio Termination (PT)".
- Part 8: "Part 8: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Fixed radio Termination (FT)".
- Part 9: "Part 9: Abstract Test Suite (ATS) for Network (NWK) layer - Fixed radio Termination (FT)".

Transposition dates

Date of adoption of this ETS:	16 August 1996
Date of latest announcement of this ETS (doa):	30 November 1996
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 May 1997
Date of withdrawal of any conflicting National Standard (dow):	31 May 1997

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 497-6 E1:2003](https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-244c2e8898e1/sist-ets-300-497-6-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-244c2e8898e1/sist-ets-300-497-6-e1-2003>

1 Scope

This European Telecommunication Standard (ETS) contains the test specification for the Digital Enhanced Cordless Telecommunications (DECT) (ETS 300 175 [1] to [8]).

The objective of this test specification is to provide a basis for approval tests for DECT equipment giving a high probability of air interface inter-operability between different manufacturer's DECT equipment. This test specification defines the Test Suite Structure (TSS) and Test Purposes (TP) for testing of the Network (NWK) layer at the Portable radio Termination (PT).

The ISO standard for the methodology of conformance testing (ISO/IEC 9646-1 [21]) as well as the ETSI rules for conformance testing (ETS 300 406 [29]) are used as a basis for the test methodology.

Test specifications for the Physical Layer (PHL) are provided in other DECT standards.

2 Normative references

This ETS incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 175-1 (1992): "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common interface; Part 1: Overview".
- [2] ETS 300 175-2 (1992): "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common interface; Part 2: Physical layer".
- [3] ETS 300 175-3 (1992): "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common interface; Part 3: Medium access control layer".
- [4] ETS 300 175-4 (1992): "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common interface; Part 4: Data link control layer".
- [5] ETS 300 175-5 (1992): "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common interface; Part 5: Network layer".
- [6] ETS 300 175-6 (1992): "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common interface; Part 6: Identities and addressing".
- [7] ETS 300 175-7 (1992): "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common interface; Part 7: Security features".
- [8] ETS 300 175-8 (1992): "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common interface; Part 8: Speech coding and transmission".
- [9] ETS 300 175-9 (1992): "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common interface; Part 9: Public access profile".
- [10] ETS 300 444: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Generic Access Profile (GAP)".

- [11] ETS 300 370: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications/Global System for Mobile communications (DECT/GSM) inter-working profile; Access and mapping (Protocol/procedure description for 3,1 kHz speech service)".
- [12] ETS 300 434: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT) and Integrated Services Digital Network (ISDN) inter-working for end system configuration".
- [13] ETS 300 331: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); DECT Authentication Module (DAM)".
- [14] CCITT Recommendation G.726 (1991): "40, 32, 24, 16 kbit/s adaptive differential pulse code modulation (ADPCM)".
- [15..20] Reserved values.
- [21] ISO/IEC 9646-1 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts". (See also CCITT Recommendation X.290 (1991)).
- [22] ISO/IEC 9646-2 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract test suite specification". (See also CCITT Recommendation X.291 (1991)).
- [23] ISO/IEC 9646-3 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 3: The tree and tabular combined notation". (See also CCITT Recommendation X.292 (1992)).
- [24] ISO/IEC 9646-4 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 4: Test realisation". (See also CCITT Recommendation X.292 (1992)).
- [25] ISO/IEC 9646-5 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 5: Requirements on test laboratories and clients for the conformance assessment process". (See also CCITT Recommendation X.292 (1992)).
- [26] ISO/IEC 9646-6 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 6: Protocol profile test specification".
- [27] ISO/IEC 9646-7 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation conformance statement".
- [28] ISO 7498: "Information Processing Systems - Open Systems Interconnection - Basic Reference model".
- [29] ETS 300 406 (1995): "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
- [30] 91/263/EEC: "Council Directive of 29 April 1991 on the approximation of the laws of the Member states concerning telecommunications terminal equipment, including the mutual recognition of their conformity. (Terminal Directive)".
- [31..40] Reserved values.
- [41] I-ETS 300 176: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Approval test specification".

- [42] TBR 6: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); General terminal attachment requirements".
- [43] TBR 10: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); General terminal attachment requirements: Telephony applications".
- [44] TBR 11 (1992): "Radio Equipment and Systems (RES); Attachment requirements for terminal equipment for Digital European Cordless Telecommunications (DECT) Public Access Profile (PAP) applications".
- [45] ETS 300 323 (1994): "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Public Access Profile (PAP) test specification".
- [46] ETS 300 476: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma".
- [47] ETS 300 497: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL)".
- [48] ETS 300 474: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Generic Access Profile (GAP); Profile requirement list and profile specific Implementation Conformance Statement (ICS) proforma".
- [49] ETS 300 494: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Generic Access Profile (GAP); Profile Test Specification (PTS)".
- [50] TBR 22: "Radio Equipment and Systems (RES); Attachment requirements for terminal equipment for Digital Enhanced Cordless Telecommunications (DECT) Generic Access Profile (GAP) applications".

3 Definitions and abbreviations

3.1 DECT definitions

For the purposes of this ETS, the definitions given in ISO/IEC 9646-1 [21], ISO/IEC 9646-2 [22], ETS 300 175-1 [1], ETS 300 175-5 [5], ETS 300 175-6 [6] and ETS 300 175-7 [7] apply.

3.2 DECT abbreviations

For the purposes of this ETS the NWK layer abbreviations defined in ETS 300 175-5 [5] and the following abbreviations apply:

AC	Authentication Code
AR	Access Rights
AU	Authentication
CA	CApability
CC	Call Control
CCSM	Call Control State Machine
CI	Call Information
CH	Ciphering
CR	Call Release
CTS	Conformance Testing Services
DECT	Digital Enhanced Cordless Telecommunication
DLC	Data Link Control layer
ETSI	European Telecommunications Standards Institute
FT	Fixed radio termination
GAP	Generic Access Profile
IC	Incoming Call
ID	Identification
IPUI	International Portable User Identity
IPEI	International Portable Equipment Identity
KA	Key Allocation
LC	Link Control entity
LE	Connection oriented Link Establishment
LL	ConnectionLess Link control
LO	Location
LR	Connection oriented Link Release
LS	Connection oriented Link Suspend and resume
MAC	Medium Access Control layer
ME	Management Entity
ML	Connectionless Message Services
MM	Mobility Management
MO	Connection Oriented Message Services
NWK	Network layer
OC	Outgoing Call
PAP	Public Access Profile
PARK	Portable Access Rights Key
PM	Packet Mode
PR	Parameter Retrieval
PT	Portable radio termination
RPN	Radio Fixed Part Number
RS	Call Related Supplementary Services
SC	Service Change
UAK	User Authentication Key

3.3 ISO 9646 definitions

For the purposes of this ETS the following ISO 9646 definitions apply:

Implementation Under Test (IUT)
System Under Test (SUT)
Abstract Test Suite (ATS)
Point of Control and Observation (PCO)
Protocol Implementation Conformance Statement (PICS)
Protocol Implementation eXtra Information for Testing (PIXIT)
Lower Tester (LT)
Upper Tester (UT)

3.4 ISO 9646 abbreviations

For the purposes of this ETS the following ISO 9646 abbreviations apply:

ATS	Abstract Test Suite
ASP	Abstract Service Primitive
BI	Invalid Behaviour
BO	InOpportune Behaviour
BV	Valid Behaviour
CA	CApability tests
ETS	European Telecommunication Standard
ISO	International Organisation for Standardisation
IUT	Implementation Under Test
IWU	InterWorking Unit
LT	Lower Tester
PDU	Protocol Data Unit
PHL	Physical Layer
PICS	Protocol Implementation Conformance Statements
PIXIT	Protocol Implementation eXtra Information for Testing
SUT	System Under Test
TP	Test Purpose
TSS	Test Suite Structure
TTCN	Tree and Tabular Combined Notation
UT	Upper Tester

iteh STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-00497-6-e1-2003>
<https://standards.iteh.ai/catalog/standards/sist/8c185fbc-91ae-422d-ad34-00497-6-e1-2003>