



SLOVENSKI STANDARD

DSIST ETS 300 476-4:1999

01-jUbi Uf-1999

8 [[]HJbY]nVc`ýUbYVfYnj fj] bYHfY_ca i b]_UWfYfB97HL!'G_i db]j a Ygb] `f7 4!
DfcZcfa U]nUj Yc`g`UXbcgh]nj YXVYdfcfc_c`UfD=7 GL!' ("XY. Ca fYybUd`Ugh
fBK ?L!Z_gbUfUX]g_UnU`1]Hj`fl HL

Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI);
Protocol Implementation Conformance Statement (PICS) proforma; Part 4: Network
(NWK) layer - Fixed radio Termination (FT)

Ta slovenski standard je istoveten z: ETS 300 476-4 E1.% - *!\$,

ICS:

33.070.30 Öä åæ ^Á à| |zæ ^ Digital Enhanced Cordless
à!^: ç|çã } ^Á |^ \ [{ ~ } ä æ å Telecommunications (DECT)
ÖÖÖVD

DSIST ETS 300 476-4:1999

en



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 476-4

August 1996

Source: ETSI TC-RES

Reference: DE/RES-03042-4

ICS: 33.020, 33.060.50

Key words: DECT, CI, PICS

**Radio Equipment and Systems (RES);
Digital Enhanced Cordless Telecommunications (DECT);
Common Interface (CI);
Protocol Implementation Conformance Statement (PICS)
proforma;
Part 4: Network (NWK) layer - Fixed radio Termination (FT)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Contents

Foreword	11
1 Scope	13
2 Normative references	13
3 Definitions and abbreviations	14
3.1 Definitions	14
3.2 Abbreviations	14
4 Conformance requirement concerning PICS	14
Annex A (normative): NWK PICS proforma for FT	15
A.1 Introduction for completing the PICS proforma	15
A.1.1 Purposes and structure	15
A.1.2 Instruction for completing the PICS	17
A.2 Identification of the implementation	18
A.2.1 Date of statement	18
A.2.2 Implementation Under Test (IUT) identification	18
A.2.3 System Under Test (SUT) identification	18
A.2.4 Product supplier	18
A.2.5 Client	19
A.2.6 Contact person	19
A.3 Identification of the protocol	19
A.3.1 Defect report numbers and amendments implemented	19
A.3.2 Addenda implemented	20
A.4 Global statement of conformance	20
A.5 Capabilities	20
A.5.1 Major Capabilities	20
A.5.1.1 Entities	20
A.5.1.2 CC features	21
A.5.1.3 MM features	22
A.5.1.4 SS features (services)	23
A.5.1.5 LCE features	24
A.5.1.6 COMS features	24
A.5.1.7 Procedures	24
A.5.2 Messages	29
A.5.2.1 Call control messages	29
A.5.2.2 Mobility management messages	40
A.5.2.3 Connection-related & connection independent supplement service messages	50
A.5.2.4 Connection-oriented message service messages	54
A.5.2.5 ConnectionLess message service messages	58
A.5.2.6 Link control entity messages	59
A.5.3 Information elements	60
A.5.3.1 Fixed length information element support	60
A.5.3.2 Message headers supported	64
A.5.3.3 Variable length information element supported	77
A.5.3.4 Escape information elements support	116
A.5.3.5 B-Format message structure support	118
A.5.4 Protocol error handling	120

A.5.5	Protocol parameters.....	121
	A.5.5.1 Timers and constants support.....	121
A.5.6	Multi-layer dependencies.....	122
History.....		123

Questions

Table A.1: General condition table.....	16
Table A.2: Date of Statement.....	18
Table A.3 : IUT identification.....	18
Table A.4 : SUT identification.....	18
Table A.5 : Product supplier.....	18
Table A.6 : Client.....	19
Table A.7 : Contact person.....	19
Table A.8: Identification of protocol.....	19
Table A.9: Defect report and amendments number.....	19
Table A.10: Addenda implemented.....	20
Table A.11: Global statement of conformance.....	20
Table A.12: Entity supported.....	20
Table A.13: CC features supported.....	21
Table A.14: MM features supported.....	22
Table A.15: SS features (services) supported.....	23
Table A.16: LCE features supported.....	24
Table A.17: COMS features supported.....	24
Table A.18: CC procedures supported.....	25
Table A.19: MM procedures supported.....	26
Table A.20: SS protocols supported.....	27
Table A.21: COMS procedures supported.....	27
Table A.22: CLMS procedures supported.....	27
Table A.23: LCE procedures supported.....	28
Table A.24: LLME procedures supported.....	28
Table A.25: CC receiving (P to F) messages supported.....	29
Table A.26: CC sending (F to P) messages supported.....	30
Table A.27: CC-SETUP receiving (P to F) supported.....	31
Table A.28: CC-SETUP sending (F to P) supported.....	32
Table A.29: CC-INFO receiving (P to F) supported.....	33
Table A.30: CC-INFO sending (F to P) supported.....	33
Table A.31: CC-SETUP-ACK sending (F to P) supported.....	34
Table A.32: CC-CALL-PROC sending (F to P) supported.....	34
Table A.33: CC-ALERTING receiving (P to F) supported.....	35
Table A.34: CC-ALERTING sending (F to P) supported.....	35
Table A.35: CC-CONNECT receiving (P to F) supported.....	35
Table A.36: CC-CONNECT sending (F to P) supported.....	36
Table A.37: CC-CONNECT-ACK sending (F to P) supported.....	36
Table A.38: CC-RELEASE receiving (P to F) supported.....	36
Table A.39: CC-RELEASE sending (F to P) supported.....	36
Table A.40: CC-RELEASE-COM receiving (P to F) supported.....	37
Table A.41: CC-RELEASE-COM sending (F to P) supported.....	37
Table A.42: CC-SERVICE-CHANGE receiving (P to F) supported.....	37
Table A.43: CC-SERVICE-CHANGE sending (F to P) supported.....	38
Table A.44: CC-SERVICE-ACCEPT receiving (P to F) supported.....	38
Table A.45: CC-SERVICE-ACCEPT sending (F to P) supported.....	38
Table A.46: CC-SERVICE-REJECT receiving (P to F) supported.....	38
Table A.47: CC-SERVICE-REJECT sending (F to P) supported.....	38
Table A.48: CC-NOTIFY sending (F to P) supported.....	39
Table A.49: IWU-INFO receiving (P to F) supported.....	39
Table A.50: IWU-INFO sending (F to P) supported.....	39
Table A.51: MM message receiving (P to F) supported.....	40

Table A.52: MM message sending (F to P) supported.....	41
Table A.53: ACCESS-RIGHTS-ACCEPT sending (F to P) supported.....	42
Table A.54: ACCESS-RIGHTS-REJECT sending (F to P) supported	42
Table A.55: ACCESS-RIGHTS-REQUEST receiving (P to F) supported	42
Table A.56: ACCESS-RIGHTS-TERMINATE-ACCEPT receiving (P to F) supported.....	42
Table A.57: ACCESS-RIGHTS-TERMINATE-ACCEPT sending (F to P) supported.....	43
Table A.58: ACCESS-RIGHTS-TERMINATE-REJECT receiving (P to F) supported	43
Table A.59: ACCESS-RIGHTS-TERMINATE-REJECT sending (F to P) supported	43
Table A.60: ACCESS-RIGHTS-TERMINATE-REQUEST receiving (P to F) supported.....	43
Table A.61: ACCESS-RIGHTS-TERMINATE-REQUEST sending (F to P) supported.....	43
Table A.62: AUTHENTICATE-REJECT receiving (P to F) supported	44
Table A.63: AUTHENTICATE-REJECT sending (F to P) supported	44
Table A.64: AUTHENTICATE-REPLY receiving (P to F) supported.....	44
Table A.65: AUTHENTICATE-REPLY sending (F to P) supported.....	45
Table A.66: AUTHENTICATE-REQUEST receiving (P to F) supported	45
Table A.67: AUTHENTICATE-REQUEST sending (F to P) supported.....	45
Table A.68: CIPHER-REJECT receiving (P to F) supported.....	45
Table A.69: CIPHER-REJECT sending (F to P) supported	46
Table A.70: CIPHER-REQUEST sending (F to P) supported	46
Table A.71: CIPHER-SUGGEST receiving (P to F) supported	46
Table A.72: DETACH receiving (P to F) supported.....	46
Table A.73: IDENTITY-REPLY receiving (P to F) supported	47
Table A.74: IDENTITY-REQUEST sending (F to P) supported	47
Table A.75: KEY-ALLOCATE sending (F to P) supported	47
Table A.76: LOCATE-ACCEPT sending (F to P) supported.....	48
Table A.77: LOCATE-REJECT sending (F to P) supported.....	48
Table A.78: LOCATE-REQUEST receiving (P to F) supported	48
Table A.79: MM-INFO-ACCEPT sending (F to P) supported.....	48
Table A.80: MM-INFO-REJECT sending (F to P) supported	49
Table A.81: MM-INFO-REQUEST receiving (P to F) supported	49
Table A.82: MM-INFO-SUGGEST sending (F to P) supported.....	49
Table A.83: TEMPORARY-IDENTITY-ASSIGN sending (F to P) supported	49
Table A.84: TEMPORARY-IDENTITY-ASSIGN-ACK receiving (P to F) supported.....	49
Table A.85: TEMPORARY-IDENTITY-ASSIGN-REJECT receiving (P to F) supported.....	50
Table A.86: CRSS & CISS messages receiving (P to F) supported	50
Table A.87: CRSS & CISS messages sending (F to P) supported	50
Table A.88: FACILITY-ciss receiving (P to F) supported	51
Table A.89: FACILITY-ciss sending (F to P) supported	51
Table A.90: HOLD receiving (P to F) supported	51
Table A.91: HOLD sending (F to P) supported	51
Table A.92: HOLD-ACK receiving (P to F) supported.....	51
Table A.93: HOLD-ACK sending (F to P) supported.....	52
Table A.94: HOLD-REJECT receiving (P to F) supported	52
Table A.95: HOLD-REJECT sending (F to P) supported	52
Table A.96: RETRIEVE receiving (P to F) supported	52
Table A.97: RETRIEVE sending (F to P) supported	52
Table A.98: RETRIEVE-ACK receiving (P to F) supported.....	52
Table A.99: RETRIEVE-ACK sending (F to P) supported.....	53
Table A.100: RETRIEVE-REJECT receiving (P to F) supported	53
Table A.101: RETRIEVE-REJECT sending (F to P) supported	53
Table A.102: CISS-REGISTER receiving (P to F) supported	53
Table A.103: CISS-REGISTER sending (F to P) supported	53
Table A.104: CISS-RELEASE-COM receiving (P to F) supported.....	54
Table A.105: CISS-RELEASE-COM sending (F to P) supported	54
Table A.106: COMS message receiving (P to F) supported.....	54
Table A.107: COMS message sending (F to P) supported.....	55
Table A.108: COMS-SETUP receiving (P to F) supported	55
Table A.109: COMS-SETUP sending (F to P) supported	55
Table A.110: COMS-INFO receiving (P to F) supported.....	56
Table A.111: COMS-INFO sending (F to P) supported.....	56
Table A.112: COMS-ACK receiving (P to F) supported	56
Table A.113: COMS-ACK sending (F to P) supported.....	56
Table A.114: COMS-CONNECT receiving (P to F) supported.....	56

Table A.115: COMS-CONNECT sending (F to P) supported.....	57
Table A.116: COMS-RELEASE receiving (P to F) supported	57
Table A.117: COMS-RELEASE sending (F to P) supported.....	57
Table A.118: COMS-RELEASE-COM receiving (P to F) supported.....	57
Table A.119: COMS-RELEASE-COM sending (F to P) supported	57
Table A.120: CLMS message receiving (P to F) supported	58
Table A.121: CLMS message sending (F to P) supported.....	58
Table A.122: CLMS-VARIABLE receiving (P to F) supported	58
Table A.123: CLMS-VARIABLE sending (F to P) supported.....	58
Table A.124: CLMS-FIXED long sending (F to P) supported.....	59
Table A.125: CLMS-FIXED extended sending (F to P) supported	59
Table A.126: LCE message receiving (P to F) supported	59
Table A.127: LCE message sending (F to P) supported.....	59
Table A.128: LCE-PAGE-RESPONSE receiving (P to F) supported	60
Table A.129: LCE-PAGE-REJECT sending (F to P) supported	60
Table A.130: LCE-REQUEST-PAGE short sending (F to P) supported.....	60
Table A.131: LCE-REQUEST-PAGE long sending (F to P) supported.....	60
Table A.132: Sending complete supported	60
Table A.133: Delimiter request supported	61
Table A.134: Repeat indicator (non prioritised list) supported.....	61
Table A.135: Repeat indicator (prioritised list) supported.....	61
Table A.136: Type of service class in basic service supported.....	61
Table A.137: Basic service - Normal call set-up supported.....	61
Table A.138: Basic service - Internal call set-up supported	62
Table A.139: Basic service - Emergency call set-up supported	62
Table A.140: Basic service - Service call set-up supported	62
Table A.141: Basic service - External handover call set-up supported	62
Table A.142: Single display supported	62
Table A.143: Single-keypad supported.....	63
Table A.144: Release-reason supported.....	63
Table A.145: Signal supported	63
Table A.146: Timer restart supported.....	63
Table A.147: Test hook control supported.....	63
Table A.148: Message header CC-ALERTING supported	64
Table A.149: Message header CC-CALL-PROC supported	64
Table A.150: Message header CC-SETUP supported	64
Table A.151: Message header CC-CONNECT supported	65
Table A.152: Message header CC-SETUP-ACK supported	65
Table A.153: Message header CC-CONNECT-ACK supported.....	65
Table A.154: Message header CC-SERVICE-CHANGE supported.....	66
Table A.155: Message header CC-SERVICE-ACCEPT supported	66
Table A.156: Message header CC-SERVICE-REJECT supported	66
Table A.157: Message header CC-RELEASE supported	67
Table A.158: Message header CC-RELEASE-COM supported.....	67
Table A.159: Message header IWU-INFO supported	67
Table A.160: Message header CC-NOTIFY supported.....	67
Table A.161: Message header CC-INFO supported	68
Table A.162: Message header HOLD supported	68
Table A.163: Message header HOLD-ACK supported.....	68
Table A.164: Message header HOLD-REJECT supported	68
Table A.165: Message header RETRIEVE supported	69
Table A.166: Message header RETRIEVE-ACK supported.....	69
Table A.167: Message header RETRIEVE-REJECT supported	69
Table A.168: Message header AUTHENTICATE-REQUEST supported.....	69
Table A.169: Message header AUTHENTICATE-REPLY supported.....	70
Table A.170: Message header KEY-ALLOCATE supported	70
Table A.171: Message header AUTHENTICATE-REJECT supported	70
Table A.172: Message header ACCESS-RIGHTS-REQUEST supported	70
Table A.173: Message header ACCESS-RIGHTS-ACCEPT supported.....	70
Table A.174: Message header ACCESS-RIGHTS-REJECT supported	71
Table A.175: Message header ACCESS-RIGHTS-TERMINATE-REQUEST supported.....	71
Table A.176: Message header ACCESS-RIGHTS-TERMINATE-ACCEPT supported.....	71
Table A.177: Message header ACCESS-RIGHTS-TERMINATE-REJECT supported	71