



SLOVENSKI STANDARD

DSIST ETS 300 476-5:1999

01-1999

8 [[]HJbY]nVc`ýUbYVfYnj fj] bYHfY_ca i b]_UWfYfB 97 HL!`G_i db]j a Ygb] `f7 4!
DfcZcfa U]nUj Yc`g`UXbcgh]nj YXVYdfcfc_c`UfD=7 G4!) "XY. D`Ugh_fa]`YbU
dcXUh_cj b]`dcj YnUj`fB @ 4!`Z_gbUfUX]g_UnU`f]Hj`ft HL

Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI);
Protocol Implementation Conformance Statement (PICS) proforma; Part 5: Data Link
Control (DLC) layer - Fixed radio Termination (FT)

Ta slovenski standard je istoveten z: ETS 300 476-5 E1.% - *!\$,

ICS:

33.070.30 Öä åæ ^Á à| |za) ^ Digital Enhanced Cordless
à!^: ç|çã } ^Á ^\ [{ ~ } ä æ å Telecommunications (DECT)
ÖÖÖVD

DSIST ETS 300 476-5:1999

en



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 476-5

August 1996

Source: ETSI TC-RES

Reference: DE/RES-03042-5

ICS: 33.020, 33.060.50

Key words: DECT, CI, PICS

**Radio Equipment and Systems (RES);
Digital Enhanced Cordless Telecommunications (DECT);
Common Interface (CI);
Protocol Implementation Conformance Statement (PICS)
proforma;
Part 5: Data Link Control (DLC) layer -
Fixed radio Termination (FT)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Contents

Foreword	9
1 Scope	11
2 Normative references	11
3 Definitions and abbreviations	12
3.1 Definitions	12
3.2 Abbreviations	12
4 Conformance requirement to this PICS specification	12
Annex A (normative): PICS proforma for DECT DLC FT	13
A.1 Introduction for completing the PICS proforma	13
A.1.1 Purposes and structure	13
A.1.3 Guidances for completing the PICS	15
A.2 Identification of the implementation	16
A.2.1 Date of statement	16
A.2.2 Implementation Under Test (IUT) identification	16
A.2.3 System Under Test (SUT) identification	16
A.2.4 Product supplier	16
A.2.5 Client identification	17
A.2.6 Contact person	17
A.3 Identification of the protocol	17
A.4 Global statement of conformance	18
A.5 Capabilities	18
A.5.1 Major capabilities	18
A.5.1.1 Services	18
A.5.1.2 Procedures	19
A.5.1.2.1 Generic signalling procedures	19
A.5.1.2.2 Class U procedures	19
A.5.1.2.3 Class A procedures	19
A.5.1.2.4 Class B procedures	20
A.5.1.2.5 Broadcast procedures	20
A.5.1.2.6 LU1 procedures	20
A.5.1.2.7 LU2 procedures	21
A.5.1.2.8 LU5 protected data procedures	21
A.5.1.2.9 LU5 unprotected data procedures	22
A.5.1.2.10 LU7 procedures	22
A.5.1.2.11 Management procedures	23
A.5.2 Protocol parameters	24
A.5.2.1 C-plane timers	24
A.5.2.2 U-plane timers	24
A.5.2.3 Class A parameters	25
A.5.2.4 Class B parameters	25
A.5.2.5 LU1 parameters	25
A.5.2.6 LU2 parameters	25
A.5.2.7 LU5 parameters	26
A.5.2.8 LU7 parameters	27
A.5.3 Protocol PDUs	27
A.5.3.1 C-plane PDUs	27

	A.5.3.1.1	C-plane frame structure	27
	A.5.3.1.2	C-plane messages	28
	A.5.3.1.2.1	Message support.....	28
	A.5.3.1.2.2	Class A I-command.....	29
	A.5.3.1.2.3	Class A RR command/response	31
	A.5.3.1.2.4	Class B I-command.....	32
	A.5.3.1.2.5	Class B RR command/response	33
	A.5.3.1.2.6	Class B RNR command/response	34
	A.5.3.1.2.7	Class B REJ command/response	35
	A.5.3.1.2.8	Class B SABM command.....	37
	A.5.3.1.2.9	Class B DM response	38
	A.5.3.1.2.10	Class B DISC command	39
	A.5.3.1.2.11	Class B UA response	40
	A.5.3.1.2.12	Class U UI command	41
	A.5.3.2	U-plane PDUs.....	43
	A.5.3.2.1	FU1 frame structure	43
	A.5.3.2.2	FU4 frame structure	44
	A.5.3.2.3	FU5 frame structure	45
	A.5.3.2.4	FU6a frame structure	47
	A.5.3.2.5	FU6b frame structure	48
	A.5.3.2.6	FU7 frame structure	49
A.5.4		Protocol error handling	51
	A.5.4.1	General error handling.....	51
	A.5.4.2	Class A error handling and recovery	51
	A.5.4.3	Class B error handling and recovery	51
History		52

Questions

Table A.1: Date of Statement	16
Table A.2: IUT identification.....	16
Table A.3: SUT identification	16
Table A.4: Product supplier	16
Table A.5: Client	17
Table A.6: Contact person	17
Table A.7: Identification of protocol	17
Table A.8: Global statement of conformance	18
Table A.9: Data link services	18
Table A.10: C-plane services.....	18
Table A.11: U-plane services.....	18
Table A.12: Management services	19
Table A.13: Generic signalling procedures.....	19
Table A.14: Class U procedures.....	19
Table A.15: Class A procedures.....	19
Table A.16: Class B procedures.....	20
Table A.17: Broadcast procedures	20
Table A.19: FU1 options	20
Table A.20: LU2 procedures.....	21
Table A.21: FU4 options	21
Table A.22: FU5 options	21
Table A.23: FU6 options.....	21
Table A.24: LU5 protected data procedures.....	21
Table A.25: LU5 unprotected data procedures.....	22
Table A.26: LU7 procedures.....	22
Table A.27: LU7 establishment and synchronisation procedures	22
Table A.28: LU7 active phase procedures	22
Table A.29: LU7 exceptional procedures	23
Table A.30: Management procedures	23

Table A.31: MAC connection management procedures	23
Table A.32: DLC C-plane management procedures	23
Table A.33: DLC U-plane management procedures	24
Table A.34: Connection ciphering management procedures	24
Table A.35: C-plane timers	24
Table A.36: U-plane timers	24
Table A.37: Class A parameter values	25
Table A.38: Class B parameter values	25
Table A.39: LU1 Frame types	25
Table A.40: LU1 Connection types	25
Table A.41: LU2 Frame types	25
Table A.42: LU2 Connection types	26
Table A.43: LU2 Transmission classes	26
Table A.44: LU5 Frame types	26
Table A.45: LU5 Connection types	26
Table A.46: LU5 Transmission classes	27
Table A.47: LU7 Frame types	27
Table A.48: LU7 Connection types	27
Table A.49: LU7 Transmission classes	27
Table A.50: Frame structures (Receipt P to F)	27
Table A.51: Frame structures (Sending F to P)	27
Table A.52: Frame format type FA (Receipt P to F)	28
Table A.53: Frame format type FA (Sending F to P)	28
Table A.54: Broadcast service frame structure (Sending F to P)	28
Table A.55: Class A messages support (Receipt P to F)	28
Table A.56: Class A messages support (Sending F to P)	28
Table A.57: Class B messages support (Receipt P to F)	29
Table A.58: Class B messages support (Sending F to P)	29
Table A.59: Class U messages support (Receipt P to F)	29
Table A.60: Class U messages support (Sending F to P)	29
Table A.61: Class A I-command (Numbered Information) (Receipt P to F)	29
Table A.62: Class A I-command (Numbered Information) (Sending F to P)	30
Table A.63: Class A I-command Control field (Receipt P to F)	30
Table A.64: Class A I-command Control field (Sending F to P)	30
Table A.65: Class A I-command Address field (Receipt P to F)	30
Table A.66.: Class A I-command Address field (Sending F to P)	30
Table A.67: Class A RR-command/response (Receive ready) (Receipt P to F)	31
Table A.68: Class A RR-command/response (Receive ready) (Sending F to P)	31
Table A.69: Class A RR Control field (Receipt P to F)	31
Table A.70: Class A RR Control field (Sending F to P)	31
Table A.71: Class A RR Address field (Receipt P to F)	31
Table A.72: Class A RR Address field (Sending F to P)	32
Table A.73: Class B I-command (Numbered Information) (Receipt P to F)	32
Table A.74: Class B I-command (Numbered Information) (Sending F to P)	32
Table A.75: Class B I-command Control field (Receipt P to F)	32
Table A.76: Class B I-command Control field (Sending F to P)	32
Table A.77: Class B I-command Address field (Receipt P to F)	33
Table A.78: Class B I-command Address field (Sending F to P)	33
Table A.79: Class B RR-command/response (Receive ready) (Receipt P to F)	33
Table A.80: Class B RR-command/response (Receive ready) (Sending F to P)	33
Table A.81: Class B RR Control field (Receipt P to F)	33
Table A.82: Class B RR Control field (Sending F to P)	34
Table A.83: Class B RR Address field (Receipt P to F)	34
Table A.84: Class B RR Address field (Sending F to P)	34
Table A.85: Class B RNR command/response (Receive Not Ready) (Receipt P to F)	34
Table A.86: Class B RNR command/response (Receive Not Ready) (Sending F to P)	34
Table A.87: Class B RNR Control field (Receipt P to F)	35
Table A.88: Class B RNR Control field (Sending F to P)	35
Table A.89: Class B RNR Address field (Receipt P to F)	35
Table A.90: Class B RNR Address field (Sending F to P)	35
Table A.91: Class B REJ command/response (Reject) (Receipt P to F)	35
Table A.92: Class B REJ command/response (Reject) (Sending F to P)	36
Table A.93: Class B REJ Control field (Receipt P to F)	36

Table A.94: Class B REJ Control field (Sending F to P).....	36
Table A.95: Class B REJ Address field (Receipt P to F).....	36
Table A.96: Class B REJ Address field (Sending F to P).....	36
Table A.97: Class B SABM command (Receipt P to F).....	37
Table A.98: Class B SABM command (Sending F to P).....	37
Table A.99: Class B SABM Control field (Receipt P to F).....	37
Table A.100: Class B SABM Control field (Sending F to P).....	37
Table A.101: Class B SABM Address field (Receipt P to F).....	37
Table A.102: Class B SABM Address field (Sending F to P).....	38
Table A.103: Class B DM-response (Disconnect Mode) (Receipt P to F).....	38
Table A.104: Class B DM-response (Disconnect Mode) (Sending F to P).....	38
Table A.105: Class B DM Control field (Receipt P to F).....	38
Table A.106: Class B DM Control field (Sending F to P).....	38
Table A.107: Class B DM Address field (Receipt P to F).....	39
Table A.108: Class B DM Address field (Sending F to P).....	39
Table A.109: Class B DISC command (Disconnect) (Receipt P to F).....	39
Table A.110: Class B DISC command (Disconnect) (Sending F to P).....	39
Table A.111: Class B DISC Control field (Receipt P to F).....	39
Table A.112: Class B DISC Control field (Sending F to P).....	40
Table A.113: Class B DISC Address field (Receipt P to F).....	40
Table A.114: Class B DISC Address field (Sending F to P).....	40
Table A.115: Class B UA-response (Unnumbered ACK) (Receipt P to F).....	40
Table A.116: Class B UA-response (Unnumbered ACK) (Sending F to P).....	40
Table A.117: Class B UA Control field (Receipt P to F).....	41
Table A.118: Class B UA Control field (Sending F to P).....	41
Table A.119: Class B UA Address field (Receipt P to F).....	41
Table A.120: Class B UA Address field (Sending F to P).....	41
Table A.121: Class U UI command (Unnumbered Information) (Receipt P to F).....	41
Table A.122: Class U UI command (Unnumbered Information) (Sending F to P).....	42
Table A.123: Class U UI Control field (Receipt P to F).....	42
Table A.124: Class U UI Control field (Sending F to P).....	42
Table A.125: Class U UI Address field (Receipt P to F).....	42
Table A.126: Class U UI Address field (Sending F to P).....	42
Table A.127: U-plane frames (Receipt P to F).....	43
Table A.128: U-plane frames (Sending F to P).....	43
Table A.129: FU1 frame structure (Receipt P to F).....	43
Table A.130: FU1 frame structure (Sending F to P).....	43
Table A.131: FU4 frame structure (Receipt P to F).....	44
Table A.132: FU4 frame structure (Sending F to P).....	44
Table A.133: FU4 Length indicator field (Receipt P to F).....	44
Table A.134: FU4 Length indicator field (Sending F to P).....	44
Table A.135: FU4 Send sequence number (Receipt P to F).....	44
Table A.136: FU4 Send sequence number (Sending F to P).....	44
Table A.137: FU4 Receive sequence number (Receipt P to F).....	45
Table A.138: FU4 Receive sequence number (Sending F to P).....	45
Table A.139: FU5 frame structure (Receipt P to F).....	45
Table A.140: FU5 frame structure (Sending F to P).....	45
Table A.141: FU5 Address field (Receipt P to F).....	45
Table A.142: FU5 Address field (Sending F to P).....	46
Table A.143: FU5 Length indicator field (Receipt P to F).....	46
Table A.144: FU5 Length indicator field (Sending F to P).....	46
Table A.145: FU5 Send sequence number (Receipt P to F).....	46
Table A.146: FU5 Send sequence number (Sending F to P).....	46
Table A.147: FU5 Receive sequence number (Receipt P to F).....	46
Table A.148: FU5 Receive sequence number (Sending F to P).....	47
Table A.149: FU6a frame structure (Receipt P to F).....	47
Table A.150: FU6a frame structure (Sending F to P).....	47
Table A.151: FU6a Length indicator field (Receipt P to F).....	47
Table A.152: FU6a Length indicator field (Sending F to P).....	47
Table A.153: FU6a Send sequence number (Receipt P to F).....	47
Table A.154: FU6a Send sequence number (Sending F to P).....	48
Table A.155: FU6b frame structure (Receipt P to F).....	48
Table A.156: FU6b frame structure (Sending F to P).....	48