

INTERNATIONAL STANDARD

IEC
60335-2-95

Second edition
2002-11

Household and similar electrical appliances – Safety –

Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

*Appareils électrodomestiques et analogues –
Sécurité –*

*Partie 2-95:
Règles particulières pour les motorisations de portes de
garage à ouverture verticale, pour usage résidentiel*



Reference number
IEC 60335-2-95:2002(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur_fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (http://www.iec.ch/online_news/justpub/jp_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60335-2-95

Second edition
2002-11

Household and similar electrical appliances – Safety –

Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

*Appareils électrodomestiques et analogues –
Sécurité –*

*Partie 2-95:
Règles particulières pour les motorisations de portes de
garage à ouverture verticale, pour usage résidentiel*

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

R

For price, see current catalogue

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references.....	6
3 Definitions	6
4 General requirement.....	7
5 General conditions for the tests	7
6 Classification	7
7 Marking and instructions	8
8 Protection against access to live parts	9
9 Starting of motor-operated appliances	9
10 Power input and current.....	9
11 Heating.....	10
12 Void	10
13 Leakage current and electric strength at operating temperature.....	10
14 Transient overvoltages.....	10
15 Moisture resistance.....	10
16 Leakage current and electric strength	10
17 Overload protection of transformers and associated circuits.....	10
18 Endurance	10
19 Abnormal operation.....	10
20 Stability and mechanical hazards.....	11
21 Mechanical strength.....	13
22 Construction	13
23 Internal wiring.....	14
24 Components	14
25 Supply connection and external flexible cords.....	15
26 Terminals for external conductors	15
27 Provision for earthing.....	15
28 Screws and connections	15
29 Clearances, creepage distances and solid insulation	15
30 Resistance to heat and fire	15
31 Resistance to rusting	15
32 Radiation, toxicity and similar hazards	16
Annexes.....	19
Bibliography.....	19
Figure 101 – Examples of types of garage doors.....	17
Figure 102 – Example of pictogram warning against child entrapment.....	18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-95: Particular requirements for drives for vertically
moving garage doors for residential use**

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This second edition cancels and replaces the first edition published in 1998. It constitutes a technical revision.

The text of this part of IEC 60335 is based on the following documents:

FDIS	Report on voting
61/2229/FDIS	61/2304/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric drives for vertically moving garage doors for residential use.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

The following differences exist in the countries indicated below.

- 6.1: Class 0I appliances are allowed (Japan).
- 7.1: Additional markings are required (Canada and USA).
- 7.12.1: Additional warnings and instructions are required (Canada and USA).
- 11.7: The test conditions are different (USA).
- 19.9: A running overload test is carried out (USA).
- 20.101: The test is not carried out (USA).

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

<https://standards.iteh.ai/>

<https://standards.iteh.ai/en/standards/iec/60335-2-95:2002>

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-95: Particular requirements for drives for vertically moving garage doors for residential use

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **drives** for garage doors for residential use that open and close in a vertical direction, the **rated voltage** of the **drives** being not more than 250 V for single-phase appliances and 480 V for other appliances. It also covers the hazards associated with the movement of these electrically driven garage doors.

NOTE 101 Examples of garage doors are shown in Figure 101.

NOTE 102 The **drive** may be supplied with a garage door.

NOTE 103 This standard also applies to **entrapment protection devices** for use with **drives**. It does not cover hazards related to the mechanisms of the door itself.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account playing with the appliance by young children, but recognizes that children may be in the vicinity of the garage door.

NOTE 104 Attention is drawn to the fact that in many countries additional requirements are specified by the national authorities responsible for the protection of labour and similar authorities.

NOTE 105 This standard does not apply to **drives**

- for rolling shutters, awnings, blinds and similar equipment (IEC 60335-2-97);
- for garage doors for use by more than one household (IEC 60335-2-103);
- for commercial and industrial purposes;
- intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

60068-2-52:1996, *Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the **drive** under the following conditions

Drives supplied without a door are operated with their **rated load**.

Drives supplied with a door are operated with the door installed in accordance with the instructions.

3.101**drive**

motor and other components that control the movement of the door

NOTE Examples of components are gears, controls, brakes and **inherent entrapment protection systems**.

3.102**inherent entrapment protection system**

system incorporated in the **drive** to provide protection against entrapment

3.103**non-inherent entrapment protection device**

device that is not part of the **drive**, but is installed with the door to provide protection against entrapment when activated

NOTE Examples are pressure sensitive edges and active opto-electronic **protective devices**.

3.104**biased-off switch**

switch that automatically returns to the **off position** when its actuating member is released

3.105**rated load**

force or torque assigned to the **drive** by the manufacturer

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

*When a test has to be carried out with a door, the door specified for installation with the **drive** that gives the most unfavourable conditions for the test is used. The **drive** is adjusted in accordance with the instructions.*

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 Modification:

Drives shall be **class I**, **class II** or **class III**.

6.2 Addition:

Drives for outdoor use shall be at least IPX4.

6.101 Enclosures of **non-inherent entrapment protection devices** shall also provide the appropriate degree of protection against ingress of solid foreign objects. They shall be at least IP4X.

Compliance is checked by inspection and the relevant tests.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

The **rated load** shall be marked, unless the **drive** is supplied with a door.

7.12 Addition:

The instructions shall state the substance of the following:

WARNING: Important safety instructions. It is important for the safety of persons to follow all instructions. Save these instructions.

The instructions shall include the substance of the following:

- do not allow children to play with door controls. Keep remote controls away from children;
- watch the moving door and keep people away until the door is completely opened or closed;
- take care when operating the manual release since an open door may fall rapidly due to weak or broken springs, or being out of balance;
- frequently examine the installation, in particular check cables, springs and mountings for signs of wear, damage or imbalance. Do not use if repair or adjustment is needed since a fault in the installation or an incorrectly balanced door may cause injury;
- each month check that the drive reverses when the door contacts a 40 mm high object placed on the floor. Adjust if necessary and recheck since an incorrect adjustment may present a hazard;
- details on how to use the manual release;
- information concerning the adjustment of the door and drive.

7.12.1 Addition:

The installation instructions shall state the substance of the following:

WARNING: Important safety instructions. Follow all instructions since incorrect installation can lead to severe injury.

The installation instructions shall include details for the installation of the **drive** and its associated components, including any **non-inherent protection device**. They shall indicate the types of doors and mechanism for which the **drive** is intended to be used.

The installation instructions shall include the substance of the following:

- before installing the drive, remove all unnecessary ropes or chains and disable any equipment, such as locks, not needed for powered operation;
- before installing the drive, check that the door is in good mechanical condition, correctly balanced and opens and closes properly;
- install the actuating member for the manual release at a height less than 1,8 m;
- install any fixed control at a height of at least 1,5 m and within sight of the door but away from moving parts;

NOTE 101 It is not required to specify a minimum height for key-operated switches.

- permanently fix the labels warning against entrapment in a prominent place or near any fixed controls;