

SLOVENSKI STANDARD SIST EN ISO 294-1:2017

01-september-2017

Nadomešča:

SIST EN ISO 294-1:2000

SIST EN ISO 294-1:2000/A1:2002

Polimerni materiali - Vbrizgavanje plastomernih preskušancev - 1. del: Splošna načela in oblikovanje večnamenskih in paličastih preskušancev (ISO 294-1:2017)

Plastics - Injection moulding of test specimens of thermoplastic materials - Part 1: General principles, and moulding of multipurpose and bar test specimens (ISO 294-1:2017)

iTeh STANDARD PREVIEW

Kunststoffe - Spritzgießen von Probekörpern aus Thermoplasten - Teil 1: Allgemeine Grundlagen und Herstellung von Vielzweckprobekörpern und Stäben (ISO 294-1:2017)

https://standards.iteh.ai/catalog/standards/sist/e3007e95-b498-4f6b-b7dc-

Plastiques - Moulage par injection des éprouvettes de matériaux thermoplastiques - Partie 1: Principes généraux, et moulage des éprouvettes à usages multiples et des barreaux (ISO 294-1:2017)

Ta slovenski standard je istoveten z: EN ISO 294-1:2017

ICS:

83.080.20 Plastomeri Thermoplastic materials

SIST EN ISO 294-1:2017 en,fr,de

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 294-1:2017

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 294-1

June 2017

ICS 83.080.20

Supersedes EN ISO 294-1:1998

English Version

Plastics - Injection moulding of test specimens of thermoplastic materials - Part 1: General principles, and moulding of multipurpose and bar test specimens (ISO 294-1:2017)

Plastiques - Moulage par injection des éprouvettes de matériaux thermoplastiques - Partie 1: Principes généraux, et moulage des éprouvettes à usages multiples et des barreaux (ISO 294-1:2017) Kunststoffe - Spritzgießen von Probekörpern aus Thermoplasten - Teil 1: Allgemeine Grundlagen und Herstellung von Vielzweckprobekörpern und Stäben (ISO 294-1:2017)

This European Standard was approved by CEN on 13 April 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions log/standards/sist/e3007e95-b498-4f6b-b7dc-

aace0e6deb48/sist-en-iso-294-1-2017

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 294-1:2017 (E)

Contents	Page
European foreword	2
European ioreworu	

iTeh STANDARD PREVIEW (standards.iteh.ai)

EN ISO 294-1:2017 (E)

European foreword

This document (EN ISO 294-1:2017) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2017, and conflicting national standards shall be withdrawn at the latest by December 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 294-1:1998.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW

Endorsement notice (standards.Iten.ai)

The text of ISO 294-1:2017 has been approved by CEN as EN ISO 294-1:2017 without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 294-1:2017

INTERNATIONAL STANDARD

ISO 294-1

Second edition 2017-05

Plastics — Injection moulding of test specimens of thermoplastic materials —

Part 1:

General principles, and moulding of multipurpose and bar test specimens iTeh STANDARD PREVIEW

S Plastiques — Moulage par injection des éprouvettes de matériaux thermoplastiques —

Partie 1: Principes généraux, et moulage des éprouvettes à usages https://standards.iteh.multiples.eti.des/barreaux)5-b498-4f6b-b7dc-

aace0e6deb48/sist-en-iso-294-1-2017



ISO 294-1:2017(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 294-1:2017 https://standards.iteh.ai/catalog/standards/sist/e3007e95-b498-4f6b-b7dc-aace0e6deb48/sist-en-iso-294-1-2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents		Page	
Foreword			iv
Intro	oductio	n	v
1		e	
_	-		
2		native references	
3	Tern	ns and definitions	1
4	Appa	Apparatus	
	4.1	Moulds	
		4.1.1 ISO (multi-cavity) moulds	
		4.1.2 Single-cavity moulds	
	4.2	Injection-moulding machine	
		4.2.1 General 4.2.2 Moulding volume	
		4.2.2 Moulding volume 4.2.3 Control system	
		4.2.4 Screw	
		4.2.5 Clamping force	
		4.2.6 Thermometers	
5	Proc	edure	11
3	5.1	Conditioning of material	
	5.2		
	5.3	Injection moulding	13
	5.4	Measurement of the melt temperature 4 h	13
	5.5	Measurement of the melt temperature (ch. ai) Post-moulding treatment of test specimens	13
6		ort on test-specimen preparation 0.294-1-2017	
Ann	ex A (in	formative) Examples of runner configurations 95-b498-4f6b-b7dc-	15
Ann	ex B (in	formative) Examples of runner configurations 95-b498-46b-b7dc- acce0e6deb48/sist-en-iso-294-1-2017 formative) Standardized injection-moulding mould components	16
		formative) Example of an injection mould	
		formative) Methods for setting the injection moulding parameters	
	•	formative) Methods of determining the hold pressure and hold time	
		iv	

ISO 294-1:2017(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 9, *SIST EN ISO 294-1:2017*https://standards.iteh.ai/catalog/standards/sist/e3007e95-b498-4f6b-b7dc-

This second edition cancels and replaces the first edition (ISO 294-11996), which has been technically revised with the following changes:

- the types of test specimen have been replaced according to ISO 20753;
- Annex D has been added to clarify the methods for setting the operation parameters on injection machine;
- the original Annex D has been renamed as <u>Annex E</u>.

It also incorporates the Amendments ISO 294-1:1996/Amd.1:2001 and ISO 294-1:1996/Amd.2:2005.

A list of all the parts in the ISO 294 series can be found on the ISO website.

ISO 294-1:2017(E)

Introduction

Many factors in the injection-moulding process influence the properties of moulded test specimens and hence the measured values obtained when the specimens are used in a test method. The mechanical properties of such specimens are strongly dependent on the conditions of the moulding process used to prepare the specimens. Exact definition of each of the main parameters of the moulding process is a basic requirement for reproducible and comparable operating conditions.

It is important in defining moulding conditions to consider any influence the conditions may have on the properties to be determined. Thermoplastics exhibit differences in molecular orientation in crystallization morphology (for crystalline and semicrystalline polymers), in phase morphology (for heterogeneous thermoplastics) as well as in the orientation of anisotropic fillers such as short fibres. Residual ("frozen-in") stresses in the moulded test specimens and thermal degradation of the polymer during moulding also influence properties. Each of these phenomena must be controlled to minimize variability of the numerical values of the properties measured.

Care has been taken to ensure that the ISO moulds described can all be fitted in existing injection-moulding equipment and have interchangeable cavity plates.

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 294-1:2017

Plastics — Injection moulding of test specimens of thermoplastic materials —

Part 1:

General principles, and moulding of multipurpose and bar test specimens

1 Scope

This document specifies the general principles to be followed when injection moulding test specimens of thermoplastic materials and gives details of mould designs for preparing two types of specimen for use in acquiring reference data, i.e. type A1 and type B1 test specimens as specified in ISO 20753, and provides a basis for establishing reproducible moulding conditions. Its purpose is to provide consistent descriptions of the main parameters of the moulding process and to establish a uniform practice in reporting moulding conditions. The particular conditions required for the reproducible preparation of test specimens will vary for each material used and are given in the International Standard for the relevant material or are to be agreed upon between the interested parties.

NOTE Interlaboratory tests with acrylonitrile/butadiene/styrene (ABS), styrene/butadiene (SB) and poly(methyl methacrylate) (PMMA) have shown that mould design is an important factor in the reproducible preparation of test specimens.

2 Normative references SIST EN ISO 294-1:2017 Normative references SIST EN ISO 294-1:2017 Normative references SIST EN ISO 294-1:2017 Normative references SIST EN ISO 294-1:2017

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 179-1, Plastics — Determination of Charpy impact properties — Part 1: Non-instrumented impact test

ISO 294-2, Plastics — Injection moulding of test specimens of thermoplastic materials — Part 2: Small tensile bars

ISO 294-3:2002, Plastics — Injection moulding of test specimens of thermoplastic materials — Part 3: Small plates

ISO 294-4, Plastics — Injection moulding of test specimens of thermoplastic materials — Part 4: Determination of moulding shrinkage

ISO 20753, Plastics — Test specimens

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp