INTERNATIONAL STANDARD

ISO 15534-3

First edition 2000-02-15

Ergonomic design for the safety of machinery —

Part 3: **Anthropometric data**

Teh Conception ergonomique pour la sécurité des machines —
Partie 3: Données anthropométriques

(standards.iteh.ai)

ISO 15534-3:2000 https://standards.iteh.ai/catalog/standards/sist/75833310-58db-449d-830c-4b5470dc3200/iso-15534-3-2000



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 15534-3:2000 https://standards.iteh.ai/catalog/standards/sist/75833310-58db-449d-830c-4b5470dc3200/iso-15534-3-2000

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

| Cor | Contents | |
|----------|--|----|
| Foreword | | iv |
| Intro | ntroduction | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | General requirements | 1 |
| 4 | Anthropometric data | 2 |
| 4.1 | Human body measurements (anthropometric data from European survey) | 2 |
| 42 | Descriptions of human body measurements | Δ |

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 15534-3:2000 https://standards.iteh.ai/catalog/standards/sist/75833310-58db-449d-830c-4b5470dc3200/iso-15534-3-2000

© ISO 2000 – All rights reserved iii

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 15534 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 15534-3 was prepared by Technical Committee ISO/TC 159, *Ergonomics*, Subcommittee SC 3, *Anthropometry and biomechanics*.

ISO 15534 consists of the following parts, under the general title Ergonomic design for the safety of machinery:

- Part 1: Principles for determining the dimensions required for openings for whole-body access into machinery
- Part 2: Principles for determining the dimensions required for access openings
- Part 3: Anthropometric data https://standards.iteh.ai/catalog/standards/sist/75833310-58db-449d-830c-4b5470dc3200/iso-15534-3-2000

Introduction

This part of ISO 15534 is one of several ergonomics standards for the safety of machinery. EN 614-1:1995, *Safety of machinery* — *Ergonomic design principles* — *Part 1: Terminology and general principles*, describes the principles designers should adopt in order to take account of ergonomic factors.

This part of ISO 15534 is based on EN 547-3:1996 that was prepared as a harmonized standard conforming with the Machinery Directive and associated European Free Trade Association (EFTA) regulations.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 15534-3:2000 https://standards.iteh.ai/catalog/standards/sist/75833310-58db-449d-830c-4b5470dc3200/iso-15534-3-2000

© ISO 2000 – All rights reserved

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 15534-3:2000

https://standards.iteh.ai/catalog/standards/sist/75833310-58db-449d-830c-4b5470dc3200/iso-15534-3-2000

Ergonomic design for the safety of machinery —

Part 3:

Anthropometric data

1 Scope

This part of ISO 15534 specifies current requirements for human body measurements (anthropometric data) that are required by ISO 15534-1 and ISO 15534-2 for the calculation of access-opening dimensions as applied to machinery.

The anthropometric data originate from static measurements of nude persons and do not take into account body movements, clothing, equipment, machinery-operating conditions or environmental conditions.

The data are based on information from anthropometric surveys representative of population groups within Europe comprising at least three million people. Both men and women are taken into account.

NDARD PRE

Measurements are given, as required by ISO 15534-1 and ISO 15534-2, for the 5th, 95th and 99th percentiles of the relevant population group within Europe. https://standards.iteh.ai/catalog/standards/sist/75833310-58db-449d-

830c-4b5470dc3200/iso-15534-3-2000

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 15534. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 15534 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 15534-1:2000, Ergonomic design for the safety of machinery — Part 1: Principles for determining the dimensions required for openings for whole-body access into machinery.

ISO 15534-2:2000, Ergonomic design for the safety of machinery — Part 2: Principles for determining the dimensions required for access openings.

ISO 7250:1996, Basic human body measurements for technological design. (EN ISO 7250:1997)

3 General requirements

Anthropometric measurements form the basis upon which minimum dimensions of access openings can be calculated. Where machinery requires access openings, the provisions of ISO 15534-1 (for whole body access) and ISO 15534-2 (for access of parts of the body) shall be complied with.

Table 1 gives the human body measurements necessary to calculate the size of access openings taking account of the known range of body sizes within Europe.

© ISO 2000 – All rights reserved

The symbols used in Tables 1 and 2 are common to ISO 15534-1 and ISO 15534-2. Appropriate values from Table 1 shall be substituted in the formulae in clause 4 of ISO 15534-1:1999 and clause 4 of ISO 15534-2:1999, in order to calculate the dimensions of particular access openings.

4 Anthropometric data

4.1 Human body measurements (anthropometric data from European survey)

Table 1 shows the best approximation of currently available data from European surveys. The data estimate the values of the 5th, 95th and 99th percentiles for combined female and male populations.

Each of the anthropometric values in Table 1 is established according to one of the following two methods.

- a) National surveys with pooled female and male populations: the corresponding value of the 5th, 95th and 99th percentile is used.
- b) National surveys with separate female and male percentiles: the mean of the female and male value of the 5th percentile (value of the 95th and 99th percentile respectively) is calculated.

NOTE Although this is not strictly accurate statistically, it is a good practical approximation.

For the value of the 5th percentile, the lower of these calculated values is chosen as the European value. For the values of the 95th and 99th percentiles, the highest value is chosen.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 15534-3:2000 https://standards.iteh.ai/catalog/standards/sist/75833310-58db-449d-830c-4b5470dc3200/iso-15534-3-2000

Table 1 — Anthropometric data from European surveys

| Symbol | Explanation | Value mm |
|-----------------------|---|-------------|
| h_1 | Stature (body height) P95 | 1 881 |
| h_1 | Stature (body height) P99 | 1 944 |
| h_8 | Ankle height | 96 |
| a_1 | Elbow-to-elbow breadth P95 | 545 |
| a_1 | Elbow-to-elbow breadth P99 | 576 |
| a_3 | Hand breadth with thumb P95 | 120 |
| a_4 | Hand breadth at metacarpals P95 | 97 |
| a_5 | Index finger breadth, proximal P95 | 23 |
| a_{6} | Foot breadth P95 | 113 |
| <i>b</i> ₁ | Body depth, standing P95 | 342 |
| <i>b</i> ₂ | Grip reach; forward reach P5 | 615 |
| b_2 | Grip reach; forward reach P95 | 820 |
| <i>b</i> ₂ | Grip reach; forward reach P99 | 845 |
| <i>b</i> ₃ | Hand depth at palm P95 | 30 |
| b_4 | Hand depth at thumb P95 https://standards.itch.ai/catalog/standards/sist/75833310-58db-449d- | 35 |
| c ₁ | Buttock-kneedength (thigh length) (P95 | 687 |
| c ₁ | Buttock-knee length (thigh length) P99 | 725 |
| c_2 | Foot length P5 | 211 |
| c_2 | Foot length P95 | 285 |
| c_2 | Foot length P99 | 295 |
| c_3 | Head length from tip of nose P95 | 240 |
| d_1 | Upper-arm diameter P95 | 121 |
| d_2 | Lower-arm diameter P95 | 120 |
| d_3 | Fist diameter P95 | 120 |
| <i>t</i> ₁ | Operating-arm length P5 | 340 |
| <i>t</i> ₂ | Forearm reach P5 | 170 |
| <i>t</i> ₃ | Arm reach to the side P5 | 495 |
| t_4 | Hand length P5 | 152 |
| <i>t</i> ₅ | Hand length to thumb P5 | 88 |
| <i>t</i> ₆ | Index finger length P5 | 59 |