

SLOVENSKI STANDARD
SIST ISO 11925-2:1998/Cor.1:1999
01-september-1999

DfYg_i g]`cXn]j U`bUc[Yb^!`GdcgcVbcghj y][U[fUXVYb]\ `dfc]nj cXcj `j
bYdcgfYXbYa `gh]_i `g`d`Ua Ybca `!`&"XY. DfYg_i g`n`Yb]a `[cf]b]_ca `!`HM b] b]
dcdfUj Y_`%

ISO 11925-2:1997/Cor 1:1998

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: [SIST ISO 11925-2:1998/Cor.1:1999](#)
<https://standards.iteh.ai/catalog/standards/sist/8acc4271-d0c-482c-9746-67508e6383bb/sist-iso-11925-2-1998-cor-1-1999>

ICS:

13.220.50	Požarna odpornost gradbenih materialov in elementov	Fire-resistance of building materials and elements
-----------	---	--

SIST ISO 11925-2:1998/Cor.1:1999 en

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 11925-2:1998/Cor.1:1999](#)

<https://standards.iteh.ai/catalog/standards/sist/8aeee4271-dfbe-482c-9746-67508e6383bb/sist-iso-11925-2-1998-cor-1-1999>



**INTERNATIONAL STANDARD ISO 11925-2:1997
TECHNICAL CORRIGENDUM 1**

Published 1998-07-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Reaction to fire tests — Ignitability of building products subjected to direct impingement of flame —

Part 2: Single flame source test

TECHNICAL CORRIGENDUM 1

Essais de réaction au feu — Allumabilité des produits du bâtiment soumis à l'incidence directe de la flamme —

Partie 2: Essai à l'aide d'une source à flamme unique

**iTeh STANDARD PREVIEW
RECTIFICATIF TECHNIQUE 1
(standards.iteh.ai)**

[SIST ISO 11925-2:1998/Cor.1:1999](#)

<https://standards.iteh.ai/catalog/standards/sist/8aee4271-dfbe-482c-9746->

Technical Corrigendum 1 to International Standard ISO 11925-2:1997 was prepared by Technical Committee ISO/TC 92, *Fire safety*, Subcommittee SC 1, *Reaction to fire*.

Page 2, subclause 3.2 b) ii)

In the second line, replace the full stop with a comma and replace “The” with “the”.

Page 3, subclause 6.2

In the first line, correct the length of specimen to (340 ± 1) mm.

Page 4, subclause 6.6

In the first line, replace “end mixtures” with “admixtures”.

Page 6, subclause 8.2.2

In the first line, replace “at” with “to”.

Page 19, subclause B.4.5 a)

In the fourth paragraph, last line, replace “thumbscrews” with “wing nuts”.

Page 20, subclause B.5.1 b)

Replace “30 min” with “3 min”.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 11925-2:1998/Cor.1:1999](#)

<https://standards.iteh.ai/catalog/standards/sist/8aeee4271-dfbe-482c-9746-67508e6383bb/sist-iso-11925-2-1998-cor-1-1999>