

ISO

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

ISO RECOMMENDATION

R 1574

TEA

DETERMINATION OF WATER EXTRACT

1st EDITION

August 1970

COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

BRIEF HISTORY

The ISO Recommendation R 1574, *Tea - Determination of water extract*, was drawn up by Technical Committee ISO/TC 34, *Agricultural food products*, the Secretariat of which is held by the Magyar Szabványügyi Hivatal (MSZH).

Work on this question led to the adoption of Draft ISO Recommendation No. 1574, which was circulated to all the ISO Member Bodies for enquiry in July 1968. It was approved, subject to a few modifications of an editorial nature, by the following Member Bodies :

Australia	India	South Africa, Rep. of
Brazil	Iran	Spain
Ceylon	Israel	Thailand
Chile	Korea, Rep. of	Turkey
Colombia	Netherlands	U.A.R.
Czechoslovakia	Poland	United Kingdom
France	Portugal	U.S.A.
Hungary	Romania	U.S.S.R.

No Member Body opposed the approval of the Draft.

This Draft ISO Recommendation was then submitted by correspondence to the ISO Council, which decided to accept it as an ISO RECOMMENDATION.

ISO Recommendation

R 1574

August 1970

TEA

DETERMINATION OF WATER EXTRACT

1. SCOPE

This ISO Recommendation describes a method for the determination of the water extract of tea.

2. DEFINITION

By *water extract* is meant the soluble matter extracted from the sample by boiling water under the conditions specified.

3. PRINCIPLE

Extraction of soluble matter from a test portion of the product by means of water boiling under reflux, filtration, evaporation of the filtrate to dryness and weighing of the residue.

4. APPARATUS

Usual laboratory apparatus not otherwise specified, and the following items :

- 4.1 *Constant-temperature oven*, regulated at 103 ± 2 °C.
- 4.2 *Steam bath*.
- 4.3 *Desiccator*, containing an effective desiccant.
- 4.4 *Analytical balance*.

5. SAMPLE

Use a ground sample of known dry matter content, prepared as described in ISO Recommendation R 1572, *Tea - Preparation of ground sample of known dry matter content*.