



SLOVENSKI STANDARD

SIST EN 14908-6:2011

01-februar-2011

Odperta izmenjava podatkov v avtomatizaciji stavb in izvršnih elementov ter pri upravljanju stavb - Protokol regulacijske mreže - 6. del: Uporaba elementov

Open Data Communication in Building Automation, Controls and Building Management - Control Network Protocol - Part 6: Application elements

Firmenneutrale Datenkommunikation für die Gebäudeautomation und Gebäudemanagement - Gebäude Netzwerk Protokoll - Teil 6: Anwendungselemente

Réseau ouvert de communication de données pour l'automatisation la régulation et la gestion technique du bâtiment - Protocole de réseau pour le bâtiment - Partie 6: Éléments pour l'application

<https://standards.iteh.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011>

Ta slovenski standard je istoveten z: EN 14908-6:2010

ICS:

35.240.99	Uporabniške rešitve IT na drugih področjih	IT applications in other fields
97.120	Avtomatske krmilne naprave za dom	Automatic controls for household use

SIST EN 14908-6:2011

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14908-6:2011

<https://standards.iteh.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 14908-6

October 2010

ICS 35.240.99; 91.140.01; 97.120

English Version

Open Data Communication in Building Automation, Controls and Building Management - Control Network Protocol - Part 6: Application elements

Réseau ouvert de communication de données pour
l'automatisation, la régulation et la gestion technique du
bâtiment - Protocole de réseau pour le bâtiment - Partie 6 :
Éléments d'application

Firmenneutrale Datenkommunikation für die
Gebäudeautomation und Gebäudemanagement - Gebäude
Netzwerk Protokoll - Teil 6: Anwendungselemente

This European Standard was approved by CEN on 28 August 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	15
Introduction	16
1 Scope	17
2 Normative references	17
3 Terms and definitions	17
4 Standard network-variable type – SNVT	25
4.1 Introduction	25
4.2 SNVT_amp	25
4.3 SNVT_amp_mil.....	25
4.4 SNVT_angle	25
4.5 SNVT_angle_vel.....	25
4.6 SNVT_btu_kilo.....	26
4.7 SNVT_btu_mega	26
4.8 SNVT_char_ascii.....	26
4.9 SNVT_count.....	26
4.10 SNVT_count_inc	26
4.11 SNVT_date_day.....	26
4.12 SNVT_elec_kwh	27
4.13 SNVT_elec_whr.....	27
4.14 SNVT_flow	27
4.15 SNVT_flow_mil.....	27
4.16 SNVT_length.....	27
4.17 SNVT_length_kilo	27
4.18 SNVT_length_micr.....	27
4.19 SNVT_length_mil	28
4.20 SNVT_lev_cont.....	28
4.21 SNVT_mass	28
4.22 SNVT_mass_kilo	28
4.23 SNVT_mass_mega.....	28
4.24 SNVT_mass_mil	28
4.25 SNVT_power.....	29
4.26 SNVT_power_kilo.....	29
4.27 SNVT_ppm.....	29
4.28 SNVT_press.....	29
4.29 SNVT_res	29
4.30 SNVT_res_kilo.....	29
4.31 SNVT_sound_db	29
4.32 SNVT_speed.....	30
4.33 SNVT_speed_mil.....	30
4.34 SNVT_str_asc.....	30
4.35 SNVT_str_int	30
4.36 SNVT_telcom.....	31
4.37 SNVT_temp.....	31
4.38 SNVT_vol	31
4.39 SNVT_vol_kilo.....	31
4.40 SNVT_vol_mil.....	31
4.41 SNVT_volt.....	31
4.42 SNVT_volt_dbmv	32
4.43 SNVT_volt_kilo.....	32

iTech STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2011

[https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

[35b2736c458c/sist-en-14908-6-2011](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

4.44	SNVT_volt_mil	32
4.45	SNVT_amp_f	32
4.46	SNVT_angle_f	32
4.47	SNVT_angle_vel_f	32
4.48	SNVT_count_f	33
4.49	SNVT_count_inc_f	33
4.50	SNVT_flow_f	33
4.51	SNVT_length_f	33
4.52	SNVT_lev_cont_f	33
4.53	SNVT_mass_f	33
4.54	SNVT_power_f	34
4.55	SNVT_ppm_f	34
4.56	SNVT_press_f	34
4.57	SNVT_res_f	34
4.58	SNVT_sound_db_f	34
4.59	SNVT_speed_f	34
4.60	SNVT_temp_f	35
4.61	SNVT_time_f	35
4.62	SNVT_vol_f	35
4.63	SNVT_volt_f	35
4.64	SNVT_btu_f	35
4.65	SNVT_elec_whr_f	35
4.66	SNVT_config_src	36
4.67	SNVT_color	36
4.68	SNVT_grammage	36
4.69	SNVT_grammage_f	36
4.70	SNVT_file_req	37
4.71	SNVT_file_status	39
4.72	SNVT_freq_f	40
4.73	SNVT_freq_hz	40
4.74	SNVT_freq_kilohz	40
4.75	SNVT_freq_milhz	40
4.76	SNVT_lux	40
4.77	SNVT_lev_percent	41
4.78	SNVT_multiplier	41
4.79	SNVT_state	41
4.80	SNVT_time_stamp	43
4.81	SNVT_zerospans	43
4.82	SNVT_magcard	44
4.83	SNVT_elapsed_tm	47
4.84	SNVT_alarm	48
4.85	SNVT_currency	49
4.86	SNVT_file_pos	49
4.87	SNVT_muldiv	50
4.88	SNVT_obj_request	50
4.89	SNVT_obj_status	51
4.90	SNVT_preset	53
4.91	SNVT_switch	54
4.92	SNVT_trans_table	54
4.93	SNVT_override	55
4.94	SNVT_pwr_fact	55
4.95	SNVT_pwr_fact_f	55
4.96	SNVT_density	55
4.97	SNVT_density_f	55
4.98	SNVT_rpm	56
4.99	SNVT_hvac_emerg	56
4.100	SNVT_angle_deg	56
4.101	SNVT_temp_p	56
4.102	SNVT_temp_setpt	56

ITC STANDARD PREVIEW
 (standards.iteh.ai)

SIST EN 14908-6:2011

standards.iteh.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011

EN 14908-6:2010 (E)

4.103	SNVT_time_sec	57
4.104	SNVT_hvac_mode	57
4.105	SNVT_occupancy	57
4.106	SNVT_area	57
4.107	SNVT_hvac_overid	58
4.108	SNVT_hvac_status	58
4.109	SNVT_press_p	59
4.110	SNVT_address	59
4.111	SNVT_scene	59
4.112	SNVT_scene_cfg	60
4.113	SNVT_setting	60
4.114	SNVT_evap_state	61
4.115	SNVT_therm_mode	61
4.116	SNVT_defr_mode	61
4.117	SNVT_defr_term	61
4.118	SNVT_defr_state	61
4.119	SNVT_time_min	62
4.120	SNVT_time_hour	62
4.121	SNVT_ph	62
4.122	SNVT_ph_f	62
4.123	SNVT_chlr_status	62
4.124	SNVT_tod_event	63
4.125	SNVT_smo_obscur	64
4.126	SNVT_fire_test	64
4.127	SNVT_temp_ror	64
4.128	SNVT_fire_init	64
4.129	SNVT_fire_indcte	64
4.130	SNVT_time_zone	65
4.131	SNVT_earth_pos	67
4.132	SNVT_reg_val	68
4.133	SNVT_reg_val_ts	68
4.134	SNVT_volt_ac	69
4.135	SNVT_amp_ac	69
4.136	SNVT_turbidity	70
4.137	SNVT_turbidity_f	70
4.138	SNVT_hvac_type	70
4.139	SNVT_elec_kwh_l	70
4.140	SNVT_temp_diff_p	70
4.141	SNVT_ctrl_req	71
4.142	SNVT_ctrl_resp	71
4.143	SNVT_ptz	72
4.144	SNVT_privacyzone	73
4.145	SNVT_pos_ctrl	73
4.146	SNVT_enthalpy	74
4.147	SNVT_gfci_status	74
4.148	SNVT_motor_state	74
4.149	SNVT_pumpset_mn	75
4.150	SNVT_ex_control	76
4.151	SNVT_pumpset_sn	76
4.152	SNVT_pump_sensor	78
4.153	SNVT_abs_humid	79
4.154	SNVT_flow_p	79
4.155	SNVT_dev_c_mode	79
4.156	SNVT_valve_mode	79
4.157	SNVT_alarm_2	80
4.158	SNVT_state_64	80
4.159	SNVT_nv_type	85
4.160	SNVT_ent_opmode	86
4.161	SNVT_ent_state	86

iTech STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2011

[https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

[35b2736c458c/sist-en-14908-6-2011](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

4.162	SNVT_ent_status	87
4.163	SNVT_flow_dir	89
4.164	SNVT_hvac_satsts	89
4.165	SNVT_dev_status	90
4.166	SNVT_dev_fault	93
4.167	SNVT_dev_maint	98
4.168	SNVT_date_event	100
4.169	SNVT_sched_val.....	100
4.170	SNVT_sec_state.....	101
4.171	SNVT_sec_status	101
4.172	SNVT_sblnd_state.....	101
4.173	SNVT_rac_ctrl.....	102
4.174	SNVT_rac_req.....	104
4.175	SNVT_count_32.....	106
4.176	SNVT_clothes_w_c.....	106
4.177	SNVT_clothes_w_m	109
4.178	SNVT_clothes_w_s.....	109
4.179	SNVT_clothes_w_a.....	112
4.180	SNVT_multiplier_s.....	115
4.181	SNVT_switch_2.....	115
4.182	SNVT_color_2.....	116
4.183	SNVT_log_status	118
4.184	SNVT_time_stamp_p.....	119
4.185	SNVT_log_fx_request	119
4.186	SNVT_log_fx_status.....	120
4.187	SNVT_log_request.....	120
5	Standard configuration-property type – SCPT	121
5.1	Introduction.....	121
5.2	SCPTactFbDly.....	121
5.3	SCPTalmClrT1	121
5.4	SCPTalmClrT2	122
5.5	SCPTalmIhb1	122
5.6	SCPTalmSetT1.....	122
5.7	SCPTalmSetT2.....	122
5.8	SCPTdefOutput.....	122
5.9	SCPTdriveT	122
5.10	SCPThighLimit1.....	123
5.11	SCPThighLimit2.....	123
5.12	SCPThystHigh1.....	123
5.13	SCPThystHigh2.....	123
5.14	SCPThystLow1	123
5.15	SCPThystLow2	123
5.16	SCPTinFbDly.....	124
5.17	SCPTinvrtOut	124
5.18	SCPTlocation	124
5.19	SCPTlowLimit1	124
5.20	SCPTlowLimit2	124
5.21	SCPTmaxRnge.....	124
5.22	SCPTmaxRcvT	125
5.23	SCPTmaxSndT.....	125
5.24	SCPTminRnge.....	125
5.25	SCPTminSndT.....	125
5.26	SCPTnwrkCnfg	125
5.27	SCPToffset	125
5.28	SCPTsndDelta.....	126
5.29	SCPTtrnsTbIX	126
5.30	SCPTtrnsTbIY	126
5.31	SCPToffDely.....	126
5.32	SCPTgain.....	126

ITeH STANDARD PREVIEW
 (standards.iteh.ai)

SIST EN 14908-6:2011

[https://standards.iteh.ai/catalog/standards/sist/4e19ab35-551e-4c1c-9204-](https://standards.iteh.ai/catalog/standards/sist/4e19ab35-551e-4c1c-9204-35b2756c458c/sist-cir-14908-6-2011)

[35b2756c458c/sist-cir-14908-6-2011](https://standards.iteh.ai/catalog/standards/sist/4e19ab35-551e-4c1c-9204-35b2756c458c/sist-cir-14908-6-2011)

EN 14908-6:2010 (E)

5.33	SCPTovrBehave	126
5.34	SCPTovrValue	127
5.35	SCPTbypassTime.....	127
5.36	SCPTmanOvrTime	127
5.37	SCPTHumSetpt.....	127
5.38	SCPTmaxFlowHeat	127
5.39	SCPTfireInitType	128
5.40	SCPTsmokeNomSens	128
5.41	SCPTsmokeDayAlrmLim.....	128
5.42	SCPTactuatorType.....	128
5.43	SCPTlimitCO2.....	128
5.44	SCPTminDeltaAnagl	128
5.45	SCPTdirection	129
5.46	SCPTdriveTime	129
5.47	SCPTductArea.....	129
5.48	SCPTminDeltaFlow	129
5.49	SCPTmaxRcvTime	129
5.50	SCPTmaxSendTime	129
5.51	SCPTmaxSetpoint.....	130
5.52	SCPTmaxFlow	130
5.53	SCPTminSendTime.....	130
5.54	SCPTminSetpoint.....	130
5.55	SCPTminFlow.....	130
5.56	SCPTminFlowHeat.....	130
5.57	SCPTminFlowStby	131
5.58	SCPTnomAirFlow.....	131
5.59	SCPTnomAngle.....	131
5.60	SCPTnumValves	131
5.61	SCPTsetPnts	131
5.62	SCPToemType.....	131
5.63	SCPTminDeltaRH	132
5.64	SCPTminDeltaCO2.....	132
5.65	SCPTminDeltaTemp.....	132
5.66	SCPTsensConstTmp	132
5.67	SCPTgainVAV.....	132
5.68	SCPTsensConstVAV	132
5.69	SCPToffsetCO2	133
5.70	SCPToffsetRH	133
5.71	SCPToffsetTemp.....	133
5.72	SCPTdefltBehave	133
5.73	SCPTpwrUpDelay.....	133
5.74	SCPTpwrUpState	134
5.75	SCPTHvacMode.....	134
5.76	SCPTcoolSetpt	134
5.77	SCPTcoolLowerSP.....	134
5.78	SCPTcoolUpperSP	134
5.79	SCPTheatSetpt	134
5.80	SCPTheatLowerSP.....	135
5.81	SCPTheatUpperSP.....	135
5.82	SCPTlimitChlrCap	135
5.83	SCPTluxSetpoint.....	135
5.84	SCPTstep	135
5.85	SCPTonOffHysteresis	135
5.86	SCPTclOffDelay.....	136
5.87	SCPTclOnDelay.....	136
5.88	SCPTpowerupState.....	136
5.89	SCPTminDeltaLevel	136
5.90	SCPTreflection	136
5.91	SCPTfieldCalib	136

iTech STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2011

[https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

[35b2736c458c/sist-en-14908-6-2011](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

5.92	SCPTHoldTime	137
5.93	SCPTstepValue	137
5.94	SCPTmaxOut	137
5.95	SCPTsceneNmbr	137
5.96	SCPTfadeTime	137
5.97	SCPTdelayTime	137
5.98	SCPTmasterSlave	138
5.99	SCPTupdateRate	138
5.100	SCPTsummerTime	138
5.101	SCPTwinterTime	138
5.102	SCPTmanualAllowed	138
5.103	SCPTdefWeekMask	138
5.104	SCPTdayDateIndex	139
5.105	SCPTtimeEvent	139
5.106	SCPTmodeHrtBt	140
5.107	SCPTdefrostMode	140
5.108	SCPTmaxDefrstTime	140
5.109	SCPTdrainDelay	140
5.110	SCPTinjDelay	141
5.111	SCPTmaxDefrstTemp	141
5.112	SCPTstrtpDelay	141
5.113	SCPTtermTimeTemp	141
5.114	SCPTpumpDownDelay	141
5.115	SCPTsuperHtReflnit	141
5.116	SCPTstrtpOpen	142
5.117	SCPTsuperHtRefMin	142
5.118	SCPTrefrigGlide	142
5.119	SCPTsuperHtRefMax	142
5.120	SCPTrefrigType	142
5.121	SCPTthermMode	143
5.122	SCPTdayNightCntrl	143
5.123	SCPTdiffNight	143
5.124	SCPThighLimTemp	143
5.125	SCPThighLimDly	144
5.126	SCPTcutOutValue	144
5.127	SCPTairTemp1Day	144
5.128	SCPTsmokeNightAlrmLim	144
5.129	SCPTlowLimTemp	144
5.130	SCPTlowLimDly	144
5.131	SCPTdiffValue	145
5.132	SCPTairTemp1Night	145
5.133	SCPTairTemp1Alrm	145
5.134	SCPThighLimDefrDly	145
5.135	SCPTdeltaNight	145
5.136	SCPTrunHrInit	145
5.137	SCPTrunHrAlarm	146
5.138	SCPTenergyCntlnit	146
5.139	SCPTsmokeDayPreAlrmLim	146
5.140	SCPTdebounce	146
5.141	SCPTsmokeNightPreAlrmLim	146
5.142	SCPTzoneNum	146
5.143	SCPTthermAlrmROR	147
5.144	SCPTvisOutput	147
5.145	SCPTaudOutput	147
5.146	SCPTflashFreq	147
5.147	SCPTinstallDate	147
5.148	SCPTmaintDate	147
5.149	SCPTmanfDate	148
5.150	SCPTfireTxt1	148

STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2011

[https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

[35b2736c458c/sist-en-14908-6-2011](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

EN 14908-6:2010 (E)

5.151	SCPTfireTxt2	148
5.152	SCPTfireTxt3	148
5.153	SCPTthermThreshold	148
5.154	SCPTfireIndicate	148
5.155	SCPTtimeZone	149
5.156	SCPTprimeVal	149
5.157	SCPTsecondVal	149
5.158	SCPTsceneOffset.....	149
5.159	SCPTnomRPM.....	149
5.160	SCPTnomFreq.....	149
5.161	SCPTrampUpTm	150
5.162	SCPTrampDownTm	150
5.163	SCPTdefScale.....	150
5.164	SCPTregName	150
5.165	SCPTbaseValue.....	150
5.166	SCPTdevMajVer	150
5.167	SCPTdevMinVer	151
5.168	SCPTobjMajVer	151
5.169	SCPTobjMinVer.....	151
5.170	SCPT HVAC Type.....	151
5.171	SCPTtimeout	151
5.172	SCPTcontrolPriority.....	151
5.173	SCPTdeviceGroupID.....	151
5.174	SCPTmaxPrivacyZones.....	152
5.175	SCPTmaxCameraPrepositions	152
5.176	SCPTdefaultPanTiltZoomSpeeds.....	152
5.177	SCPTdefaultAutoPanSpeed.....	152
5.178	SCPTautoAnswer.....	152
5.179	SCPTdialString.....	152
5.180	SCPTserialNumber	153
5.181	SCPTnormalRotationalSpeed.....	153
5.182	SCPTstandbyRotationalSpeed.....	153
5.183	SCPTpartNumber.....	153
5.184	SCPTdischargeAirCoolingSetpoint	153
5.185	SCPTdischargeAirHeatingSetpoint.....	153
5.186	SCPTmaxSupplyFanCapacity.....	154
5.187	SCPTminSupplyFanCapacity	154
5.188	SCPTmaxReturnExhaustFanCapacity	154
5.189	SCPTminReturnExhaustFanCapacity.....	154
5.190	SCPTductStaticPressureSetpoint	154
5.191	SCPTmaxDuctStaticPressureSetpoint	154
5.192	SCPTminDuctStaticPressureSetpoint	154
5.193	SCPTductStaticPressureLimit.....	155
5.194	SCPTbuildingStaticPressureSetpoint.....	155
5.195	SCPTreturnFanStaticPressureSetpoint.....	155
5.196	SCPTfanDifferentialSetpoint.....	155
5.197	SCPTmixedAirLowLimitSetpoint.....	155
5.198	SCPTmixedAirTempSetpoint.....	156
5.199	SCPTminOutdoorAirFlowSetpoint	156
5.200	SCPToutdoorAirTempSetpoint.....	156
5.201	SCPToutdoorAirEnthalpySetpoint	156
5.202	SCPTdiffTempSetpoint.....	156
5.203	SCPTexhaustEnablePosition.....	156
5.204	SCPTspaceHumSetpoint.....	156
5.205	SCPTdischargeAirDewpointSetpoint.....	157
5.206	SCPTmaxDischargeAirCoolingSetpoint.....	157
5.207	SCPTminDischargeAirCoolingSetpoint.....	157
5.208	SCPTmaxDischargeAirHeatingSetpoint.....	157
5.209	SCPTminDischargeAirHeatingSetpoint.....	157

STANDARD PREVIEW
(standards.itech.ai)

5.210	SCPTcoolingLockout	157
5.211	SCPTheatingLockout	158
5.212	SCPTcoolingResetEnable.....	158
5.213	SCPTheatingResetEnable.....	158
5.214	SCPTsetpoint	158
5.215	SCPTtemperatureHysteresis	158
5.216	SCPTcontrolTemperatureWeighting	159
5.217	SCPTpwmPeriod.....	159
5.218	SCPTdefrostInternalSchedule.....	159
5.219	SCPTdefrostStart.....	159
5.220	SCPTdefrostCycles	159
5.221	SCPTminDefrostTime.....	159
5.222	SCPTmaxDefrostTime.....	160
5.223	SCPTdefrostFanDelay.....	160
5.224	SCPTdefrostRecoveryTime	160
5.225	SCPTdefrostHold	160
5.226	SCPTdefrostDetect.....	160
5.227	SCPTscheduleInternal	160
5.228	SCPTtempOffset	161
5.229	SCPTaudibleLevel	161
5.230	SCPTscrollSpeed.....	161
5.231	SCPTbrightness.....	161
5.232	SCPTorientation	161
5.233	SCPTinstalledLevel	161
5.234	SCPTpumpCharacteristic	162
5.235	SCPTminPressureSetpoint.....	162
5.236	SCPTmaxPressureSetpoint.....	162
5.237	SCPTminFlowSetpoint.....	162
5.238	SCPTmaxFlowSetpoint	163
5.239	SCPTdeviceControlMode.....	163
5.240	SCPTminRemotePressureSetpoint.....	163
5.241	SCPTmaxRemotePressureSetpoint.....	163
5.242	SCPTminRemoteFlowSetpoint.....	163
5.243	SCPTmaxRemoteFlowSetpoint.....	163
5.244	SCPTminRemoteTempSetpoint	164
5.245	SCPTmaxRemoteTempSetpoint	164
5.246	SCPTcontrolSignal	164
5.247	SCPTnightPurgePosition.....	165
5.248	SCPTfreeCoolPosition	165
5.249	SCPTvalveFlowCharacteristic.....	165
5.250	SCPTvalveOperatingMode.....	165
5.251	SCPTemergencyPosition.....	165
5.252	SCPTblockProtectionTime	165
5.253	SCPTminStroke	166
5.254	SCPTmaxStroke.....	166
5.255	SCPTnvType	166
5.256	SCPTmaxNVLength.....	166
5.257	SCPTnvDynamicAssignment	166
5.258	SCPTsafExtCnfg	167
5.259	SCPTemergCnfg	167
5.260	SCPTsluiceCnfg.....	167
5.261	SCPTfanOperation.....	167
5.262	SCPTminFlowUnit	168
5.263	SCPTmaxFlowUnit.....	168
5.264	SCPTminFlowHeatStby.....	168
5.265	SCPTminFlowUnitStby.....	168
5.266	SCPToffsetFlow	168
5.267	SCPTareaDuctHeat.....	168
5.268	SCPTnomAirFlowHeat	169

STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2011

/standards/sist/4e19ab35-53fe-4c1c-9204-

36c458c/sist-en-14908-6-2011

EN 14908-6:2010 (E)

5.269	SCPTgainVAVHeat.....	169
5.270	SCPTnumDampers	169
5.271	SCPTminFlowUnitHeat.....	169
5.272	SCPTsaturationDelay	169
5.273	SCPTeffectivePeriod	170
5.274	SCPTscheduleDates	171
5.275	SCPTschedule.....	172
5.276	SCPTscheduleTimeValue.....	172
5.277	SCPTvalueDefinition	173
5.278	SCPTvalueName	173
5.279	SCPTweeklySchedule	174
5.280	SCPTscheduleName	174
5.281	SCPTvalveStroke	174
5.282	SCPTvalveNominalSize.....	174
5.283	SCPTvalveKvs.....	175
5.284	SCPTvalveType.....	175
5.285	SCPTactuatorCharacteristic	175
5.286	SCPTtrnsTbIX2.....	175
5.287	SCPTtrnsTbIY2.....	175
5.288	SCPTcombFlowCharacteristic	176
5.289	SCPTtrnsTbIX3.....	176
5.290	SCPTtrnsTbIY3.....	176
5.291	SCPTrunTimeAlarm	176
5.292	SCPTtimePeriod.....	177
5.293	SCPTpulseValue	177
5.294	SCPTnumDigits.....	178
5.295	SCPTnvPriority.....	178
5.296	SCPTdefaultSetting	178
5.297	SCPTlowLimit1Enable	178
5.298	SCPTlowLimit2Enable	178
5.299	SCPTclockCalibration	179
5.300	SCPTneuronId	179
5.301	SCPThighLimit1Enable	179
5.302	SCPThighLimit2Enable	179
5.303	SCPTahamApplianceModel	179
5.304	SCPTdeflnput	180
5.305	SCPTname1	180
5.306	SCPTscene	180
5.307	SCPTsceneTiming	181
5.308	SCPTname2	181
5.309	SCPTname3	182
5.310	SCPTbuttonPressAction	182
5.311	SCPTbuttonColor.....	183
5.312	SCPTbuttonRepeatInterval	184
5.313	SCPTbuttonHoldAction	184
5.314	SCPTpwrSendOnDelta	185
5.315	SCPTsceneName	185
5.316	SCPTmaxPower	185
5.317	SCPTifaceDesc.....	185
5.318	SCPTmonInterval.....	186
5.319	SCPTlinkPowerDetectEnable	186
5.320	SCPTscanTime.....	186
5.321	SCPTdevListDesc	186
5.322	SCPTdevListEntry.....	186
5.323	SCPTlogCapacity	187
5.324	SCPTlogNotificationThreshold.....	187
5.325	SCPTlogSize.....	188
5.326	SCPTlogType.....	188
5.327	SCPTfanInEnable	188

iTech STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2011

[https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

[35b2736c458c/sist-en-14908-6-2011](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

5.328	SCPTlogTimestampEnable.....	188
5.329	SCPTlogHighLimit.....	188
5.330	SCPTlogLowLimit.....	189
5.331	SCPTmaxFanIn.....	189
5.332	SCPTlogMinDeltaTime.....	189
5.333	SCPTlogMinDeltaValue.....	189
5.334	SCPTpollRate.....	190
5.335	SCPTsourceAddress.....	190
5.336	SCPTlogRecord.....	190
5.337	SCPTlogFileHeader.....	192
5.338	SCPTlogAlarmThreshold.....	193
5.339	SCPTlogRequest.....	193
5.340	SCPTlogResponse.....	194
5.341	SCPTlightingGroupEnable.....	194
5.342	SCPTsceneColor.....	195
6	Standard Enumeration Type.....	195
6.1	Introduction.....	195
6.2	days_of_week_t.....	195
6.3	discrete_levels_t.....	195
6.4	telcom_states_t.....	196
6.5	config_source_t.....	197
6.6	file_request_t.....	197
6.7	file_status_t.....	197
6.8	alarm_type_t.....	198
6.9	priority_level_t.....	199
6.10	currency_t.....	200
6.11	object_request_t.....	202
6.12	learn_mode_t.....	202
6.13	override_t.....	203
6.14	emerg_t.....	203
6.15	hvac_t.....	203
6.16	occup_t.....	204
6.17	hvac_overid_t.....	204
6.18	scene_t.....	206
6.19	scene_config_t.....	207
6.20	setting_t.....	207
6.21	evap_t.....	208
6.22	therm_mode_t.....	208
6.23	defrost_mode_t.....	208
6.24	defrost_term_t.....	208
6.25	defrost_state_t.....	209
6.26	chiller_t.....	209
6.27	fire_test_t.....	209
6.28	fire_initiator_t.....	210
6.29	fire_indicator_t.....	210
6.30	calendar_type_t.....	211
6.31	reg_val_unit_t.....	211
6.32	hvac_hvt_t.....	213
6.33	control_resp_t.....	213
6.34	pan_dir_t.....	213
6.35	tilt_dir_t.....	214
6.36	zoom_t.....	214
6.37	privacyzone_t.....	214
6.38	cam_func_t.....	214
6.39	cam_act_t.....	215
6.40	gfc_i_status_t.....	215
6.41	motor_state_t.....	215
6.42	boolean_t.....	216
6.43	ex_control_t.....	216

ITeH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14908-6:2011

[https://standards.iteh.ai/catalog/standards/sist/4c19ab35-551e-4c1c-9204-](https://standards.iteh.ai/catalog/standards/sist/4c19ab35-551e-4c1c-9204-35b2756c458c/sist-en-14908-6-2011)

[35b2756c458c/sist-en-14908-6-2011](https://standards.iteh.ai/catalog/standards/sist/4c19ab35-551e-4c1c-9204-35b2756c458c/sist-en-14908-6-2011)

EN 14908-6:2010 (E)

6.44	unit_temp_t.....	216
6.45	device_c_mode_t.....	216
6.46	valve_mode_t.....	217
6.47	nv_type_category_t.....	218
6.48	ent_opmode_cmd_t.....	218
6.49	ent_cmd_t.....	219
6.50	flow_direction_t.....	220
6.51	device_select_t.....	220
6.52	event_mode_type_t.....	220
6.53	master_slave_t.....	220
6.54	fan_operation_t.....	221
6.55	days_of_month_t.....	221
6.56	months_t.....	225
6.57	sec_status_t.....	226
6.58	sec_state_t.....	227
6.59	interval_of_month_t.....	228
6.60	sblnd_cmd_source_t.....	228
6.61	sblnd_error_t.....	230
6.62	rail_audio_sensor_type_t.....	230
6.63	rail_audio_type_t.....	231
6.64	appl_cwc_t.....	232
6.65	appl_cws_t.....	232
6.66	appl_cwp_t.....	233
6.67	appl_rin_t.....	233
6.68	aham_appl_t.....	234
6.69	button_action_t.....	234
6.70	char_encoding_t.....	236
6.71	switch_state_t.....	236
6.72	color_encoding_t.....	238
6.73	log_status_t.....	238
6.74	log_type_t.....	238
6.75	timestamp_t.....	238
6.76	log_record_t.....	239
6.77	point_status_t.....	239
6.78	message_code_t.....	239
6.79	log_access_req_t.....	239
6.80	log_response_code_t.....	240
6.81	address_type_t.....	240
7	Standard functional profiles.....	241
7.1	General.....	241
7.2	Functional Profile List.....	241
7.3	SFPTnodeObject (0).....	241
7.4	SFPTopenLoopSensor (1).....	244
7.5	SFPTclosedLoopSensor (2).....	247
7.6	SFPTopenLoopActuator (3).....	250
7.7	SFPTclosedLoopActuator (4).....	252
7.8	SFPTcalendar (6).....	255
7.9	SFPTscheduler (7).....	256
7.10	SFPTisiMonitorPoint (8).....	258
7.11	SFPTdataLogger (9).....	259
7.12	SFPTchannelMonitor (132).....	263
7.13	SFPTdeviceMonitor (136).....	268
7.14	SFPTchannelContinuityMonitor (137).....	270
7.15	SFPTanalogInput (520).....	270
7.16	SFPTanalogOutput (521).....	271
7.17	SFPTlightSensor (1010).....	271
7.18	SFPTpressureSensor (1030).....	272
7.19	SFPTthvacTempSensor (1040).....	274
7.20	SFPTfrostSensor (1042).....	275

iTech STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2011

[https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

[35b2736c458c/sist-en-14908-6-2011](https://standards.itech.ai/catalog/standards/sist/4e19ab35-53fe-4c1c-9204-35b2736c458c/sist-en-14908-6-2011)

7.21	SFPT HVAC Relative Humidity Sensor (1050)	275
7.22	SFPT Train Sensor (1051)	276
7.23	SFPT Occupancy Sensor (1060)	277
7.24	SFPT Tisi Occupancy Sensor (1061)	277
7.25	SFPT CO ₂ Sensor (1070)	279
7.26	SFPT Air Velocity Sensor (1083)	280
7.27	SFPT Utility Data Logger Register (2110)	282
7.28	SFPT Utility Meter (2201)	284
7.29	SFPT Lamp Actuator (3040)	285
7.30	SFPT Tisi Lamp Actuator (3041)	286
7.31	SFPT Constant Light Controller (3050)	289
7.32	SFPT Occupancy Controller (3071)	291
7.33	SFPT Switch (3200)	292
7.34	SFPT Scene Panel (3250)	293
7.35	SFPT Scene Controller (3251)	294
7.36	SFPT Partition Wall Controller (3252)	295
7.37	SFPT Tisi Keypad (3253)	296
7.38	SFPT Real Time Keeper (3300)	299
7.39	SFPT Real Time Based Scheduler (3301)	300
7.40	SFPT Lighting Panel Controller (3401)	300
7.41	SFPT Identifier Sensor (5035)	301
7.42	SFPT Entry Exit (5051)	302
7.43	SFPT Modem Controller (5091)	305
7.44	SFPT Telephone Directory (5092)	306
7.45	SFPT Variable Speed Motor Drive (6010)	306
7.46	SFPT Sunblind Actuator (6110)	308
7.47	SFPT Sunblind Controller (6111)	310
7.48	SFPT Tisi Sunblind Actuator (6112)	314
7.49	SFPT Variable Air Volume (8010)	317
7.50	SFPT Fan Coil Unit (8020)	322
7.51	SFPT Roof Top Unit (8030)	325
7.52	SFPT Chiller (8040)	328
7.53	SFPT Heat Pump (8051)	331
7.54	SFPT Thermostat (8060)	334
7.55	SFPT Chilled Ceiling Controller (8070)	338
7.56	SFPT Unit Ventilator Controller (8080)	346
7.57	SFPT SCC Command Module (8090)	355
7.58	SFPT Damper Actuator (8110)	360
7.59	SFPT Pump Controller (8120)	363
7.60	SFPT HVAC Valve Positioner (8131)	368
7.61	SFPT Boiler Controller (8301)	376
7.62	SFPT Space Comfort Controller (8500)	379
7.63	SFPT SCC Fan Coil (8501)	389
7.64	SFPT SCC VAV (8502)	399
7.65	SFPT SCC Heat Pump (8503)	409
7.66	SFPT SCC Rooftop (8504)	420
7.67	SFPT SCC Unit Ventilator (8505)	430
7.68	SFPT SCC Chilled Ceiling (8506)	441
7.69	SFPT SCC Radiator (8507)	451
7.70	SFPT SCC AHU (8508)	461
7.71	SFPT SCC Self Contained (8509)	471
7.72	SFPT Discharge Air Controller (8610)	482
7.73	SFPT Trailcar Audio Controller (9111)	495
7.74	SFPT Trailcar Audio Sensor (9112)	497
7.75	SFPT Refriger Display Case Controller Defrost (10010)	498
7.76	SFPT Refriger Display Case Controller Evaporator (10011)	500
7.77	SFPT Refriger Display Case Controller Thermostat (10012)	504
7.78	SFPT Fire Smoke Damper Actuator (11001)	507
7.79	SFPT Smoke Fire Initiator Intelli (11002)	509