

SLOVENSKI STANDARD SIST EN 4528:2009

01-maj-2009

5 YfcbUj hj_U'!'>Y_`c': 9!D5' - \$' 'fL%\$7 fB]% !, Ł'!'<`UXbc'j U'Ubc'!'HfU_'nU'j na Yhj'!'U ®' 'a a '!'%&) \$'A DU'®Fa '®%* (\$'A DU

Š ~dĒÁ}åÁÜæĕ{ ~æ@oÁĒÄÜœæ@ÁØÒĒÚŒHU€HÁÇÝF€Ô¦ÞāFÌĒ DÁĒÁS憢*^¸æ‡:oÆÄÓê}å^¦Á⊳¦ÁØ^å^¦} ĒÄæÁnÁHÁ;{ ÁŘÆFÁCÍ€ÁT ÚæÁnÁÜ{ ÁnÁFÁÎ,↓€ÁTĎæ; RD PRFVIFW

https://standards.iteh.ai/catalog/standards/sist/6ce932ed-4987-4d03-9e9f-

Ta slovenski standard je istoveten z: EN 4528:2009

ICS:

49.025.10 Jekla Steels

SIST EN 4528:2009 en

SIST EN 4528:2009

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 4528:2009

https://standards.iteh.ai/catalog/standards/sist/6ce932ed-4987-4d03-9e9f-d93e7e869ac8/sist-en-4528-2009

EUROPEAN STANDARD

EN 4528

NORME EUROPÉENNE EUROPÄISCHE NORM

February 2009

ICS 49.025.10

English Version

Aerospace series - Steel FE-PA3903 (X10CrNi18-8) - Cold rolled - Strip for springs - a \leq 3 mm - 1 250 MPa \leq Rm \leq 1 640 MPa

Série aérospatiale - Acier FE-PA3903 (X10CrNi18-8) -Laminé à froid - Bandes pour ressort - a ≤ 3 mm - 1 250 MPa ≤ Rm ≤ 1 640 MPa Luft- und Raumfahrt - Stahl FE-PA3903 (X10CrNi18-8) -Kaltgewalzt - Bänder für Federn - a ≤ 3 mm - 1 250 MPa ≤ Rm ≤ 1 640 MPa

This European Standard was approved by CEN on 11 July 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Ireland, Ireland, Italy, Italy,

d93e7e869ac8/sist-en-4528-2009



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN 4528:2009) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2009, and conflicting national standards shall be withdrawn at the latest by August 2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom, NDARD PREVIEW

(standards.iteh.ai)

SIST EN 4528:2009 https://standards.iteh.ai/catalog/standards/sist/6ce932ed-4987-4d03-9e9f-d93e7e869ac8/sist-en-4528-2009

Introduction

This standard is part of the series of EN metallic material standards for aerospace applications. The general organization of this series is described in EN 4258.

This standard has been prepared in accordance with EN 4500-5.

1 Scope

This standard specifies the requirements relating to:

Steel FE-PA3903 (X10CrNi18-8) Cold rolled Strip for springs $a \le 3 \text{ mm}$ 1 250 MPa $\le R_m \le 1 640 \text{ MPa}$

for aerospace applications.

iTeh STANDARD PREVIEW

2 Normative references (standards.iteh.ai)

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies 150 undated references, the latest edition of the referenced document (including any amendments) applies standards/sist/6ce932ed-4987-4d03-9e9f-d93e7e869ac8/sist-en-4528-2009

EN 2951, Aerospace series — Metallic materials — Test method — Micrographic determination of content of non-metallic inclusions. 1)

EN 4258, Aerospace series — Metallic materials — General organization of standardization — Links between types of EN standards and their use.

EN 4500-5, Aerospace series — Metallic materials — Rules for drafting and presentation of material standards — Part 5: Specific rules for steels. 1)

EN 4700-1, Aerospace series — Steel and heat resisting alloy — Wrought products — Technical specification — Part 1: Plate, sheet and strip. 1)

3

¹⁾ Published as ASD Prestandard at the date of publication of this standard.

1	Material designation			Steel FE-PA3903 (X10CrNi18-8)										
2	Chemical composition	Element		С	Si	Mn	Р	S	Cr	Мо	Ni	Cu	N	Fe
	%	min.		0,05	-	-	_	_	16,00	-	6,00	-	-	Base
		max.		0,15	2,00	2,00	0,035	0,015	19,00	0,80	9,50	0,50	0,11	Dase
3	Method of melting			Air melted										
4.1	Form			Strip										
4.2	Method of product		Cold rolled											
4.3	Limit dimension(s) mm			a ≤ 3										
5	Technical specific	EN 4700-1												

6.1	Delivery condition	Temper rolled
0.1	Heat treatment	-
6.2	Delivery condition code	U
7	Use condition	Delivery condition
'	Heat treatment	-

iTeh STANDARD PREVIEW

(standards.iteh.ai)

8.1	Test sample(s)			See EN 4700-1.	
8.2	1.0				SIST EN 4528:20\$ee EN 4700-1.
8.3	Heat treatment			hti	ps://standards.itefr.avcatatog/standards/sist/6ce932ed-4987-4d03-9e91- d93e7e869ac8/sist-en-4528-2009
9	Dimensions concerned mm			mm	a ≤ 3
10	Thickness of cladding on each face %			%	-
11	Dii	rection of test piece	:	•	L
12		Temperature	θ	°C	Ambient
13		Proof stress	R _{p0,2}	MPa	≥ 950
14	Т	Strength	R _m	MPa	1 250 ≤ R _m ≤ 1 640
15		Elongation	Α	%	≥ 4
16		Reduction of area	Z	%	-
17	7 Hardness			380 ≤ HV ≤ 480	
18	Shear strength R _c N		near strength R _c MPa		-
19	Bending k -		ending k -		_
20	0 Impact strength			_	
21		Temperature	θ	°C	_
22		Time		h	-
23	С	Stress	σa	MPa	_
24		Elongation	а	%	_
25		Rupture stress	σ_{R}	MPa	_
26		Elongation at rupture	Α	%	-
27	27 Notes (see line 98)				-

44	External defects	_	See EN 4700-1.
50	Cleanliness/Inclusion content		EN 2951
	(micro-cleanness)	7	Category 2
		h	STANDARD PREVIEW (standards.iteh.ai) SIST EN 4528:2009 s.iteh.ai/cattalog/standards/s/sist/6ce932ed-4987-4d03-9e9f- d93e7e869ac8/sist-en-4528-2009
95	Marking inspection	_	See EN 4700-1.
96	Dimensional inspection	_	See EN 4700-1.
98	Notes	_	
99			
99	Typical use	-	-

		Qualification programme to be agreed between manufacturer and purchaser.
	ht	Ceh STANDARD PREVIEW (standards.iteh.ai) SIST EN 4528.2009 tandards.iteh.ai/cattalog/standards/sist/6ce932ed-4987-4d03-9e9f-d93e7e869ae8/sist-en-4528-2009