

Draft ETSI EN 302 498-2 V1.1.1 (2009-08)

Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Short Range Devices (SRD);
Technical characteristics for SRD equipment
using Ultra WideBand technology (UWB);
Object Discrimination and Characterization Applications
for power tool devices operating in the frequency band
from 2,2 GHz to 8,5 GHz;
Part 2: Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/917b458b-c620-48ea-9fbb-f04d8b35adff/etsi-en-302-498-2-v1.1.1-2010-06>



Reference

DEN/ERM-TGUWB-002-2

Keywords

radio, regulation, SRD, testing, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTE™ is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
Introduction	4
1 Scope	5
2 References	6
2.1 Normative references	6
2.2 Informative references.....	6
3 Definitions, symbols and abbreviations	7
3.1 Definitions	7
3.2 Symbols.....	7
3.3 Abbreviations	7
4 Technical requirements specifications	7
4.1 Environmental profile.....	7
4.2 Conformance requirements	7
4.2.1 Transmitter requirements.....	7
4.2.1.1 Maximum Undesired UWB Emissions (UE)	7
4.2.1.2 Maximum Other Emissions (OE).....	7
4.2.1.3 Total Power spectral density (UE-TP)	7
4.2.1.4 Minimum pulse repetition frequency	7
4.2.2 Other equipment requirements.....	8
4.2.2.1 Design requirements.....	8
4.2.2.2 Listen before Talk	8
4.2.2.3 Duty Cycle Limit	8
4.2.2.4 Total Power Control (TPC)	8
5 Testing for compliance with technical requirements.....	8
5.1 Environmental conditions for testing	8
5.2 Essential radio test suites.....	8
5.2.1 Transmitter test suites	8
5.2.1.1 Maximum UWB Emissions (UE)	8
5.2.1.2 Maximum Other Emissions (OE).....	8
5.2.1.3 Total Power spectral density (UE-TP)	8
5.2.2 Other test suites.....	8
5.2.2.1 Listen before Talk	8
5.3 Interpretation of measurement results	9
Annex A (normative): HS Requirements and conformance Test specifications Table (HS-RTT).....	10
Annex B (informative): The EN title in the official languages	12
Annex C (informative): Bibliography.....	13
History	14

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the Public Enquiry phase of the ETSI standards Two-step Approval Procedure.

The present document is part 2 a multi-part deliverable covering Ultra WideBand (UWB); Discrimination and Characterization Applications for power tool devices operating in the frequency band from 2,2 GHz to 8,5 GHz; as identified below:

Part 1: "Technical characteristics and test methods":

Part 2: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [i.4] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [i.2] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

Technical specifications relevant to Directive 1999/5/EC [i.2] are given in annex A.

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive. The modular structure is shown in EG 201 399 [i.1].

1 Scope

The present document specifies the requirements for Object Discrimination and Characterization Applications for power tool devices operating in the frequency band from 2,2 GHz to 8,5 GHz; Additionally it specifies reduced emissions in the ranges from 0,96 GHz to 2,2 GHz and 8,5 GHz to 10,6 GHz.

Equipment covered by the present document operates in accordance with amended ECC Decision ECC/DEC(07)01 on specific Material Sensing devices using Ultra-Wideband (UWB) technology [amended 26 June 2009] [i.5].

Table 1: Radiocommunications service frequency bands

	Radiocommunications service frequency bands
Transmit	2 200 MHz to 8 500 MHz
Receive	2 200 MHz to 8 500 MHz

The present document applies to:

- a) UWB object discrimination and characterisation equipment for imaging and object detection applications;
- b) equipment fitted with an integral antenna;
- c) Two main categories:
 - 1) Category A: user protection in benchtop tools / table saws (quasi fixed sawing equipment).
 - 2) Category B: breakthrough protection in drilling devices.

The present document does not apply to:

- UWB communication devices; and
- Ground penetrating radar devices; and
- through-wall radar imaging devices;
- building material devices;

as defined in ITU-R Recommendation SM.1754 [i.3] and EN 302 435-1 [i.6].

The present document specifies the equipment which is designed to not radiate into the free space. It is designed to function only when positioned such that it radiates directly into the absorptive material such as walls and other building materials which absorb emissions.

The present document does not necessarily include all the characteristics which may be required by a user, nor does it necessarily represent the optimum performance achievable.

The present document is intended to cover the provisions of article 3.2 of Directive 1999/5/EC [i.2] (R&TTE Directive), which states that "... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radiocommunications and orbital resources so as to avoid harmful interference".

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] ETSI EN 302 498-1 (V1.1.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Technical characteristics for SRD equipment using Ultra WideBand technology (UWB); Object Discrimination and Characterization Applications for power tool devices operating in the frequency band from 2,2 GHz to 8,5 GHz; Part 1: Technical characteristics and test methods".

2.2 Informative references

The following referenced documents are not essential to the use of the present document but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- [i.1] ETSI EG 201 399 (V2.1.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of candidate Harmonized Standards for application under the R&TTE Directive".
- [i.2] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.3] ITU-R Recommendation SM.1754: "Measurement techniques of ultra-wideband transmissions".
- [i.4] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.5] ECC Decision of 30 March 2007 on specific Material Sensing devices using Ultra-Wideband (UWB) technology (ECC/DEC/(07)01), amended 26 June 2009.
- [i.6] ETSI EN 302 435-1 (V1.1.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Technical characteristics for SRD equipment using Ultra WideBand technology (UWB); Building Material Analysis and Classification equipment applications operating in the frequency band from 2,2 GHz to 8 GHz; Part 1: Technical characteristics and test methods".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in clause 3 of EN 302 498-1 [1] apply.

3.2 Symbols

For the purposes of the present document, the symbols given in clause 3 of EN 302 498-1 [1] apply.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in clause 3 of EN 302 498-1 [1] apply.

4 Technical requirements specifications

4.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the provider. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

4.2 Conformance requirements

4.2.1 Transmitter requirements

4.2.1.1 Maximum Undesired UWB Emissions (UE)

The maximum UWB emissions shall not exceed the limits specified in clause 8.3.1.3 for category A equipment in clause 8.3.1.4 for category B equipment of EN 302 498-1 [1].

4.2.1.2 Maximum Other Emissions (OE)

The maximum other emissions shall not exceed the values given in clause 8.3.2.3 for category A and category B equipment of EN 302 498-1 [1].

4.2.1.3 Total Power spectral density (UE-TP)

The total power spectral density shall not exceed the values given in clause 8.3.3.3 for category A equipment of EN 302 498-1 [1].

4.2.1.4 Minimum pulse repetition frequency

The pulse repetition frequency shall not exceed the limits specified in clause 8.4.3 of EN 302 498-1 [1]. The declaration of clause 8.4.2 of EN 302 498-1 [1] shall be made.

4.2.2 Other equipment requirements

4.2.2.1 Design requirements

The equipment shall comply with the design requirements as defined in annex B of the EN 302 498-1 [1].

4.2.2.2 Listen before Talk

The Listen before Talk receiver thresholds shall meet the requirements specified in clause 8.5.4 of EN 302 498-1 [1].

4.2.2.3 Duty Cycle Limit

The Duty Cycle requirement for category B equipment shall meet the requirements specified in clause 8.6.3 of EN 302 498-1 [1].

4.2.2.4 Total Power Control (TPC)

The Total Power Control function shall meet the requirements specified in clause 8.7 of EN 302 498-1 [1].

5 Testing for compliance with technical requirements

5.1 Environmental conditions for testing

Tests defined in the present document shall be carried out at representative points within the boundary limits of the declared operational environmental profile.

Where technical performance varies subject to environmental conditions, tests shall be carried out under a sufficient variety of environmental conditions (within the boundary limits of the declared operational environmental profile) to give confidence of compliance for the affected technical requirements.

5.2 Essential radio test suites

5.2.1 Transmitter test suites

5.2.1.1 Maximum UWB Emissions (UE)

The test defined in clause 8.3.1.2 of EN 302 498-1 [1] shall be carried out.

5.2.1.2 Maximum Other Emissions (OE)

The test defined in clause 8.3.2.2 of EN 302 498-1 [1] shall be carried out.

5.2.1.3 Total Power spectral density (UE-TP)

The test defined in clause 8.3.3.2 of EN 302 498-1 [1] shall be carried out.

5.2.2 Other test suites

5.2.2.1 Listen before Talk

The test defined in clause 8.5.3 of EN 302 498-1 [1] shall be carried out.

5.3 Interpretation of measurement results

Clause 7 of EN 302 498-1 [1] shall apply.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/917b458b-c620-48ea-9fbb-f04d8b35adff/etsi-en-302-498-2-v1.1.1-2010-06>