

# ETSI EN 300 392-3-5 V1.4.1 (2010-06)

---

*European Standard (Telecommunications series)*

**Terrestrial Trunked Radio (TETRA);  
Voice plus Data (V+D);  
Part 3: Interworking at the Inter-System Interface (ISI);  
Sub-part 5: Additional Network Feature  
for Mobility Management (ANF-ISIMM)**

---

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/45fa390c-faf3-4c81-917e-c68e6a26ad99/etsi-en-300-392-3-5-v1.4.1-2010-06>



---

**Reference**

REN/TETRA-03194

---

**Keywords**air interface, interworking, management, mobility,  
radio, TETRA, V+D**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

---

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

---

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2010.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™**, **TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

**3GPP™** is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**LTE™** is a Trade Mark of ETSI currently being registered

for the benefit of its Members and of the 3GPP Organizational Partners.

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	15
Foreword.....	15
Introduction .....	16
1 Scope .....	17
2 References .....	17
2.1 Normative references .....	18
2.2 Informative references.....	19
3 Definitions and abbreviations.....	19
3.1 Definitions .....	19
3.2 Abbreviations .....	21
4 Overview .....	22
4.1 General .....	22
4.2 Applicability.....	22
4.2.1 Entities .....	22
4.2.2 Services.....	22
4.3 Testability.....	23
4.4 Provision/withdrawal.....	23
4.5 Activation/deactivation .....	23
4.6 Charging.....	23
5 The generic ANF-ISIMM stage 1 service model .....	24
5.1 ANF-ISIMM - the service provider.....	24
5.2 SwMI MMs - the ANF-ISIMM service users.....	24
5.3 Stage 1 description conventions.....	25
6 Migration service description - stage 1 .....	26
6.1 Pre-requisite requirements for the migration service.....	26
6.2 Service definition .....	26
6.3 Service description .....	26
6.4 Service architecture .....	27
6.5 Normal procedures .....	28
6.5.1 Invocation .....	28
6.5.1.1 Invocation criteria .....	28
6.5.1.2 Invocation of ANF-ISIMM.....	28
6.5.2 Operation .....	30
6.5.2.1 Migration with pre-defined migration profile(s).....	31
6.5.2.1.1 Support for call restoration.....	31
6.5.2.1.2 Final migration approval .....	31
6.5.2.2 Migration with migration profile exchange.....	32
6.5.2.2.1 Basic migration profile exchange .....	33
6.5.2.2.2 SS-migration profile(s) exchange.....	43
6.5.2.2.3 Support for call restoration.....	45
6.5.2.2.4 Final migration approval .....	45
6.5.2.2.5 SS-migration profile exchange after final migration approval .....	45
6.6 Exceptional procedures .....	46
6.6.1 Detected by the visited SwMI MM.....	47
6.6.2 Detected by the individual subscriber home SwMI MM .....	48
6.7 Interactions .....	48
6.7.1 Interactions with the authentication service.....	48
6.7.2 Interactions with the group attachment and the group detachment services .....	48
6.8 Dynamic description.....	49
7 Restricted migration service description - stage 1.....	51
7.1 Pre-requisite requirements for the restricted migration service.....	51

7.2	Service definition .....	51
7.3	Service description .....	52
7.4	Service architecture .....	53
7.5	Normal procedures .....	53
7.5.1	Invocation .....	53
7.5.1.1	Invocation criteria .....	53
7.5.1.2	Invocation of ANF-ISIMM .....	54
7.5.2	Operation .....	56
7.5.2.1	Operation when the visited SwMI MM invokes restricted migration .....	57
7.5.2.2	Invocation of RSI .....	58
7.5.2.3	Support for emergency call restoration .....	58
7.5.2.4	Receipt of restricted migration approval .....	58
7.6	Exceptional procedures .....	58
7.6.1	Detected by the visited SwMI MM .....	59
7.6.2	Detected by the individual subscriber home SwMI MM .....	60
7.7	Interactions .....	60
7.7.1	Interactions with the authentication service .....	60
7.7.2	Interactions with the group attachment and the group detachment services .....	60
7.8	Dynamic description .....	60
8	Removal of Subscriber Information (RSI) service description - stage 1 .....	61
8.1	Service definition .....	61
8.2	Service description .....	62
8.3	Service architecture .....	62
8.4	Normal procedures .....	63
8.4.1	Invocation .....	63
8.4.1.1	Invocation criteria .....	63
8.4.1.2	Invocation of ANF-ISIMM .....	63
8.4.2	Operation .....	64
8.5	Exceptional procedures .....	65
8.6	Interaction with authentication .....	66
8.7	Dynamic description .....	67
9	De-registration service description - stage 1 .....	68
9.1	Service definition .....	68
9.2	Service description .....	68
9.3	Service architecture .....	68
9.4	Normal procedures .....	69
9.4.1	Invocation .....	69
9.4.1.1	Invocation criteria .....	69
9.4.1.2	Invocation of ANF-ISIMM .....	69
9.4.2	Operation .....	70
9.5	Exceptional procedures .....	70
9.5.1	Detected by the visited SwMI MM .....	71
9.5.2	Detected by the individual subscriber home SwMI MM .....	71
9.6	Dynamic description .....	72
10	Profile update service description - stage 1 .....	73
10.1	Service definition .....	73
10.2	Service description .....	74
10.3	Service architecture .....	74
10.4	Normal procedures .....	74
10.4.1	Invocation .....	74
10.4.1.1	Invocation criteria .....	74
10.4.1.2	Invocation of ANF-ISIMM .....	75
10.4.2	Operation .....	85
10.5	Exceptional operation .....	95
10.6	Dynamic description .....	95
11	SS-profile update service description - stage 1 .....	96
11.1	Service definition .....	96
11.2	Service description .....	96
11.3	Service architecture .....	97

11.4	Normal procedures .....	97
11.4.1	Invocation .....	97
11.4.1.1	Invocation criteria .....	97
11.4.1.2	Invocation of ANF-ISIMM .....	98
11.4.2	Operation .....	98
11.4.2.1	Creation of temporary SS-migration profiles .....	98
11.4.2.2	Informing home SwMI MM about the temporary SS-migration profiles .....	99
11.5	Exceptional operation.....	100
11.6	Dynamic description.....	101
12	Authentication service description - stage 1.....	102
12.1	Pre-requisite requirements for the authentication service.....	102
12.2	Service definition .....	102
12.3	Service description .....	102
12.4	Service architecture .....	103
12.5	Normal procedures .....	103
12.5.1	Invocation .....	103
12.5.1.1	Invocation criteria .....	103
12.5.1.2	Invocation of ANF-ISIMM .....	104
12.5.2	Operation .....	104
12.5.2.1	Exchange of authentication parameters.....	104
12.5.2.2	Sending of authentication result.....	105
12.6	Exceptional procedures .....	106
12.6.1	Detected by the visited SwMI MM.....	107
12.6.2	Detected by the home SwMI MM .....	107
12.7	Interaction with migration and restricted migration .....	107
12.7.1	Normal operation.....	107
12.7.2	Exceptional procedures.....	108
12.8	Dynamic description.....	108
13	Over The Air Re-keying (OTAR) service description - stage 1.....	110
13.1	Pre-requisite requirements.....	110
13.2	Service definition .....	110
13.3	Service description .....	110
13.4	Service architecture .....	111
13.5	Normal procedures .....	111
13.5.1	Invocation .....	111
13.5.1.1	Invocation criteria .....	111
13.5.1.2	Invocation of ANF-ISIMM .....	112
13.5.1.2.1	Case 1).....	112
13.5.1.2.2	Case 2).....	112
13.5.1.2.3	Case 3).....	112
13.5.1.2.4	Case 4).....	113
13.5.2	Operation .....	113
13.5.2.1	Case 1) .....	113
13.5.2.2	Case 2) .....	114
13.5.2.3	Case 3) .....	115
13.5.2.4	Case 4) .....	115
13.6	Exceptional procedures .....	116
13.6.1	Detected by the visited SwMI MM.....	117
13.6.2	Detected by the home SwMI MM .....	117
13.7	Dynamic description.....	118
14	Individual subscriber Database Recovery (IDR) service description - stage 1.....	120
14.1	Service definition .....	120
14.2	Service description .....	121
14.3	Service architecture .....	121
14.4	Normal procedures .....	122
14.4.1	Invocation .....	122
14.4.1.1	Invocation criteria .....	122
14.4.1.2	Invocation of ANF-ISIMM .....	122
14.4.2	Operation .....	124
14.4.2.1	The visited SwMI MM receives the HMM recovery indication .....	124

14.4.2.1A	The home SwMI MM receives the VMM recovery indication .....	124
14.4.2.2	The virtual migration or restricted migration .....	125
14.4.2.3	The virtual RSI .....	126
14.4.2.4	The iteration .....	126
14.4.2.5	The completion of the IDR .....	126
14.4.2.5.1	VMM recovery .....	126
14.4.2.5.2	HMM recovery .....	127
14.5	Exceptional procedures .....	127
14.6	Dynamic description .....	128
15	Group attachment service description - stage 1 .....	131
15.1	Service definition .....	131
15.2	Service description .....	131
15.3	Service architecture .....	132
15.4	Normal procedures .....	132
15.4.1	Invocation .....	132
15.4.1.1	Invocation criteria .....	132
15.4.1.2	Invocation of ANF-ISIMM .....	133
15.4.1.2.1	Case 1) .....	133
15.4.1.2.2	Cases 2) to 4) .....	135
15.4.1.2.3	Case 5) .....	136
15.4.1.2.4	Case 6) .....	141
15.4.2	Operation .....	142
15.4.2.1	Case 1) .....	142
15.4.2.1.1	Group attachment with pre-defined migration profile(s) .....	142
15.4.2.1.2	Group attachment with migration profile exchange .....	145
15.4.2.1.3	SS-migration profile(s) exchange .....	151
15.4.2.2	Cases 2) to 4) .....	153
15.4.2.2.1	Updates to G-HDB .....	153
15.4.2.2.2	Sending of group attachment approval .....	154
15.4.2.2.3	Receipt of group attachment approval .....	154
15.4.2.3	Case 5) .....	155
15.4.2.3.1	Group home SwMI MM initiated group attachment with pre-defined migration profile(s) .....	155
15.4.2.3.2	Group home SwMI MM initiated group attachment with migration profile exchange .....	157
15.5	Exceptional procedures .....	159
15.5.1	Detected by the visited SwMI MM .....	161
15.5.2	Detected by the group home SwMI MM .....	162
15.6	Interactions .....	162
15.7	Dynamic description .....	163
16	Group detachment service description (stage 1) .....	166
16.1	Service definition .....	166
16.2	Service description .....	167
16.3	Service architecture .....	168
16.4	Normal procedures .....	168
16.4.1	Invocation .....	168
16.4.1.1	Void .....	169
16.4.1.2	Invocation of ANF-ISIMM .....	169
16.4.1.2.1	Cases 1) to 3) .....	169
16.4.1.2.2	Cases 4) and 5) .....	170
16.4.2	Operation .....	170
16.4.2.1	Cases 1) to 3) .....	170
16.4.2.2	Cases 4) and 5) .....	171
16.5	Exceptional procedures .....	172
16.6	Interactions .....	174
16.7	Dynamic description .....	175
17	Group Database Recovery (GDR) service description - stage 1 .....	176
17.1	Service definition .....	176
17.2	Service description .....	176
17.3	Service architecture .....	177
17.4	Normal procedures .....	178
17.4.1	Invocation .....	178

17.4.1.1	Invocation criteria .....	178
17.4.1.2	Invocation of ANF-ISIMM .....	178
17.4.2	Operation .....	180
17.4.2.1	Verification of age information.....	180
17.4.2.2	The visited SwMI MM receives the G-HDR indication.....	180
17.4.2.3	The group home SwMI MM receives the G-VDR indication .....	181
17.4.2.4	The virtual group attachment and detachment .....	181
17.4.2.5	The iteration .....	182
17.4.2.6	The completion of the GDR .....	182
17.4.2.6.1	G-HDR .....	182
17.4.2.6.2	G-VDR .....	183
17.5	Exceptional procedures .....	183
17.6	Dynamic description.....	185
18	Group linking/unlinking service description - stage 1 .....	187
18.1	Service definition .....	187
18.2	Service description .....	188
18.3	Service architecture .....	189
18.4	Normal procedures .....	189
18.4.1	Invocation .....	189
18.4.1.1	Invocation criteria .....	189
18.4.1.2	Invocation of ANF-ISIMM .....	189
18.4.1.2.1	Case 1) - group linking service.....	189
18.4.1.2.2	Case 2) - group unlinking service.....	190
18.4.1.2.3	Case 3) - remote group unlinking service.....	191
18.4.2	Operation .....	191
18.4.2.1	Case 1) - group linking service .....	191
18.4.2.1.1	First phase of group linking service.....	191
18.4.2.1.2	Second phase of group linking service.....	192
18.4.2.2	Case 2) - group unlinking service.....	194
18.4.2.3	Case 3) - remote group unlinking service .....	195
18.5	Exceptional procedures .....	195
18.5.1	Case 1) - group linking service.....	195
18.5.2	Case 2) - group unlinking service.....	196
18.5.3	Case 3) - remote group unlinking service.....	197
18.6	Interactions .....	198
18.7	Dynamic description.....	198
19	ANF-ISIMM stage 2 specification .....	201
19.1	General .....	201
19.2	Functional model.....	201
19.3	Information flow diagrams .....	202
20	Migration - stage 2 information flow sequences .....	203
20.1	Normal operation.....	203
20.1.1	Migration with pre-defined profile(s) .....	203
20.1.2	Migration with basic migration profile exchange .....	204
20.1.3	Migration with basic migration and SS-migration profiles exchange.....	205
20.1.3.1	SS-migration profiles exchanged before final migration approval.....	205
20.1.3.2	SS-migration profiles exchanged after final migration approval .....	207
20.2	Exceptional operation.....	209
20.2.1	Migration rejection request upon receipt of the Migration_ind .....	209
20.2.2	Migration rejection request upon receipt of Profile update_conf and SS-profile update_conf.....	210
20.3	FE actions for subscriber migration .....	211
20.3.1	FE actions of FE1 .....	211
20.3.2	FE actions of FE3 .....	212
21	Restricted migration - stage 2 information flow sequences .....	213
21.1	Normal operation.....	213
21.1.1	Restricted migration requested by visited SwMI MM.....	213
21.1.2	Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the visited SwMI MM .....	213



21.1.3	Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the visited SwMI MM .....	213
21.2	Exceptional operation.....	214
21.3	FE actions for restricted migration .....	214
21.3.1	FE actions of FE1 .....	214
21.3.2	FE actions of FE3 .....	214
22	Removal of Subscriber Information - stage 2 information flow sequences .....	215
22.1	Normal operation.....	215
22.2	Exceptional operation.....	216
22.3	FE actions for subscriber migration .....	216
22.3.1	FE actions of FE1 .....	216
22.3.2	FE actions of FE4 .....	217
23	De-registration - stage 2 information flow sequences .....	217
23.1	Normal operation.....	217
23.1.1	Visited SwMI MM initiated de-registration.....	217
23.1.2	Individual subscriber home SwMI MM initiated de-registration.....	218
23.2	Exceptional operation.....	219
23.2.1	Visited SwMI MM initiated de-registration rejected .....	219
23.2.2	Individual subscriber home SwMI MM initiated de-registration rejected .....	220
23.3	FE actions.....	220
23.3.1	FE actions of FE1 .....	220
23.3.2	FE actions of FE3 .....	221
24	Profile update - stage 2 information flow sequences.....	222
24.1	Normal operation.....	222
24.2	Profile update rejection .....	223
24.3	FE actions for Profile update .....	223
24.3.1	FE actions of FE1 .....	223
24.3.2	FE actions of FE3 .....	223
25	SS-profile update - stage 2 information flow sequences.....	224
25.1	Normal operation.....	224
25.2	SS-profile update rejection .....	225
25.3	FE actions for SS-profile update .....	225
25.3.1	FE actions of FE1 .....	225
25.3.2	FE actions of FE3 .....	225
26	Authentication - stage 2 information flow sequences .....	226
26.1	Normal operation.....	226
26.1.1	Authentication.....	226
26.1.2	Successful subsequent authentication .....	227
26.2	Authentication invoked in conjunction with migration .....	228
26.3	Exceptional operation.....	230
26.3.1	Authentication rejection in the visited SwMI .....	230
26.4	FE actions for authentication.....	231
26.4.1	FE actions of FE1 .....	231
26.4.2	FE actions of FE3 .....	232
27	Over The Air Re-keying (OTAR) - stage 2 information flow sequences.....	232
27.1	Normal operation.....	232
27.1.1	OTAR SCK generation service.....	232
27.1.2	Visited SwMI MM initiated OTAR SCK delivery service .....	234
27.1.3	Home SwMI MM initiated OTAR SCK delivery service.....	235
27.1.4	OTAR SCK generation service, subsequent use of parameters .....	236
27.2	Exceptional operation.....	237
27.2.1	Failed OTAR SCK generation service.....	237
27.2.2	Failed visited SwMI MM initiated OTAR SCK delivery .....	238
27.2.3	Failed home SwMI MM initiated OTAR SCK delivery .....	239
27.2.4	Failed subsequent use of OTAR SCK generation parameters .....	240
27.3	FE actions for OTAR .....	240
27.3.1	FE actions of FE1 .....	240
27.3.2	FE actions of FE3 .....	241



28	Individual subscriber database recovery - stage 2 information flow sequences.....	242
28.1	Normal operation.....	242
28.1.1	HMM recovery .....	242
28.1.2	VMM recovery .....	245
28.2	Exceptional operation.....	248
28.2.1	Rejection of HMM recovery.....	248
28.2.2	Rejection of VMM recovery.....	249
28.3	FE actions.....	249
28.3.1	FE actions of FE1 .....	249
28.3.2	FE actions of FE3 .....	250
28.3.3	FE actions of FE4 .....	250
29	Group attachment - stage 2 information flow sequences .....	250
29.1	Normal operation.....	250
29.1.1	Visited SwMI MM initiated group attachment without migration profile exchange .....	250
29.1.2	Visited SwMI MM initiated first group attachment with migration profile exchange.....	252
29.1.3	Group home SwMI MM initiated group attachment without migration profile exchange.....	254
29.1.4	Group home SwMI MM initiated group attachment with migration profile exchange.....	255
29.2	Exceptional operation.....	257
29.2.1	Rejection of visited SwMI MM initiated group attachment without migration profile exchange .....	257
29.2.2	Rejection of group home SwMI MM initiated group attachment with migration profile exchange.....	258
29.2.3	Rejection of group home SwMI MM initiated group attachment without migration profile exchange ....	259
29.2.4	Rejection of group home SwMI MM initiated group attachment with migration profile exchange, rejected by subscriber .....	260
29.3	FE actions.....	261
29.3.1	FE actions of FE2 .....	261
29.3.2	FE actions of FE3 .....	262
30	Normal operation for group detachment - stage 2 information flow sequences.....	263
30.1	Normal operation.....	263
30.1.1	Visited SwMI MM initiated group detachment .....	263
30.1.2	Group home SwMI MM initiated group detachment.....	264
30.2	Exceptional operation.....	265
30.2.1	Rejection of visited SwMI MM initiated group detachment.....	265
30.2.2	Rejection of group home SwMI MM initiated group detachment rejection .....	266
30.3	FE actions.....	266
30.3.1	FE actions of FE2 .....	266
30.3.2	FE actions of FE3 .....	267
31	Group database recovery - stage 2 information flow sequences .....	267
31.1	Normal operation.....	267
31.1.1	G-HDR.....	267
31.1.2	G-VDR.....	271
31.2	Exceptional operation.....	274
31.2.1	Rejection of G-HDR .....	274
31.2.2	Rejection of G-VDR .....	275
31.3	FE actions.....	275
31.3.1	FE actions of FE2 .....	275
31.3.2	FE actions of FE3 .....	276
32	Group linking/unlinking - stage 2 information flow scenarios.....	276
32.1	Normal operation.....	276
32.1.1	Group linking.....	276
32.1.2	Group unlinking.....	276
32.1.3	Remote group unlinking .....	277
32.2	Exceptional operation - group linking rejected by participating SwMI .....	277
32.3	FE actions.....	277
32.3.1	FE actions of FE5 .....	277
32.3.2	FE actions of FE6 .....	277
33	Definition of stage 2 information flows .....	277
33.1	AUTHENTICATION DEMAND .....	277
33.2	AUTHENTICATION RESPONSE.....	278

33.3	AUTHENTICATION RESULT .....	278
33.4	AUTH REJECT .....	278
33.5	DE-REGISTRATION .....	279
33.6	DE-REG REJECT .....	279
33.7	GROUP ATTACHMENT .....	279
33.8	GROUP ATT REJECT .....	280
33.9	GROUP DETACHMENT .....	280
33.10	GROUP DET REJECT .....	280
33.11	HMM RECOVERY .....	281
33.12	HMM RECOVERY COMPLETED .....	281
33.13	HMM RECOVERY REJECT .....	281
33.14	LINKING .....	282
33.15	LINKING COMMAND .....	282
33.16	LINKING REJECT .....	282
33.17	MIGRATION .....	282
33.18	MIGRATION REJECT .....	283
33.19	OTAR-KEY DEMAND .....	283
33.20	OTAR-KEY PROVIDE .....	283
33.21	OTAR-KEY REJECT .....	284
33.22	OTAR-KEY RESULT .....	284
33.23	OTAR-PARAM DEMAND .....	284
33.24	OTAR-PARAM PROVIDE .....	284
33.25	OTAR-PARAM REJECT .....	285
33.26	OTAR-PARAM RESULT .....	285
33.27	PROFILE REJECT .....	285
33.28	PROFILE UPDATE .....	286
33.29	REMOTE UNLINKING .....	286
33.30	REMOVE REJECT .....	286
33.31	REMOVE SUBS .....	287
33.32	SS-PROFILE REJECT .....	287
33.33	SS-PROFILE UPDATE .....	288
33.34	UNLINKING .....	288
33.35	UNLINKING REJECT .....	288
33.36	VMM RECOVERY .....	288
33.37	VMM RECOVERY COMPLETED .....	289
33.38	VMM RECOVERY REJECT .....	289
33.39	Profiles .....	289
33.39.1	Basic migration profiles .....	289
33.39.1.1	Group basic migration profile (original and temporary) .....	289
33.39.1.2	Individual basic migration profile .....	291
33.39.2	SS-migration profile (original and temporary) .....	292
33.39.3	Relation between subscribers and group .....	292
34	ANF-ISIMM encoding requirements - stage 3 .....	293
34.1	ANF-ISIMM PDU description tables .....	293
34.1.1	AUTHENTICATION DEMAND .....	294
34.1.2	AUTHENTICATION RESPONSE .....	294
34.1.3	AUTHENTICATION RESULT .....	295
34.1.4	AUTH REJECT .....	295
34.1.5	DE-REGISTRATION .....	296
34.1.6	DE-REGISTRATION RESPONSE .....	296
34.1.7	DE-REG REJECT .....	296
34.1.8	GROUP ATTACHMENT .....	297
34.1.9	GROUP ATTACHMENT RESPONSE .....	298
34.1.10	GROUP ATT REJECT .....	298
34.1.11	GROUP DETACHMENT .....	299
34.1.12	GROUP DETACHMENT RESPONSE .....	299
34.1.13	GROUP DET REJECT .....	300
34.1.14	HMM RECOVERY .....	300
34.1.15	HMM RECOVERY COMPLETED .....	301
34.1.16	HMM RECOVERY REJECT .....	301
34.1.17	HMM RECOVERY RESPONSE .....	301

34.1.18	LINKING.....	302
34.1.19	LINKING COMMAND .....	302
34.1.20	LINKING COMMAND RESPONSE.....	302
34.1.21	LINKING REJECT.....	302
34.1.22	LINKING RESPONSE.....	302
34.1.23	MIGRATION .....	303
34.1.24	MIGRATION REJECT .....	303
34.1.25	MIGRATION REJECT RESPONSE .....	304
34.1.26	MIGRATION RESPONSE.....	304
34.1.27	OTAR-KEY DEMAND .....	305
34.1.28	OTAR-KEY PROVIDE.....	305
34.1.29	OTAR-KEY REJECT.....	306
34.1.30	OTAR-KEY RESULT .....	306
34.1.31	OTAR-PARAM DEMAND .....	306
34.1.32	OTAR-PARAM PROVIDE.....	307
34.1.33	OTAR-PARAM REJECT.....	307
34.1.34	OTAR-PARAM RESULT .....	308
34.1.35	PROFILE REJECT .....	308
34.1.36	PROFILE UPDATE .....	309
34.1.37	PROFILE UPDATE RESPONSE.....	309
34.1.38	REMOTE UNLINKING.....	310
34.1.39	REMOVE REJECT .....	310
34.1.40	REMOVE SUBS .....	310
34.1.41	REMOVE SUBS RESPONSE.....	311
34.1.42	SS-PROFILE REJECT .....	311
34.1.43	SS-PROFILE UPDATE.....	312
34.1.44	SS-PROFILE UPDATE RESPONSE.....	312
34.1.45	UNLINKING.....	313
34.1.46	UNLINKING REJECT.....	313
34.1.47	UNLINKING RESPONSE .....	313
34.1.48	VMM RECOVERY .....	313
34.1.49	VMM RECOVERY COMPLETED.....	313
34.1.50	VMM RECOVERY REJECT.....	314
34.1.51	VMM RECOVERY RESPONSE.....	314
34.2	PDU information element encoding .....	314
34.2.1	Advanced link.....	314
34.2.2	Age stamp .....	315
34.2.3	AI security class (participating SwMI) .....	315
34.2.4	AI security class (requested).....	315
34.2.5	AI encryption state list.....	316
34.2.6	ANF-ISIMM invoke id .....	317
34.2.7	Authentication invocation.....	317
34.2.8	Authentication rejection cause.....	317
34.2.9	Authentication service .....	318
34.2.10	Authentication type.....	318
34.2.11	Basic migration profile info .....	318
34.2.12	Call restoration support.....	319
34.2.13	Call time-out set-up phase timer (T301).....	319
34.2.14	Call time-out timer (T310).....	320
34.2.15	Circuit mode protected (high) data service .....	320
34.2.16	Circuit mode protected (low) data service .....	321
34.2.17	Circuit mode unprotected speech + data service.....	321
34.2.18	CONS.....	321
34.2.19	Default SS-information.....	322
34.2.20	De-registration rejection cause .....	322
34.2.21	De-registration type .....	322
34.2.22	Duplex service .....	323
34.2.23	End-to-end encryption service .....	323
34.2.24	First/Subsequent Group attachment.....	324
34.2.25	Following conditional element(s) present.....	324
34.2.25a	Forced removal .....	324
34.2.26	Group attachment/detachment .....	324

34.2.27	Group attachment rejection cause .....	325
34.2.28	Group basic migration profile (original and temporary) .....	325
34.2.29	Group detachment rejection cause .....	326
34.2.30	Group information .....	326
34.2.31	Group information in subscriber profile .....	327
34.2.32	Group priority .....	327
34.2.33	GSSI .....	327
34.2.34	Home/Visited SwMI MM initiated .....	327
34.2.35	Independent of authentication service .....	328
34.2.36	Individual basic migration profile (original and temporary) .....	329
34.2.37	Interleaving depth .....	330
34.2.38	IP service .....	331
34.2.39	ISSI .....	331
34.2.40	ISI profile type 3 element identifier .....	331
34.2.41	Last group detachment .....	332
34.2.42	Linking rejection cause .....	332
34.2.43	Maximum number of timeslots .....	332
34.2.44	Migration rejection cause .....	333
34.2.45	Migration type .....	333
34.2.46	MNI .....	333
34.2.47	MNIs of SSI and of visited SwMI MM following .....	333
34.2.48	Not supported SS .....	334
34.2.49	Number of following elements .....	334
34.2.50	Number of not supported SSs .....	334
34.2.51	Number of SS-information .....	334
34.2.52	Original/Subsequent use of param .....	334
34.2.53	OTAR SCK delivery service .....	335
34.2.54	OTAR SCK generation service .....	335
34.2.55	OTAR SCK key rejection cause .....	336
34.2.56	OTAR SCK param rejection cause .....	336
34.2.57	Other linked group .....	336
34.2.58	PDU type .....	337
34.2.59	Pre-defined profile set reference(s) .....	338
34.2.60	Profile exchange support .....	338
34.2.61	Profile rejection cause .....	339
34.2.62	Profile type .....	339
34.2.63	Point-to-multipoint acknowledged service .....	339
34.2.64	Point-to-multipoint broadcast service .....	340
34.2.65	Point-to-multipoint service .....	340
34.2.66	Point-to-point service .....	341
34.2.67	Profile status .....	341
34.2.68	Proprietary .....	341
34.2.69	Recovery .....	342
34.2.70	Recovery rejection cause .....	342
34.2.71	Recovery type .....	342
34.2.72	Restricted migration support .....	342
34.2.73	RSI rejection cause .....	343
34.2.74	SCLNS .....	343
34.2.75	SDS profile .....	343
34.2.76	Speech service .....	344
34.2.77	SS-information .....	344
34.2.78	SS-information response .....	344
34.2.79	SS-migration profile (original) .....	345
34.2.80	SS-migration profile response (temporary) .....	345
34.2.81	SS-profile response status .....	345
34.2.82	SS-profile update indicator .....	346
34.2.83	SS-response status .....	346
34.2.84	SS-status .....	346
34.2.85	SS-type .....	346
34.2.86	Subscriber information .....	347
34.2.87	Subscriber information in group profile .....	347
34.2.88	Subscriber status .....	347

34.2.89	Type 3 element identifier .....	347
34.2.90	Unlinking rejection cause .....	348
34.2.91	Validity time .....	348
34.2.92	Validity time type .....	348
35	ANF-ISIMM procedures - stage 3.....	348
35.1	General .....	348
35.2	Generic procedures.....	348
35.2.1	Invoking SwMI.....	349
35.2.2	Receiving SwMI .....	349
35.2.3	Clearing of ISI GFP transport connection.....	349
35.2.4	Convert primitive to PDU.....	349
35.2.5	Convert PDU to primitive.....	349
35.2.6	Correspondence between ANF-ISIMM primitives and PDUs.....	350
35.3	SDL descriptions .....	351
35.4	Migration.....	351
35.4.1	Visited SwMI ANF-ISIMM.....	351
35.4.2	Individual subscriber home SwMI ANF-ISIMM.....	354
35.5	Restricted migration .....	358
35.5.1	Visited SwMI ANF-ISIMM.....	358
35.5.2	Individual subscriber home SwMI ANF-ISIMM.....	359
35.6	Removal of Subscriber Information .....	360
35.6.1	Individual subscriber home SwMI ANF-ISIMM.....	360
35.6.2	Previous visited SwMI ANF-ISIMM.....	361
35.7	De-registration.....	362
35.7.1	Visited SwMI ANF-ISIMM.....	362
35.7.2	Individual subscriber home SwMI ANF-ISIMM.....	363
35.8	Profile update .....	364
35.8.1	Home SwMI ANF-ISIMM .....	364
35.8.2	Visited SwMI ANF-ISIMM.....	365
35.9	SS-profile update.....	366
35.9.1	Home SwMI ANF-ISIMM .....	366
35.9.2	Visited SwMI ANF-ISIMM.....	367
35.10	Authentication .....	367
35.10.1	Visited SwMI ANF-ISIMM.....	367
35.10.2	Individual subscriber home SwMI ANF-ISIMM.....	369
35.11	Over the air re-keying.....	371
35.11.1	OTAR SCK generation.....	371
35.11.1.1	Visited SwMI ANF-ISIMM.....	371
35.11.1.2	Home SwMI ANF-ISIMM.....	372
35.11.2	OTAR SCK delivery.....	374
35.11.2.1	Visited SwMI ANF-ISIMM.....	374
35.11.2.2	Home SwMI ANF-ISIMM.....	375
35.12	Individual subscriber database recovery.....	377
35.12.1	HMM recovery .....	377
35.12.1.1	Visited SwMI ANF-ISIMM.....	377
35.12.1.2	Individual subscriber home SwMI ANF-ISIMM.....	380
35.12.1.3	Previous visited SwMI ANF-ISIMM.....	383
35.12.2	VMM recovery .....	383
35.12.2.1	Visited SwMI ANF-ISIMM.....	383
35.12.2.2	Individual subscriber home SwMI ANF-ISIMM.....	386
35.12.2.3	Previous visited SwMI ANF-ISIMM.....	388
35.13	Group attachment .....	388
35.13.1	Visited SwMI ANF-ISIMM.....	388
35.13.2	Group Home SwMI ANF-ISIMM .....	393
35.14	Group detachment .....	397
35.14.1	Visited SwMI ANF-ISIMM.....	397
35.14.2	Group home SwMI ANF-ISIMM .....	399
35.15	Group database recovery.....	400
35.15.1	Visited SwMI ANF-ISIMM.....	400
35.15.2	Group home SwMI ANF-ISIMM .....	403
35.16	Group linking/unlinking .....	406